









MSAT Interface 🕖		⊙ 🗓 🗷
Project: Alpha - Selected Bug Description	(A)	Filters
FI: Empty finalizer should be deleted (FI_EMPTY)	⊗	Tool
Empty finalize() methods are useless, so they should be deleted.		☑ toolLong
A computer uses several types of hardware resources, and those are physically limited by nature. Therefore, we have to use those resources wisely. In Java, unlike in older programming languages like C++, memory is automatically		✓ toolShort
managed by the garbage collector, however, there are other resources, usually		Bugs
"IO resources", that we need to manage by ourselves.		☐ My Bugs
		✓ All Bugs
Suggested Quick Fixes:		
man each anns are ann annaments		Vulnerability Type
		SQL Injection
Apply		□ xss
	l <del>-</del>	

Ā

MSAT Interface 🕖	⊙®⊗
Project: Alpha - (file_path)/12.4 EditList.java ———————————————————————————————————	Filters
// Alpha Project // author @gsvarma // author @gsvarma // bublic class EcitList	Tool  toolLong  toolShort  Bugs  My Bugs  All Bugs
FI: Empty finalizer should be deleted (FI_EMPTY)  Empty finalize() methods are useless, so they should be deleted.  Know More	Vulnerability Type  ☐ SQL Injection ☐ XSS