

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
FI_EMPTY		FI	12.4 EditList.java	Varma
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[Fix Now](#)
[Know More](#)

Filters

Tool

☒ toolLong
☒ toolShort

Bugs

☐ My Bugs
☒ All Bugs

Vulnerability Type

☐ SQL Injection
☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
FI_EMPTY		FI	12.4 EditList.java	Varma
CO_SELF		CO	11.2 StringComparer.java	
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[Fix Now](#)
[Know More](#)

Filters

Tool

☐ toolLong
☒ toolShort

Bugs





☐ My Bugs
☒ All Bugs

Vulnerability Type

☐ SQL Injection
☐ XSS


MSAT Interface


Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	Un-assigned
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong 

☒ toolShort 

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description


EQ: Equals checks for incompatible operand (EQ_CHECK)

This equals method is checking to see if the argument is some incompatible type (i.e., a class that is neither a supertype nor subtype of the class that defines the equals method).

Fix Now

Know More

UXD Cycle 1 - RQ 1 - Seperate List



MSAT Interface

Project: Alpha

toolShort

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
CO_SELF	CO	11.2 StringComparer.java	Un-assigned
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

toolLong

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha

toolShort

Name (Bug title)	Type	Fix Location	Assignee
CO_SELF	CO	11.2 StringComparer.java	Un-assigned
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

toolLong

Name (Bug title)	Type	Fix Location	Assignee
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha

toolLong

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

Filters

Tool

☒ toolLong

☐ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha

toolShort

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
CO_SELF	CO	11.2 StringComparer.java	<div>Un-assigned</div>
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☐ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha - Selected Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

A computer uses several types of hardware resources, and those are physically limited by nature. Therefore, we have to use those resources wisely. In Java, unlike in older programming languages like C++, memory is automatically managed by the garbage collector; however, there are other resources, usually "IO resources", that we need to manage by ourselves.

Suggested Quick Fixes:

```
44-1204 0754 00000 705 00000 000000000000
0000000000 0000 7005 00 0000000 7000700
4400000000 00 4000000 00 0000000 40000 0000000
00 0000 000 4000 4000000 7000 40000000
```

Apply

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha - (file_path)/12.4 EditList.java

```
1 // *****
2 // Alpha Project
3 // author @savyama
4 // *****
5
6 public class EditList
7 {
8     ...
9
10    public void popup()
11    {
12        size = size - 1;
13    }
14
15    finalize(): 😊
16    ...
17    ...
18    ...
19
20 }
```

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty `finalize()` methods are useless, so they should be deleted.

Fixed

Know More

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs


☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

UXD Cycle 1 - RQ 1 - Tags



MSAT Interface ?

Q search

- +2 FI_EMPTY [click here to select this bug](#)
FI: Empty finalizer should be deleted
[toolLong](#) [toolShort](#) [FI](#)
- +4 EQ_CHECK
Equal checks for incompatible operand
[toolShort](#) [EQ](#)
- 2 CO_SELF
~~Equal checks for incompatible operand~~
[toolLong](#) [CO](#)

Filters

Trending

Priority

Tool

- ☒ toolLong
- ☒ toolShort

Bugs

- ☐ My Bugs
- ☒ All Bugs

Vulnerability Type

- ☐ SQL Injection

MSAT Interface ?

Q search

- +2 FI_EMPTY [click here to select this bug](#)
FI: Empty finalizer should be deleted
[toolShort](#) [FI](#)
- +4 EQ_CHECK
Equal checks for incompatible operand
[toolShort](#) [EQ](#)

Filters

Trending

Priority

Tool




- ☐ toolLong
- ☒ toolShort




Bugs

- ☐ My Bugs
- ☒ All Bugs


Vulnerability Type

- ☐ SQL Injection





UXD Cycle 1 - RQ 2 - Animated icons



MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	Un-assigned
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface

Project: Alpha - Selected Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

A computer uses several types of hardware resources, and those are physically limited by nature. Therefore, we have to use those resources wisely. In Java, unlike in older programming languages like C++, memory is automatically managed by the garbage collector; however, there are other resources, usually "IO resources", that we need to manage by ourselves.

Suggested Quick Fixes:

```

// Remove unused finalizers
// Remove unused finalizers
// Remove unused finalizers
// Remove unused finalizers

```

Apply

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha - (file_path)/12.4 EditList.java

```

1 // *****
2 // Alpha Project
3 // author @savyama
4 // *****
5
6 public class EditList
7 {
8     ....
9     public void popup()
10     {
11         size = size - 1;
12     }
13     finalize() : 😊
14     ....
15 }

```

Filters

Tool
☒ toolLong
☒ toolShort

Bugs
☐ My Bugs
☒ All Bugs

Vulnerability Type
☐ SQL Injection
☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fixed

Know More

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool
☒ toolLong
☒ toolShort

Bugs
☐ My Bugs
☒ All Bugs

Vulnerability Type
☐ SQL Injection
☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

[click here](#)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool
☒ toolLong
☒ toolShort

Bugs
☐ My Bugs
☒ All Bugs

Vulnerability Type
☐ SQL Injection
☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

[click here](#)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface ?

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	<div>Un-assigned</div>
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

[click here](#)

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface ?

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	<div>Un-assigned</div>
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

[click here](#)

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface ?

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	<div>Un-assigned</div>
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

[click here](#)

FI: Empty finalizer should be deleted (FI_EMPTY)





Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More


MSAT Interface


Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	Un-assigned
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong 

☒ toolShort 

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

EQ: Equals checks for incompatible operand (EQ_CHECK)

This equals method is checking to see if the argument is some incompatible type (i.e., a class that is neither a supertype nor subtype of the class that defines the equals method).

Fix Now

Know More

MSAT Interface

Project: Alpha - (file_path)/12.4 EditList.java

```

// *****
// Alpha Project
// author @savyama
// *****
public class EditList
{
    ...
    public void popup()
    {
        size = size - 1;
    }
    finalize() { 😊 }
    ...
}

```

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fixed

Know More

Filters

Tool

- ☒ toolLong
- ☒ toolShort

Bugs

- ☐ My Bugs
- ☒ All Bugs

Vulnerability Type

- ☐ SQL Injection
- ☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	<input type="text" value="Un-assigned"/>
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[click here after checking icons](#)

Fix Now

Know More

Filters

Tool

- ☒ toolLong
- ☒ toolShort

Bugs

- ☐ My Bugs
- ☒ All Bugs

Vulnerability Type

- ☐ SQL Injection
- ☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	<input type="text" value="Un-assigned"/>
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[click here after checking icons](#)

Fix Now

Know More

Filters

Tool

- ☒ toolLong
- ☒ toolShort

Bugs

- ☐ My Bugs
- ☒ All Bugs

Vulnerability Type

- ☐ SQL Injection
- ☐ XSS

MSAT Interface ?

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY		needs fix	12.4 EditList.java	Varma
EQ_CHECK		needs fix	6.3 LoopHelper.java	Max
CO_SELF		needs fix	11.2 StringComparer.java	Un-assigned
XSS_REQUEST		fixed	5.4 HttpSender.java	John
DMI_EMPTY		needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong
☒ toolShort

Bugs

☐ My Bugs
 ☒ All Bugs

Vulnerability Type

☐ SQL Injection
 ☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[click here after checking icons](#)

Fix Now

Know More

MSAT Interface ?

Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	Un-assigned
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong
☒ toolShort

Bugs

☐ My Bugs
 ☒ All Bugs

Vulnerability Type

☐ SQL Injection
 ☐ XSS

Bug Description


EQ: Equals checks for incompatible operand (EQ_CHECK)

This equals method is checking to see if the argument is some incompatible type (i.e., a class that is neither a supertype nor subtype of the class that defines the equals method).

Fix Now

Know More

UXD Cycle 1 - RQ 2 - Pending Status Popup



MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY	Tool 1	needs fix	12.4 EditList.java	Varma
EQ_CHECK	Tool 2	needs fix	6.3 LoopHelper.java	Max
CO_SELF	Tool 1	needs fix	11.2 StringComparer.java	Un-assigned
XSS_REQUEST	Tool 2	fixed	5.4 HttpSender.java	John
DMI_EMPTY	Tool 1	needs fix	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

MSAT Interface

Project: Alpha - Selected Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

A computer uses several types of hardware resources, and those are physically limited by nature. Therefore, we have to use those resources wisely. In Java, unlike in older programming languages like C++, memory is automatically managed by the garbage collector; however, there are other resources, usually "IO resources", that we need to manage by ourselves.

Suggested Quick Fixes:

```

// Remove unused finalizers
// Remove unused finalizers
// Remove unused finalizers
// Remove unused finalizers

```

Apply

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha - (file_path)/12.4 EditList.java

```
// *****
// Alpha Project
// author @savyama
// *****

public class EditList
{
    ...

    public void popup()
    {
        size = size - 1;
    }

    finalize() : 😊
    ...
}
```

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fixed

Know More

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY	🔧	pending... click	12.4 EditList.java	Varma
EQ_CHECK	🛡️	needs fix	6.3 LoopHelper.java	Max
CO_SELF	🔧	needs fix	11.2 StringComparer.java	🔍 Un-assigned
XSS_REQUEST	🛡️	fixed	5.4 HttpSender.java	John
DMI_EMPTY	🔧	needs fix	3.3 DatabaseHelper.java	Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

[click here after seeing popup](#)

Fix Now

Know More

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Status	Fix Location	Assignee
FI_EMPTY	🔧	pending...	12.4 EditList.java	Varma
EQ_CHECK	🛡️			Max
CO_SELF	🔧			🔍 Un-assigned
XSS_REQUEST	🛡️			John
DMI_EMPTY	🔧			Elina

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fix Now

Know More

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs





Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	<div>Un-assigned</div>
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS


Bug Description

EQ: Equals checks for incompatible operand (EQ_CHECK)

This equals method is checking to see if the argument is some incompatible type (i.e., a class that is neither a supertype nor subtype of the class that defines the equals method).

Fix Now

Know More



MSAT Interface

Project: Alpha - (file_path)/12.4 EditList.java

```

1 // *****
2 // Alpha Project
3 // author @savyama
4 // *****
5
6 public class EditList
7 {
8     ...
9
10    public void popup()
11    {
12        size = size - 1;
13    }
14
15    finalize(): 😊
16    ...
17 }
18
19
20

```

Filters

- Tool
 - ☒ toolLong
 - ☒ toolShort
- Bugs
 - ☐ My Bugs
 - ☒ All Bugs
- Vulnerability Type
 - ☐ SQL Injection
 - ☐ XSS

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty `finalize()` methods are useless, so they should be deleted.

[Fixed](#)

[Know More](#)

MSAT Interface

Project: Alpha

Name (Bug title)	Tool	Type	Fix Location	Assignee
EQ_CHECK		EQ	6.3 LoopHelper.java	Max
CO_SELF		CO	11.2 StringComparer.java	
XSS_REQUEST		XSS	5.4 HttpSender.java	John
DMI_EMPTY		DM	3.3 DatabaseHelper.java	Elina

Filters

- Tool
 - ☒ toolLong
 - ☒ toolShort
- Bugs
 - ☐ My Bugs
 - ☒ All Bugs
- Vulnerability Type
 - ☐ SQL Injection
 - ☐ XSS

Bug Description

EQ: Equals checks for incompatible operand (EQ_CHECK)

This equals method is checking to see if the argument is some incompatible type (i.e., a class that is neither a supertype nor subtype of the class that defines the equals method).

[Fix Now](#)

[Know More](#)