Cucumber Report

| Start : Apr 23, 2:03:48.976 PM	End : Apr 23, 2:04:28.127 PM	Duration : 39.151 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 8 FAILED - 3 SKIPPED - 3

Features: 1 — 0 %

Scenarios: 4 — 25 %

Steps: 14 — 57 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login Tokopedia	_39.151 s_	_4_	_1_	_3_	_0_	_14_	_8_	_3_	_3_

#	Feature Name	Scenario Name
1	*Login Tokopedia*	*Successfully login to tokopedia*
2		*Successfully login to tokopedia*
3		*Successfully verify email the unregistered email*

#	Feature Name	T	P	F	S	Duration
1	Login Tokopedia	4	1	3	0	39.151 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Tokopedia	Successfully login to tokopedia	4	2	1	1	12.803 s
2		Successfully login to tokopedia	4	1	1	2	11.959 s
3		Login to tokopedia Metode Lain	2	2	0	0	7.281 s
4		Successfully verify email the unregistered email	4	3	1	0	7.038 s

Login Tokopedia

FAILED	DURATION - 39.151 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0	Steps Total - 14 Pass - 8 Fail - 3 Skip - 3
/ 2:03:48.976 PM // 2:04:28.127 PM /			

Successfully login to tokopedia

FAILED	DURATION - 12.803 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1
/ 2:03:48.985 PM // 2:04:01.788 PM /			
Login Tokopedia			

#	Step / Hook Details	Status	Duration
1	Given Navigate to tokopedia login page	PASSED	8.585 s
2	When user login into web with miariany@yahoo.com and password 987654321	PASSED	1.112 s
3	And click login button	FAILED	3.088 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"loginUI. btn_click_login"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1afd3559a5bf6350355a6ba50afc7c63, findElement {using=xpath, value=loginUI.btn_click_login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion: 123.0.6312.122 (31f8248cdd9..., userDataDir: C:\Users\syahmia\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64653}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64653/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1afd3559a5bf6350355a6ba50afc7c63
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at com.companyname.library.CommonLibrary.click(CommonLibrary.java:24)		
	at stepDefinition.LoginStepDefinitions.click_login_button(LoginStepDefinitions.java:43)		
	at ?.click login button(file:///C:/Users/syahmia/eclipse-workspace/AutomationToped/Features/loginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
4	Then user home page is displayed	SKIPPED	0.000 s

Successfully login to tokopedia

FAILED	DURATION - 11.959 s
/ 2:04:01.832 PM // 2:04:13.791 PM /	
Login Tokopedia	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given Navigate to tokopedia login page	PASSED	7.825 s
2	When user login into web with hello@gmail.com and password 111111111	FAILED	4.129 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='password-input']"} (Session info: chrome=123.0.6312.123) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [097c2e3779d41ef06a9b8dbb8041238f, findElement {using=xpath, value=//input[@id='password-input']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.123, chrome: {chromedriverVersion:		

| #	Step / Hook Details	Status	Duration

	123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\syahmia\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64730}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64730/devtoo..., se:cdpVersion: 123.0.6312.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 097c2e3779d41ef06a9b8dbb8041238f
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	  at com.companyname.library.CommonLibrary.setUserPassword(CommonLibrary.java:38)
	  at stepDefinition.LoginStepDefinitions.user_input_name_and_password(LoginStepDefinitions.java:37)
	  at ?.user login into web with hello@gmail.com and password 111111111(file:///C:/Users/syahmia/eclipse-workspace/AutomationToped/Features/loginPage.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And click login button	SKIPPED	0.001 s
4	Then user home page is displayed	SKIPPED	0.000 s

Login to tokopedia Metode Lain

PASSED	DURATION - 7.281 s		Steps	
/ 2:04:13.799 PM // 2:04:21.080 PM /			Total - 2	
			Pass - 2	2
Login Tokopedia			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to tokopedia login page	PASSED	6.345 s
2	When user click Metode lain button	PASSED	0.935 s

Successfully verify email the unregistered email

FAILED	DURATION - 7.038 s
/ 2:04:21.089 PM // 2:04:28.127 PM /	
Login Tokopedia	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Navigate to tokopedia login page	PASSED	5.854 s
2	When user login into web with "isjeiw@gmail.com"	PASSED	0.562 s
3	And click next button	PASSED	0.129 s
4	Then unregistered pop-up information is displayed	FAILED	0.490 s

	java.lang.AssertionError: expected [Email belum terdaftar] but found []
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:656)
	   at org.testng.Assert.assertEquals(Assert.java:666)
	   at stepDefinition.LoginStepDefinitions.unregistered_popup_info_is_displayed(LoginStepDefinitions.java:71)
	   at ?.unregistered pop-up information is displayed(file:///C:/Users/syahmia/eclipse-workspace/AutomationToped/Features/loginPage.feature:22)
	* Not displayable characters are replaced by '?'.		