

Table of Contents

1	Introduction	1
	Eclipse features	1
	Eclipse options	14
	Ancillary programs	16
	Additional programs	17
2	Grid and reservoir modeling	20
	Transmissibility calculations	21
	Cell ordering and geometry	21
	Transmissibility calculations	21
	Cartesian transmissibility calculations	22
	Radial transmissibility calculations	27
	Variations on the transmissibility calculation (Eclipse 100)	29
	Nine-point schemes	31
	<i>The nine-point scheme based on diagonal NNC transmissibilities</i>	<i>31</i>
	Tensor permeability (Eclipse 300)	34
	<i>Discretization</i>	<i>35</i>
	<i>Orthogonality error</i>	<i>36</i>
	<i>Restrictions</i>	<i>38</i>
	Local grid refinement and coarsening	39
	Local grid refinement	39
	Geometry and grid data in LGRs	57
	Local grid coarsening	62
	Automatic refinement (Eclipse 100)	66
	Summary of keywords	69
	Example LGR problem	71
	Aquifer modeling facilities	77
	Numerical aquifer	77
	Carter-Tracy aquifer	79
	Fetkovich aquifer	81
	Constant flux aquifer	83
	Constant head aquifers	84
	Multi-component analytic aquifers	85
	Summary of keywords	85
	Dual porosity	88
	Transmissibility calculations	88
	Block to block transmissibility calculations	90
	Recovery mechanisms	91
	Facilities specific to dual porosity runs	100

Restrictions on dual porosity runs	102
Keyword summary	102
Transfer functions	104
Modifying the recovery versus time response (Eclipse 100)	105
Scaling the fracture relative permeability (Eclipse 100)	106
Solution of the linear equations	106
Calculation of fractional volumes for gravity drainage	107
Variation of the sigma factor with drainage process	109
Rock volume and cell activation in dual porosity thermal calculations	110
Integrated capillary pressure option	111
Discretized matrix model (Eclipse 100)	113
Discretized matrix model (Eclipse 300)	116
Single medium conductive fractures (Eclipse 300)	117
Multi porosity	120
Using the multi porosity option	120
Examples	126
Limitations	126
Independent reservoir regions	127
Using the ISOLNUM option (Eclipse 100 only)	127
Merging two or more corner point grids (Eclipse 100 and Eclipse 300)	127
Examples	128
Vertical equilibrium	129
Using the VE option	129
The cell saturation distribution	130
VE relative permeabilities and capillary pressures	134
Residual flow model	135
Miscellaneous points	136
Compressed vertical equilibrium option	137
3 Rock properties	140
Saturation functions	141
Saturation table keywords	141
Saturation table lookup	144
Tolerance for critical saturations	144
Water saturation properties	145
Gas saturation properties	146
Oil saturation properties	148
Three phase relative permeability models	155
Mixed water relative permeability modeling	168
Table end-points	169
Consistency requirements	170
Near critical oil and gas relative permeabilities	171
Saturation table scaling	175
Scaling of capillary pressure functions	176
Scaling of relative permeability functions	177

Miscellaneous points	181
The initial fluid mobility correction	185
End-point variations through a transition zone	186
Leverett J-function	187
Matching initial water distribution	188
Consistency requirements	189
Example of end-point scaling	190
<i>With multiple tables</i>	190
Miscibility and surface tension effects	192
Evaluation of surface tensions	194
Use of the MISCNUM option	195
Hysteresis	196
Using the hysteresis option	196
Relative permeability hysteresis in the non-wetting phase	197
Relative permeability hysteresis in the wetting phase	200
Modeling oil wet systems	204
Capillary pressure hysteresis	204
Hysteresis in WAG floods	208
Using the WAG hysteresis option	208
Conventional and WAG hysteresis	209
WAG hysteresis saturation regions	211
Non-wetting phase model (Gas)	214
Wetting phase model (Water)	218
Rock compaction	221
Tabulated compaction curves	221
Water induced compaction (Eclipse 100)	225
Palmer-Mansoori rock model	226
Compositional coal swelling/shrinkage model (Eclipse 300)	227
4 Fluid models	229
API tracking	231
The API tracking facility	231
Brine tracking	234
The Brine Model	234
Summary of keywords	257
Examples	260
Gi pseudo-compositional model	263
Using the Gi pseudo-compositional model	266
Summary of keywords	266
Example problem	267
GASWAT option	273
Equation of state modifications	273
Calorific values	276
Salinity	277

Relative permeability tables	277
Initialization	277
Summary items	278
Equations of state	279
Two-parameter equations of state	279
Flash calculations	281
Viscosity evaluation	282
Three parameter equations of state	284
Use of the equation of state for hydrocarbon mixtures	285
Calculation of phase states	286
Equations of state regions	288
Reservoir equation of state	288
Surface equation of state	289
Asphaltene option	291
Asphaltene formation: three-component model	292
Asphaltene formation: Pre-2011.1 model	295
Asphaltene damage (both deposition models)	300
List of keywords	303
Example	305
Converting a pre-2011.1 model	305
Water components	307
Water component properties	307
Converting PVTW data to water component data	309
Converting PVTWSALT data to water component data	310
Effective salinity calculations	310
Limitations	313
Summary of keywords	313
Examples	315
Chemical reactions	316
Formulation	316
Output	324
Chemical reaction keywords	325
Examples	326
Solid phase	329
Summary of keywords	329
Solid properties	330
Gas plants and NGLs	339
The recovery plant option	340
Multiphase flash	342
Using multiphase	342
Multiphase keywords	342
Temperature option	344
Eclipse 100 and 300 differences	344

Thermal properties	345
Viscosity modification	345
Thermal conduction	345
Heat losses/gains	346
Equilibrium state	346
Setting the initial conditions	347
Wells	347
Solution output	347
Summary output	347
Restrictions	347
Convergence issues	347
Example data set	348
Thermal option	349
Formulation	349
Thermal properties	357
Thermal features	384
Converting a black-oil data set to thermal	395
Summary of keywords	399
Examples	407
5 Initializing the study	410
Equilibration	410
Enumeration	419
Mixed hydrostatic equilibration	422
Single phase states in EoS compositional models	423
6 Enhanced oil recovery	424
Miscible flood modeling	426
Model formulation	426
Control of numerical diffusion in miscible flow simulation	431
Using the Eclipse miscible flood option	432
Summary of keywords	434
Solvent model	435
Model formulation	436
Control of numerical diffusion in miscible flow simulation	445
Summary of keywords	446
Example	447
CO2 injection: geological storage, EOR and ECBM	453
Geological storage	453
CO2STORE	453
CO2SOL	454
CO2SOL/H2SSOL/GASSOL	456
GASWAT	458
Boundary conditions	459

Note on conversions for salinity units	459
CO2/H2S solution in the aqueous phase	463
Water component properties	464
GASSOL solution in the aqueous phase	466
Aqueous phase properties	467
Polymer flood model	469
The Eclipse 100 polymer flood simulation model	470
The Eclipse 300 polymer flood model	484
Summary of Eclipse 100 keywords	485
Summary of Eclipse 300 keywords	488
Eclipse 100 examples	490
Eclipse 300 examples	497
Alkaline model	518
Alkaline model for ASP flooding	518
Summary of keywords	521
Example problem	522
Surfactant model	527
The simulation model	527
Using the Eclipse 100 surfactant model	546
Using the Eclipse 300 surfactant model	547
Summary of Eclipse 100 keywords	549
Summary of Eclipse 300 keywords	551
Eclipse 100 example	553
Eclipse 300 example	563
Foam model	575
Eclipse 100 foam model	575
Using the Eclipse 100 foam model	581
The Eclipse 300 foam model	583
Summary of keywords	584
Example data set for Eclipse 100	586
Example data set for Eclipse 300	592
7 Unconventional hydrocarbon recovery	600
Coal bed methane model	601
Adsorption/diffusion models in Eclipse 100	602
Adsorption models in Eclipse 300	603
Time dependent diffusion in Eclipse 300	605
Instant sorption in Eclipse 300	607
Rock compaction	607
Modeling compositional effects with Eclipse 100	608
Using the Eclipse 100 Coal Bed Methane Model	609
Summary of keywords (Eclipse 100)	612
Examples Eclipse 100	614
Summary of keywords (Eclipse 300)	621

Using the Eclipse 300 coal bed methane model	623
Shale gas	627
Simulating shale gas reservoirs	627
8 Well modeling	631
Well inflow performance	632
Inflow performance relationship in Eclipse 100	632
Inflow performance relationship in Eclipse 300	632
The connection transmissibility factor	633
The flow-dependent skin factor	636
The phase mobilities	637
Special inflow equations	638
Injecting connections	647
The wellbore head term	649
The productivity index	650
Well modeling facilities	652
Well completions	652
Well controls and limits	654
Group and field control facilities	659
Vertical flow performance	671
Well name and well list template matching	673
Multisegment wells	675
The multisegment well model	676
Pressure drops from VFP tables	684
The drift flux slip model	686
Downhole separators (Eclipse 100)	694
Thermal multisegment well model	698
Using the multisegment well model	701
Converting friction wells to multisegment wells	707
Summary of keywords	708
Wellbore friction option	711
Calculating the frictional pressure loss	711
Using the wellbore friction option	713
Summary of keywords	718
Example	718
9 Field management	724
Group production rules	725
Drilling new wells	725
Opening new connections (re-perforating)	726
Reducing the THP limit	727
Changing VFP table numbers (retubing)	728
Changing well ALQ values (applying lift)	728
Activating compressors	729
The effect of closing wells during drilling and workovers	730

Using production rules with the network option	730
Gas lift optimization	731
Optimizing gas lift to individual wells	731
Optimizing gas lift within a group	733
Optimizing gas lift within a network	734
Treatment of wells that can only flow under gas lift	735
Using the gas lift optimization facility	736
Summary of keywords	739
Gas field operations model	740
Description of the facilities	741
Applying separate gas supply contracts to individual groups	749
Using the gas field operation model	751
Summary of keywords	756
Reservoir coupling	758
Coupling and synchronization	760
Group control	762
Flowlines and surface networks	762
Reservoir coupling files	763
Current restrictions	764
Using the reservoir coupling facility	765
Sharing licenses with the slaves	771
Reservoir coupling file structure	771
Summary of keywords	775
Network option	777
Using the standard network option	781
The extended network model	786
The network model in Eclipse 300	794
Summary of keywords	795
Gas calorific value control	797
Adjusting guide rates to control mean calorific value	798
Controlling the energy production rate	801
Using the facility	802
Summary of keywords	806
10 Formulation and solution of the equations	807
Recovery mechanisms	808
Solution gas drive	809
Water drive	810
Summary output	810
Details of the recovery calculation	811
Formulation of the equations	813
Description of equations	813
Variable sets	814
The IMPES and AIM methods	817

Instability in IMPES	818
Convergence criteria for residual equations	819
Flows	821
Reservoir densities	825
Newton iteration of the non-linear residual	825
Solution of the linear equations	827
Material balance	827
Nested factorization preconditioning	828
Initialization for nested factorization preconditioner	829
Solution procedure for nested factorization	830
Orthomin	831
Convergence criteria	831
Treatment of wells	833
Nested factorization for LGRs	834
The Eclipse 300 WARP linear solver	835
The Constrained Pressure Residual (CPR) Preconditioner	839
Adaptive CPR	841
Tracer tracking	842
Control of numerical diffusion (Eclipse 100)	842
Lagrangian tracer solver (Eclipse 300)	843
Using the Eclipse tracer tracking facility	845
Tracking original fluids	846
Delumping and lumping	851
Diffusion and dispersion	852
Treating passive tracers as non-linear	852
Environmental tracers	854
The environmental tracer model	854
Using the environmental tracer option	858
Summary of keywords	860
Example problem	861
Diffusion	867
Diffusion coefficients: Eclipse 100	867
Diffusion coefficients: Eclipse 300	870
The cross phase diffusion option (Eclipse 300)	873
The cross phase diffusion option (Eclipse 100)	875
Diffusivity calculations	875
Using the molecular diffusion option	879
Summary of keywords	880
Non-Darcy flow	882
Forchheimer models	884
Velocity-dependent relative permeabilities	886
Non-Newtonian fluid flows	892
Simulation of Non-Newtonian fluid flows	892
Velocity calculations	895

Velocity concepts	895
Velocity definitions	896
Eclipse 100 velocity calculations	896
Capillary number	897
Asphaltene deposition and entrainment	899
11 Running the simulators	901
File handling in Eclipse	902
File internal format	903
Petrel files	904
Flux boundary conditions	905
Using flux boundary conditions	905
Summary of keywords	913
Licenses	915
Special Cases	917
<i>License compatibility</i>	919
2014.1 license retirements	920
2015.1 license retirements	920
Parallel option	921
Activating a parallel run	921
Partitioning	921
Running LGRs in parallel (Eclipse 100)	925
Performance bottlenecks	926
Memory scaling	927
Output (Eclipse 100)	927
Summary of keywords	928
Restarts	929
Fast restarts from a SAVE file	929
Flexible restarts from a data file	930
Requesting RESTART files	931
SCHEDULE section data not stored on the RESTART file	932
Notes	933
Units	934
Conversion factors	936
Compatibility between Eclipse 100 specialist extensions	939
Compatibility information	939
12 Reporting and diagnostics	942
Convergence reports	943
Eclipse 100 Report	943
Eclipse 300 Report	947
Timing reports	951
Eclipse 100 timing Reports	951
Eclipse 300 timing reports	953

Total compressibility checks	955
Potential calculations	958
Phase potentials	958
Well potentials	960
Net carbon production/injection tracking	961
Required input data (E100)	962
Required input data (E300)	962
Conversion from moles to equivalent mass	963
Reporting	963
13 Optimization	965
Optimization	966
Non-linear gradient-based optimization	966
Adjoint gradient calculations	969
Optimizer search direction	971
Line search	972
Reservoir optimization	973
Guidelines on using the reservoir optimization feature	975
Summary of keywords (Eclipse 300)	980
Example	981
Gradient option	983
Example	986
Data file overview	986
Output from the Gradient option	991
Gradient option formulation	999
Instantaneous gradients	1001
Summary of keywords	1002
Example problem (Eclipse 100)	1006
Adjoint gradient screening	1014
Keywords	1014
Petro-elastic model	1019
Assumptions	1019
The petro-elastic model	1019
Implementation of the petro-elastic model	1027
Summary of keywords	1028
14 Advanced modeling options	1030
Run Eclipse in coupled geomechanics mode	1031
CO2 storage	1034
The CO2STORE option	1034
Thermal CO2STORE	1039
A Bibliography	1042
Index.....	1051

