Guide to Docker

Your TAs

May 18, 2022

Contents

1 Installing Docker **2**
- 1.1 macOS . . . 2
- 1.2 Windows . . . 2
  - 1.2.1 Windows (Recent) . . . 2
  - 1.2.2 Windows (Legacy) . . . 3
- 1.3 Linux . . . 3

2 CS 2110 Docker Image **4**

3 Starting up the Docker Image **4**
- 3.1 macOS . . . 4
- 3.2 Windows . . . 4
  - 3.2.1 Windows (Recent) . . . 4
  - 3.2.2 Windows (Legacy) . . . 5
- 3.3 Linux . . . 5

4 Using the CS 2110 Docker Container **6**

5 Wrap up **7**

6 Addendum: What even is Docker?? **7**
- 6.1 Physical Servers . . . 7
- 6.2 Virtual Machines . . . 7
- 6.3 What now? . . . 8
- 6.4 Containers . . . 8
- 6.5 Docker . . . 9
- 6.6 CONTAINERS ARE STATELESS . . . 9

7 Addendum: Why should I care about docker? **9**

1 Installing Docker

PLEASE READ THIS SECTION CAREFULLY. The installation process is easy, but there are multiple versions of Docker and you have to be careful to install the right one.

1.1 macOS

If you have the M1 Mac (Apple silicon), then follow the instructions for the preview build for the M1 here: `https://docs.docker.com/docker-for-mac/apple-silicon/`. Note that support for Docker on Apple silicon is still experimental, although we have managed to mitigate most issues, it is possible that you will still encounter some. If you run into strange issues during normal operation, please let the TAs know.

Otherwise, if your Mac is a 2010 model or newer and is running macOS El Capitan 10.11 or newer, you can head over to Docker's website at the following link and follow the instructions to install the Community Edition of Docker: `https://docs.docker.com/docker-for-mac/install/`

If your Mac is older than 2010, come to office hours or ask on Ed Discussion / Piazza and we can discuss a solution.

1.2 Windows

The distribution of Docker on Windows has recently switched from the legacy "Docker Toolbox" to the new "Docker Desktop for Windows". To find out which one you should install, you first have to check your Windows version. Open your Start Menu in the bottom left, enter "`winver`", and press enter. **Note that if you are on Windows 10 or Windows 11, you probably want to install the more recent version.**

- If the menu indicates that you have Windows Home, and your version is 1903 or above, then see Section 1.2.1 below.
- If the menu indicates that you have Windows Pro, Enterprise, or Education, and your build number is 16299 or above, then see Section 1.2.1 below.
- Otherwise, follow Section 1.2.2 below.

1.2.1 Windows (Recent)

First, install Git for Windows if you do not already have it, which can be found at the following link: `https://gitforwindows.org/`. In particular, this contains Git Bash, which can be used as a terminal for running bash scripts and other Unix commands on Windows.

The Git installation will prompt you for lots of configuration options about Git; if you don't know what an option means, select the default option.

Next, install Docker Desktop for Windows. Follow the installation instructions here: `https://docs.docker.com/docker-for-windows/install/`. Note that we will be using the "WSL2 backend", not the "Hyper-V backend".

If prompted to choose between "Edge" and "Stable" versions to download, select "Stable". If prompted to install the necessary components for WSL2, select yes.

Follow the guides up through "Start Docker Desktop". You do not need to follow the onboarding tutorial after starting Docker. If you see an error that "WSL 2 is not installed", follow the instructions given in Section 3.2.1. Make sure you reboot your computer after installation before proceeding.

1.2.2 Windows (Legacy)


Firstly, check that you actually want to do this. Unless you are still on Windows 8 or earlier, this is probably not the option you want.

YOU SHOULD NOT have this installed alongside the Docker Desktop software described in "Windows (Recent)". You **will** run into problems. If you have a recent version of Windows and still have issues following the "Recent" instructions, please reach out to a TA.

First, install the latest version of VirtualBox, which can be found at the following link. `https://www.virtualbox.org/wiki/Downloads`, Click on `Windows Host` to download, then run the installer.

Second, install Docker Toolbox. You can find instructions archived here: `https://web.archive.org/web/20200919160751/https://docs.docker.com/toolbox/toolbox_install_windows/`. The download link will no longer work; you can download Docker Toolbox from the release on GitHub here: `https://github.com/docker/toolbox/releases/download/v19.03.1/DockerToolbox-19.03.1.exe`.

IMPORTANT: When installing Docker Toolbox, make sure to uncheck VirtualBox, as shown in the following picture:



1.3 Linux

In order to install Docker on Linux (specifically Ubuntu), you need to be running at least Ubuntu 16.04. If you are running a different flavor of Linux, you should be able to find instructions online on how to install it. If you are running Ubuntu 16.04 or newer, follow the instructions here: `https://docs.docker.com/install/linux/docker-ce/ubuntu/`. For other Linux distributions, you can follow online instructions; if you get stuck, you can ask a TA or ask for help on Ed Discussion / Piazza.

2 CS 2110 Docker Image

We have created a Docker image for the students of CS 2110 that contains all of the tools that they will need throughout this course. The image itself is hosted on Docker Hub (https://hub.docker.com/r/gtcs2110/cs2110docker/), but we have developed a script for you to use so you don't need to worry about that. The image is setup to be a very basic Ubuntu 20.04 machine (currently on 18.04 due to technical issues, but will be upgraded soon) that includes the following tools that you need for this class:

- CircuitSim (for circuits)
- complx (for assembly)
- gcc/gdb (for C)

One thing that it does not include is a text editor. **STUDENTS SHOULD NOT EDIT ANY FILES INSIDE OF THE CONTAINER!** When you write code later in the semester, you will edit the files in your favorite text editor *outside* of the container.

3 Starting up the Docker Image

Once you have installed Docker, you are ready to download and run the CS 2110 Docker image. To do that, download the **cs2110docker.sh** script from `Files` → `Docker Resources` on Canvas, and save it in the directory that you plan on putting all of your code for this class in. Next, we need to make sure Docker is up and running so we can run the script.

3.1 macOS

If Docker is running, you will see a little whale on your menu bar in the top right corner of your screen. If it isn't, go into your Applications folder and double click on the Docker icon to launch it. Click on the whale in the menu bar and wait for the status to say "Docker is running." Once its running, you need to give proper permissions to the the cs2110docker script. Open a terminal window, `cd` into the directory where you put the script, and run the following:

```
sudo chmod +x cs2110docker.sh
```

Once you've set the permissions (which you only have to do on the first run), you can run the script using the following command:

```
./cs2110docker.sh
```

This may take a moment if it is your first time running the script, but if everything goes as planned, you should see eventually see the message "`Successfully launched CS 2110 Docker container.`"

3.2 Windows

3.2.1 Windows (Recent)

Make sure you rebooted your computer after the Docker installation. The installation process should install a "Docker Desktop" application on your computer. Search for this via your Start Menu, and open it.

The first time you open this, you may get a popup mentioning "WSL 2 is not installed". If this occurs there are two ways you can install WSL 2.

First, you can try the automatic installation by following the instructions found here: https://docs.microsoft.com/en-us/windows/wsl/install. This option is quicker since it completes the entire WSL 2 installation and setup with one command.

However, if you encounter the error "wsl command not found" then you are advised to follow the manual WSL 2 installation directions which can be found here: https://docs.microsoft.com/en-us/windows/wsl/install-manual

While following the steps in either option, you do not need to install a Linux distribution; *so only follow Step 1 through Step 5 of the manual installation.*

When the whale in the bottom left of this window is green and says "Running" on hover, Docker is ready to run. If you cannot get Docker for Windows to run, you likely have not enabled virtualization in your BIOS—ask a TA for help.

After Docker is started, open Git Bash (open Start Menu and search for "Git Bash"), use `cd` to navigate to the directory in which you put the `cs2110docker.sh` script, and run

```
./cs2110docker.sh
```

IMPORTANT: On Windows, place the `cs2110docker.sh` script somewhere under your home directory, e.g. `C:\Users\gburdell\...`. In Git Bash, this will appear as `/c/Users/gburdell/...`, or you may see a "~" as an abbreviation for your home directory.

This may take a moment if it is your first time running the script, but if everything goes as planned, you should see eventually see the message "`Successfully launched CS 2110 Docker container.`"

3.2.2 Windows (Legacy)

The installation process put an icon on your desktop for Docker Quickstart:



Double click on this icon to launch the Docker terminal. From this terminal window, cd into the directory where you put the cs2110docker.sh script. Once you're there, run it using the following command:

```
./cs2110docker.sh
```

IMPORTANT: On Windows, place the `cs2110docker.sh` script somewhere under your home directory, e.g. `C:\Users\gburdell\...`. In Git Bash, this will appear as `/c/Users/gburdell/...`, or you may see a "~" as an abbreviation for your home directory.

This may take a moment if it is your first time running the script, but if everything goes as planned, you should see eventually see the message "`Successfully launched CS 2110 Docker container.`"

3.3 Linux

If you are running Linux, the installation process should have set the Docker daemon to start on boot, so you don't need to worry about launching it manually. Before you can run the script, you have to set up the user group for Docker. Open a terminal window and run the following commands:

```
sudo groupadd docker
sudo usermod -aG docker $USER
```

Once you've created the user group (which you only have to do on the first run), you can run the script using the following command:

```
./cs2110docker.sh
```

This may take a moment if it is your first time running the script, but if everything goes as planned, you should see eventually see the message "`Successfully launched CS 2110 Docker container.`"

4 Using the CS 2110 Docker Container

There are two ways to run the Docker image—using a browser or using a VNC client. When you ran the cs2110docker.sh script, the last line outputted a URL, which should be something along the lines of

```
http://127.0.0.1:6901/
```

This URL gives you access to the container from a web browser, which is the easiest way to use it. Open up your browser and go to the URL. You should see this page:



Click connect.

If you don't want to use the browser, you can also connect using any VNC client. In order to connect, use the same base URL as the browser, but use the port **5901**.

That's it! You should be up and running with a desktop in your browser! If you open up the File Manager and look along the left, you should see a device called **host**, whcih contains all of the same files and folders as the folder containing *cs2110docker.sh*. For instance, if *cs2110docker.sh* is stored in Desktop, then you should see all the contents of Desktop inside **host**. The folder has been *mounted* inside the container, meaning updating the files on your computer will be reflected in the container and vice versa.

When you are doing your work, you should edit all of you files in this folder on your host machine. Then, use the Docker container to run the code. DO NOT SAVE FILES INSIDE THE

CONTAINER ANYWHERE EXCEPT IN THE host FOLDER. THEY WILL DISAPPEAR. PLEASE DON'T DO IT. PLEASE. You will not get extensions on projects because you saved stuff where you should not have. We are making this very clear up front. Don't do it.

When you are done using the container, you can shut it down by running

```
./cs2110docker.sh stop
```

If you are interested in running the container in the shell (no graphics), you can run

```
./cs2110docker.sh -it
```

5 Wrap up

That's about all that there is to the CS 2110 Docker container setup. If you have any questions or issues, please post on Ed Discussion / Piazza **under the Docker folder**, so we can sort through Docker questions efficiently. If there is no Docker folder, then please post any Docker questions under "General".

6 Addendum: What even is Docker??


I'm so glad you asked. In order to answer this question we have to go back in time.

6.1 Physical Servers

Back in the stone age, when application developers wanted to deploy their application, they first had to procure a server. These servers were very expensive, and for various reasons they could run a very small number of applications on each server. They also had to make sure their servers were powerful enough to handle a high load, so at times of lower load, there were a lot of wasted resources that were not doing anything. Monsters stalked the night, storms filled the skies, pestilence ran through the streets, and death was common. This obviously was a pretty big problem.

6.2 Virtual Machines

In order to help minimize the amount of resources that were wasted on servers, people started using "Virtual Machines." Virtual machines are essentially computers within computers. First, you start with a physical server and install an operating system. On top of this operating system, you install something called a "hypervisor." A hypervisor is a type of virtualization technology that allows us to emulate the hardware of a computer and install more operating systems on top of the main operating system. These guest operating systems are called virtual machines. With virtual machines, we can have one physical server and run multiple operating systems, which means that we can run multiple applications and thus not waste a ton of space. Problem solved! Here is a picture to illustrate how virtual machines work:



6.3 What now?


So we have fixed the problem of wasted resources. Time to kick back and put our feet up and be happy with everything we've accomplished, right? Well, if you take a look at the picture, guest operating systems are duplicated multiple times and taking up a bunch of space. Creating entire guest operating systems is incredibly wasteful. If you think about it, there is a ton of stuff that is duplicated. Each guest operating system has copies of the same base files and programs that make it up. In addition, emulating multiple operating systems takes a TON of system resources, which does not leave much for the applications themselves. So while we have solved the problem of having extra resources that are not utilized, we now have the opposite problem. We are using a ton of resources to do the exact same stuff multiple times. What if we could redirect these resources so that the applications themselves could have more to work with?

6.4 Containers

A few years after the concept of virtual machines was developed, some very smart people out there came up with the concept of "containerization." Containerization is another type of virtualization, but instead of making multiple guest operating systems on top of an existing operating systems like virtual machines do, containerization divides the resources of the host operating system. Containerization involves creating "containers," which are essentially sandboxes for applications to run in. By sandbox, I mean that it utilizes resources of the host operating system, but cannot impact anything outside of it. This provides a safe space for applications to run in. Each container gets its own chunk of everything that it could need from the host operating system—file system, system tools, network stack, etc.

6.5 Docker

Docker is an open source project that began in 2010 with the goal of providing abstraction to containers. Using Docker, application developers are able to quickly and easily containerize their applications. In order to use Docker, the host machine runs the Docker Engine, which handles the management and creation of containers. Here is a picture showing how containerization with Docker works (compare this to the Virtual Machine Picture):



As you can see from the image, we no longer have to make multiple copies of the same operating system to run multiple applications. Instead, everything shares the resources of the host operating system. Docker is designed to be run on Linux machines (since containers are dependent on the operating system they are running on), but they also provide solutions that will run on Windows and Linux using very very lightweight virtual machines.

6.6 CONTAINERS ARE STATELESS

There is one key component that we can not stress enough (and will continue to remind you of). Containers are stateless. They are designed so that they can be easily destroyed and recreated (which helps make them so lightweight). This means that any files saved inside a container or any changes made to it will be erased the second that the container is terminated. If you are working on something inside a container, you have to make sure you save it outside of the container before shutting the container down.

7 Addendum: Why should I care about docker?

Good question! Previously, we had our students install virtual machines in order to complete their assignments for this class. It worked fine for some, but many had at least one of the following issues:

- VMs crashing all the time
- VMs not connecting to internet
- VMs running incredibly slow
- Issues installing tools that the class needs
- Random issues that only apply to a single student and can only be solved by deleting the VM and creating a new one (which takes forever)
- A ton more

As a result, we are using Docker to mimic a VM. This isn't precisely how Docker is meant to be used, but it will provide a lot of benefits including:

- Serious performance improvements
- No networking issues because you won't use the network with it
- Seamless integration with your host operating machine
- Comes pre-installed with all the tools that you will need
- The TAs can release updates/fixes mid-semester without any action on the students' part
- Since containers are stateless, if you have any problems, all you have to do is delete it and create a new one, which takes about 5 seconds