

COMMERCIAL LABEL – PACK SIZE RANGE 1L – 20L

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

RLP  
Approved

# ACCENSI LAWN WEEDEER SELECTIVE HERBICIDE

**ACTIVE CONSTITUENT:** 192g/L BENTAZONE present as the Sodium Salt  
112g/L MCPA present as dimethylamine salt  
19g/L DICAMBA present as dimethylamine salt

GROUP	CI	HERBICIDE
-------	----	-----------

For the control of Mullumbimby couch and Broadleaf weeds in Turf as per the directions for use.

Contents: \*\*

Accensi Pty Ltd  
ABN: 94 079 875 184  
60-76 Potassium Street  
NARANGBA QLD 4504  
Ph: (07) 3897 2000

\*\* This label to be used for 1L – 20L

## COMMERCIAL LABEL – PACK SIZE RANGE 1L – 20L

**RESTRAINTS**

DO NOT mow turf for at least 3 days before or after spray application.

DO NOT apply if rain is expected within 8 hours.

DO NOT apply to Lippia, Strawberry clover, Buffalo or Saltene (*Paspalum notatum*) lawns.

SITUATION	WEEDS CONTROLLED	STATE	RATE	HOW TO APPLY
Lawns and turf	Mullumbimby couch, Creeping Oxalis, Bindii (dwarf jo-jo), Sowthistle, Dandelion, Flatweeds, Cudweed, Fleabane, Dock, Chickweed, Clover and Lambs Tongue	All states	SPRAY: Spray 200 mL in 20 L water over 100m <sup>2</sup> .  SPOT SPRAY: 60 mL in 10 L water and wet weeds thoroughly	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering when soil is moist. Thoroughly wet foliage and avoid excess runoff. Repeat applications 3 to 4 weeks after initial spraying if necessary. To avoid damage to lawns/turf, use only at recommended rates and do not exceed 2 sprayings within 3 to 4 weeks. Note: for effective control of Mullumbimby couch, spray in warmer months, when weeds are actively growing.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:**

The product mixes readily in hard or soft water. Weeds are killed by absorption through the leaf and root system of susceptible weeds. It is important to apply the recommended spray mixture when the weeds are young and actively growing and soil is moist. Results may take time to become evident. If necessary to respray, allow an interval of 3 weeks. This product when applied at the recommended rates, may be used on established turf such as couch, blue couch, fescue, carpet, centipede, Kentucky blue and rye grass.

**RESISTANT WEEDS WARNING:**

**GROUP C & I HERBICIDE**

Accensi Lawn Weeder Selective Herbicide is a combination of the Benzothiadiazoles, Phenoxy and Benzoic acid groups of herbicides. For weed resistance management this product is a group C & I herbicide. Some naturally occurring weed biotypes resistant to this product and other group C or I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other group C or I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Accensi Pty Ltd accepts no responsibility for any losses that may result from the failure of this product to control resistant weeds.

**PROTECTION OF LIVESTOCK:**

DO NOT feed grass clippings from treated areas to livestock or poultry.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS**

DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

In particular, avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

## COMMERCIAL LABEL – PACK SIZE RANGE 1L – 20L

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool well ventilated area away from children, animals, food, feedstuffs, seed and fertiliser. Do not store for prolonged periods in direct sunlight. Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

**SAFETY DIRECTIONS:** Harmful if swallowed. Attacks the eyes. Will irritate the skin. Avoid contact with eyes and skin. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves and goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. (Phone Australia 13 11 26).

**CONDITIONS OF SALE:** The use of Accensi Lawn Weeder Selective Herbicide being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI PTY LTD accepts no responsibility for any consequence whatsoever resulting from the use of this product

APVMA Approval No: 67212/

Batch No.

D.O.M.:

Bar Code

Drum Muster logo

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**ACCENSI  
LAWN WEEDEER  
SELECTIVE HERBICIDE**

**ACTIVE CONSTITUENT: 192g/L BENTAZONE present as the Sodium Salt  
112g/L MCPA present as dimethylamine salt  
19g/L DICAMBA present as dimethylamine salt**

Controls Mullumbimby couch and many broadleaf  
weeds in home garden lawns.

Contents: \*\*

Accensi Pty Ltd  
ABN: 94 079 875 184  
60-76 Potassium Street  
NARANGBA QLD 4504  
Ph: (07) 3897 2000

**HOW TO USE**

DO NOT mow lawn for at least 3 days before or following spray application.

DO NOT apply if rain is expected within 8 hours.

DO NOT apply to Lippia, Strawberry clover, Buffalo or Saltene (*Paspalum notatum*) lawns.

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Lawns and turf such as Couch, Blue Couch, Fescue, Carpet, Centipede, Kentucky Blue and Ryegrass	Mullumbimby couch, Creeping Oxalis, Bindii (dwarf jo-jo), Sowthistle, Dandelion, Flatweeds, Cudweed, Fleabane, Dock, Chickweed, Clover and Lambs Tongue	Spray: 20 mL in 2 L water over 10m <sup>2</sup> .  Watering can: 20 mL in 6 L water over 10m <sup>2</sup> .  Spot Spray: 6 mL in 1 L water and wet weeds thoroughly	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering when soil is moist. Thoroughly wet foliage and avoid excess runoff. Repeat applications 3 to 4 weeks after initial spraying if necessary. To avoid damage to lawns/turf, use only at recommended rates and do not exceed 2 sprayings within 3 to 4 weeks.  Note: for effective control of Mullumbimby couch, spray in warmer months, when weeds are actively growing.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**HOW TO PREPARE:**

The product mixes readily in hard or soft water. Spray equipment should be thoroughly rinsed with cold water and washed with warm soapy water.

**CAUTION:**

DO NOT allow spray to contact or drift onto plants you do not want killed. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT feed treated grass clippings to livestock or poultry.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.

**SAFETY DIRECTIONS:** Harmful if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. Do not inhale vapour. Repeated exposure may cause allergic disorders. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. (Phone Australia 13 11 26).

**CONDITIONS OF SALE:** The use of Accensi Lawn Weeder Selective Herbicide being beyond the control of the manufacturer no warranty expressed or implied is given by ACCENSI PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and ACCENSI PTY LTD accepts no responsibility for any consequence whatsoever resulting from the use of this product

APVMA Approval No: 67212/ 59817

Batch No.

D.O.M.:

Bar Code

Drum Muster logo