

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

Nuturf

EXPOR SAN

SELECTIVE TURF HERBICIDE

ACTIVE CONSTITUENT: 500 g/L BENSULIDE
(an anti-cholinesterase compound)
SOLVENT: 443 g/L HYDROCARBON LIQUID


GROUP E HERBICIDE

FOR CONTROL OF WINTER GRASS (*Poa annua*) IN BENT (*Agrostis spp.*),
HYBRID (*Penncross*) AND QUEENSLAND
BLUE COUCH (*digitaria didactyla*) GRASS IN BOWLING AND GOLF GREENS

5, 20 Litre

NUTURF PTY LTD
ABN 30000425927
Unit B2 Lidcombe Business Park 3-9 Birnie Ave Lidcombe 2141.
TEL: 1800 631 008

® Nuturf Pty Ltd is a registered Trademark of Nufarm Limited





ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, N.O.S
UN NO: 3018
PACKAGING GROUP:III
HAZCHEM:2W
IN AN EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE
IN AN EMERGENCY SPECIALIST ADVICE NUFARM AUSTRALIA LIMITED 1 800 033 498

DIRECTIONS FOR USE:

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Bent grass (including Penncross) Qld Blue Couch	Winter grass (Poa annua)	300mL in 150-200L water/100m ²	Apply to Qld Blue Couch in Jan/Feb. Apply to Bent in Jan/Feb, if spring sown, or July/Aug if autumn sown. Water immediately after application an equal quantity of water. DO NOT re-seed with desirable grasses within 4 months of treatment.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Organic matter (thatch/mat), phosphate levels and soil type will affect the degree of control of winter grass.

Mixing

Mix concentrate with the required volume of water in the spray tank.

Do not combine with other pesticides or fertilisers.

Application

Exporsan may be applied with any spray equipment which provide uniform distribution. Calibrate equipment carefully and clean after use.

RESISTANT WEEDS WARNING

Nuturf Exporsan Turf Herbicide is a member of the Organophosphorus group of herbicides. Nuturf Exporsan has the inhibitors of mitosis mode of action. For weed resistance management Nuturf Exporsan is a group E herbicide.

Some naturally occurring weed biotypes resistant to Exporsan and other inhibitors of mitosis herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Exporsan or other Group E herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Nuturf accepts no liability for any losses that may result from the failure of Exporsan to control resistant weeds.

PROTECTION OF LIVESTOCK

Do not graze treated turf or feed grass clippings from treated area to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves, face shield. If product on skin, immediately wash area with soap and water.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 13 11 26). If swallowed give one Atropine tablet every 5 minutes until dryness of the mouth occurs.

If poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give Atropine tablets as above. Get to a doctor or hospital quickly.

MATERIAL SAFETY DATA SHEET

Refer to Material Safety Data Sheet for further information.

CONDITION OF SALE

"Nurturf Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Nurturf's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Nurturf has any authority to add to or alter these conditions".

NRA Approval No. 53671/1102

Batch No.

Date of Manufacture.

® Nurturf Pty Ltd is a registered Trademark of Nufarm Limited

