



**Company Name:** AMGROW PTY LTD  
**Product Name:** TUPERSAN WP TURF HERBICIDE

**APVMA Approval No:** 53714/100098

**Product ID:** 53714

<b>Label Name:</b>	TUPERSAN WP TURF HERBICIDE
--------------------	----------------------------

<b>Signal Headings:</b>	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
-------------------------	--

<b>Constituent Statements:</b>	500g/kg SIDURON
--------------------------------	-----------------

<b>Mode of Action:</b>	<table border="1"><tr><td>GROUP</td><td>C</td><td>HERBICIDE</td></tr></table>	GROUP	C	HERBICIDE
GROUP	C	HERBICIDE		

<b>Statement of Claims:</b>	FOR CONTROL OF CERTAIN GRASSES IN BENT GRASS TURF
-----------------------------	---

<b>Net Contents:</b>	10kg 1kg 5kg
----------------------	--------------------

<b>Name and Address:</b>	AMGROW PTY LTD UNIT B2, LIDCOMBE BUSINESS PARK 3-9 BIRNIE AVENUE LIDCOMBE NSW 2141 PH: 1800 631 008
--------------------------	---

<b>Directions for Use:</b>	This section contains file attachment. <b>File Name:</b> Tupersan label DFU.docx <b>File Size:</b> 14352 bytes
----------------------------	--

<b>General Instructions:</b>	GENERAL INSTRUCTIONS FACTORS INFLUENCING CONTROL *
------------------------------	---

	<p>*As there is an ever increasing number of different Couch grass varieties growing in Australia and as there effectiveness of this product against all varieties cannot therefore be known as assured, it is recommended that a small test area be sprayed with this product to determine its effectiveness against your variety/varieties on Couch grass, before embarking on a large scale treatment. The effectiveness on golf course greens may vary with turf management practices and environmental conditions.</p> <p><b>EQUIPMENT AND APPLICATION</b>  For large areas use fixed boom power sprayers. To prevent nozzle blockage strainer and nozzle screens should be 50 mesh or coarser. Continuous agitation is required to keep product suspended. Use between 10-20L of water per 100 square metres.  For small areas use a tank-type hand sprayer; shake or stir frequently. Usual turf herbicide application equipment is also satisfactory.  At least 15mm of water must be provided by rainfall or irrigation within 3 days after treatment.</p>
--	---

<b>Resistance Warning:</b>	<p><b>RESISTANT WEEDS WARNING</b>  Tupersan WP Turf Herbicide is a member of the Ureas group of herbicides. The product has the inhibitor of photosynthesis at photosystem II mode of action. For weed resistance management the product is a group C herbicide.  Some naturally occurring weed biotypes resistant to the product and other Inhibitor of photosynthesis at photosystem II herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other Inhibitor of photosynthesis at photosystem II herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Nuturf accepts no liability for any losses that may result from the failure of this product to control resistant weeds.</p>
----------------------------	---

<b>Protections:</b>	<p><b>PROTECTION OF CROPS, NATIVES AND OTHER NON-TARGET PLANTS</b>  Do not apply under weather conditions or from spraying equipment which could be expected to cause spray drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.  Do not apply near ornamental trees or shrubs.</p> <p><b>PROTECTION OF LIVESTOCK</b>  Do not graze treated turf or feed grass clippings from treated area to poultry or livestock.</p> <p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b>  DO NOT contaminate streams, rivers or waterways with chemical or used containers.</p>
---------------------	---

<b>Storage and Disposal:</b>	<p><b>STORAGE AND DISPOSAL</b>  Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Empty containers and product should not be burnt.</p>
------------------------------	--

<b>Safety Directions:</b>	<p><b>SAFETY DIRECTIONS</b>  Will irritate the eyes, nose, throat and skin. Avoid contact with eyes and skin. Avoid inhaling dust. When opening the container and preparing the spray wear cotton overalls buttoned to</p>
---------------------------	--

	the neck and wrist, a washable hat, elbow length PVC gloves and a face shield or goggles. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield, goggles and contaminated clothing.
--	--

<b>First Aid Instructions:</b>	
--------------------------------	--

	<b>FIRST AID</b> If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 13 11 26).
--	---

<b>First Aid Warnings:</b>	
----------------------------	--

**.DIRECTIONS FOR USE:**

<b>CROP</b>	<b>WEEDS CONTROLLED</b>	<b>STATE</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Established planting of Bent grass varieties: <i>Agrostis tenuis</i> : New Zealand Brown Top Highland Bent, <i>Agrostis stolonifera</i> : Seaside Bent, Pennncross Hybrid.	Kikuyu, Couch grass*, Summer grass (Crab grass)	NSW, ACT, Qld, Vic, SA & WA only	1kg/100m <sup>2</sup>	Make first application in Summer or in Autumn. If required make a second application in Spring.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**