

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



## POACHEK TURF HERBICIDE

ACTIVE CONSTITUENT  
175g/L ENDOTHAL present as the dipotassium salt

|       |   |           |
|-------|---|-----------|
| GROUP | K | HERBICIDE |
|-------|---|-----------|

For the selective control of winter grass (*Poa annua*) in blue couch,  
Common couch, bent buffalo and brown top turf and lawns.

CONTENTS : 1L, 2L, 5L, 25L

---

**DIRECTIONS FOR USE (ALL STATES)**

---

| SITUATION   | WEEDS                       | RATE                            | CRITICAL COMMENTS  |
|---|-----------------------------|---------------------------------|--|
| Blue couch,<br>common<br>couch, bent,<br>buffalo, and<br>New Zealand<br>Brown Top<br>lawns and<br>turf. | Winter Grass<br>(Poa annua) | 150mL per<br>1000m <sup>2</sup> | Apply 2-3 sprays spaced 10-<br>14 days apart in late winter to<br>early spring. Apply as a fine<br>mist spray in 50-100L of<br>water per 1000m <sup>2</sup> . For a full<br>sized bowling green (38m x<br>38m) apply 210mL in 70L<br>water. Apply before seed<br>heads form.<br>Can also be applied in<br>Autumn and early Winter,<br>although new germinations<br>will have to be retreated.<br>Apply when winter grass is<br>becoming evident. One spray<br>may be sufficient. |

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY  
TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE  
LEGISLATION.**

**GENERAL INSTRUCTIONS:**

This product is a selective post emergence herbicide formulated specifically for the control of winter grass. If used on turf heavily infested with winter grass it is important that a programme of sprigging and reseeding be carried out after the treatment. This product is not persistent in the soil and reseeding can take place 2 weeks after application. Large areas of dead winter grass may form a thatch that may be conducive to spread of turf diseases and it is important that a preventative disease control program be carried out also. Do not use when temperature exceeds 25°C. Do not use on Red Fescues or Kikuyu.

**MIXING AND APPLICATION:**

POACHEK mixes readily with water. For best results use a boom spray application at a pressure and nozzle size that gives small droplets. Even and complete coverage is necessary. Do not use a wetting agent.

**RESISTANT WEED WARNING:**

|              |          |                  |
|--------------|----------|------------------|
| <b>GROUP</b> | <b>K</b> | <b>HERBICIDE</b> |
|--------------|----------|------------------|

Poachek is a member of the other modes of action group of herbicides. Poachek has an unknown mode of action. For weed resistance management Poachek is a Group K herbicide. Some naturally occurring weed biotypes resistant to Poachek and other Group K herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weeds population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Poachek or other Group K herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Colin Campbell (Chemicals) Pty Ltd accepts no liability for ant losses that may result from the failure of Poachek to control resistant weeds.

**PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS:** DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

**PROTECTION OF LIVESTOCK, WILDLIFE AND OTHERS:**

DO NOT allow stock to graze any treated plants. DO NOT graze treated turf/lawn: or feed turf/lawn clippings from any treated area to poultry or livestock.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**

Dangerous to fish and other aquatic organisms. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

**STORAGE AND DISPOSAL:**

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

**SAFETY DIRECTIONS:**

Product and spray poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing the spray wear elbow-length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles.

**FIRST AID:**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

If swallowed, do NOT induce vomiting. Give a glass of water.

If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

