



Provisioning EC2




Install nginx

Sudo apt install nginx -y

Sudo systemctl status nginx





Remove default nginx folder

Sudo rm -rf /var/www/html/*

Sudo cp -r dist/* /var/www/html/

Ls -la /var/www/html

```
13.220.181.42
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help
Quick connect...
/home/ubuntu/
Name
.cache
.ssh
Brain-Tasks-App
.bash_logout
.bashrc
.gitconfig
.jesshist
.profile
.xauthority
Remote monitoring
Follow terminal folder

ubuntu@ip-172-31-25-163:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Fri 2026-09-11 16:28:15 UTC; 1min 6s ago
     Invocation: f4fcc2fb88634a87b833c40abbfc6d1f
       Docs: man:nginx(8)
   Process: 6272 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master_process on; (code=exited)
   Process: 6274 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited)
   Main PID: 6304 (nginx)
     Tasks: 3 (limit: 627)
    Memory: 3M (peak: 7.1M)
       CPU: 42ms
    CGroup: /system.slice/nginx.service
            └─6304 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
               └─6306 "nginx: worker process"
                  └─6307 "nginx: worker process"


Sep 11 16:28:15 ip-172-31-25-163 systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server:
Sep 11 16:28:15 ip-172-31-25-163 systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server:
lines 1-18/18 (END)

ip-172-31-25-163 0% 0.32 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 16 min /: 35% /tmp: 0% /boot: 11% /boot/efi: 7%
```

```
13.220.181.42
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help
Quick connect...
/home/ubuntu/Brain-Tasks-App
Name
.git
dist
README.md
Remote monitoring
Follow terminal folder

ubuntu@ip-172-31-25-163:~$ sudo rm -rf /var/www/html/*
ubuntu@ip-172-31-25-163:~$ sudo cp -r dist/* /var/www/html/
cp: cannot stat 'dist/*': No such file or directory
ubuntu@ip-172-31-25-163:~$ cd Brain-Tasks-App/
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ sudo cp -r dist/* /var/www/html/
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$

ip-172-31-25-163 0% 0.31 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 24 min /: 35% /tmp: 0% /boot: 11% /boot/efi: 7%
```




Change the default configuration

`sudo vi /etc/nginx/sites-available/default`


Validating the changed configuration

`Sudo nginx -t`

`Sudo systemctl restart nginx`



Opening the public ip, the site will show



Install Docker in the EC2 - commands from official website documentation

Add Docker's official GPG key:

```
sudo apt update
```

```
sudo apt install ca-certificates curl
```

```
sudo install -m 0755 -d /etc/apt/keyrings
```

```
sudo curl -fsSL https://download.docker.com/linux/ubuntu/gpg -o /etc/apt/keyrings/docker.asc
```

```
sudo chmod a+r /etc/apt/keyrings/docker.asc
```

Add the repository to Apt sources:

```
sudo tee /etc/apt/sources.list.d/docker.sources <<EOF
```

```
Types: deb
```

```
URIs: https://download.docker.com/linux/ubuntu
```

```
Suites: $(. /etc/os-release && echo "${UBUNTU_CODENAME:-$VERSION_CODENAME}")
```

```
Components: stable
```

```
Architectures: $(dpkg --print-architecture)
```

```
Signed-By: /etc/apt/keyrings/docker.asc
```

```
EOF
```

```
sudo apt update
```

Install Docker Packages

```
sudo apt install docker-ce docker-ce-cli containerd.io docker-buildx-plugin  
docker-compose-plugin
```

Verifying Docker installation

```
sudo systemctl status docker
```

Verifying test docker image

```
sudo docker run hello-world
```

Giving userpermission to ubuntu and exit and re-login

```
Sudo usermod -aG docker ubuntu
```

Creating Dockerfile [files are in github repo]

```
Vi Dockerfile
```


```
Cat Dockerfile
```

Building docker image

docker build -t brain-tasks:1.0 .

Docker images

Docker run -d --name brain-taks-app -p 2000:80 brain-tasks:1.0



```
13.220.181.42
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help
Quick connect...
/home/ubuntu/Brain-Tasks-App
Name
..
.git
dist
README.md
Remote monitoring
Follow terminal folder
ip-172-31-25-163 93% 0.42 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 48 min /: 37% /tmp: 0% /boot: 11% /boot/efi: 7%
UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net
22:35 11-09-2026
```

ubuntu@ip-172-31-25-163:~/Brain-Tasks-App\$ sudo apt install docker-ce docker-ce-cli containerd.io docker-buildx-plugin docker-compose-plugin

Installing:

containerd.io docker-buildx-plugin docker-ce docker-ce-cli docker-compose-plugin

Installing dependencies:

docker-ce-rootless-extras pigz

Suggested packages:

cgroupfs-mount | cgroup-lite docker-model-plugin

Summary:

Upgrading: 0, Installing: 7, Removing: 0, Not Upgrading: 157

Download size: 99.8 MB

Space needed: 382 MB / 4664 MB available

Continue? [Y/n] Y

Get:1 <http://us-east-1.ec2.archive.ubuntu.com/ubuntu/resolute/universe/amd64/pigz> amd64 2.8-1build1 [68.5 kB]

Get:2 <https://download.docker.com/linux/ubuntu/resolute/stable/amd64/containerd.io> amd64 2.3.5-1~ubuntu.26.04~resolute [22.4 MB]

Get:3 <https://download.docker.com/linux/ubuntu/resolute/stable/amd64/docker-ce-cli> amd64 5

The screenshot shows the MobaXterm interface with a terminal window. The terminal displays the following commands and output:

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ vi Dockerfile
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ cat Dockerfile

FROM nginx:alpine

COPY dist/ /usr/share/nginx/html/

EXPOSE 80

CMD ["nginx", "-g", "daemon off;"]
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$
```

The left sidebar shows the file explorer with the following structure:

- home/ubuntu/Brain-Tasks-App
 - ..
 - .git
 - dist
 - README.md

The bottom status bar indicates the system is running on ip-172-31-25-163 with 0% CPU usage, 0.36 GB / 0.89 GB memory usage, and 0.01 Mb/s network speed. The system time is 22:44 on 11-09-2026.


The screenshot shows the MobaXterm interface with a terminal window. The terminal displays the following commands and output:

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ docker build -t brain-tasks:1.0 .
[+] Building 2.5s (7/7) FINISHED
=> [internal] load build definition from Dockerfile                                0.1s
=> => transferring dockerfile: 135B                                              0.0s
=> [internal] load metadata for docker.io/library/nginx:alpine                  0.4s
=> [internal] load .dockerignore                                                 0.0s
=> => transferring context: 2B                                                  0.0s
=> [internal] load build context                                                0.1s
=> => transferring context: 317.98kB                                           0.0s
=> [1/2] FROM docker.io/library/nginx:alpine@sha256:72ba65eb42c10344912a84ff42408d 1.5s
=> => resolve docker.io/library/nginx:alpine@sha256:72ba65eb42c10344912a84ff42408d 0.0s
=> => sha256:51900e10fb9cfad93aa74360e5f938efcbe6d3396a380867b7561 1.21kB / 1.21kB 0.1s
=> => sha256:8f924cf5086c7b8a67e8b3e03b22851c1de8e11b0433c21904ef3 1.40kB / 1.40kB 0.1s
=> => sha256:bc98d76756163f687c200ed6114df3904623bbb5e7698b420efaf8ef3 404B / 404B 0.1s
=> => sha256:af7dd138f4591521064c208da6af07f487ebc3e5b350989c0ec2017b3 628B / 628B 0.1s
=> => sha256:6636b9fc203ce74d0b07a1d3f48cfa0151b23fa5e787232908e 20.52MB / 20.52MB 0.4s
=> => sha256:58c524ea09ced2269cb14533d95b80de9fea9532abbf171585d8acee4 956B / 956B 0.1s
=> => sha256:850bf2dcecff7924b238f0b7cbae7b456e5206453b784fe6b4adf 4.40MB / 4.40MB 0.2s
=> => sha256:55afa1ecc21d2bb5e5045f32dafee56272ffd89860bac26f6c321 3.85MB / 3.85MB 0.1s
=> => extracting sha256:55afa1ecc21d2bb5e5045f32dafee56272ffd89860bac26f6c32123439 0.2s
=> => extracting sha256:850bf2dcecff7924b238f0b7cbae7b456e5206453b784fe6b4adfc949a 0.2s
=> => extracting sha256:af7dd138f4591521064c208da6af07f487ebc3e5b350989c0ec2017b3e 0.0s
```

The left sidebar shows the file explorer with the following structure:


- home/ubuntu/Brain-Tasks-App
 - ..
 - .git
 - dist
 - Dockerfile
 - README.md


The bottom status bar indicates the system is running on ip-172-31-25-163 with 0% CPU usage, 0.38 GB / 0.89 GB memory usage, and 0.01 Mb/s network speed. The system time is 22:50 on 11-09-2026.



Install AWS CLI in the Ec2

`sudo apt install awscli -y`





Create ECR

```
aws ecr create-repository \  
  --repository-name brain-tasks \  
  --region us-east-1  
aws ecr describe-repositories \  
  --region us-east-1
```

```
--repository-names brain-tasks \  
--region us-east-1 \  
--query 'repositories[0].repositoryUri' \  
--output text
```

Output ECR URI: 620455726130.dkr.ecr.us-east-1.amazonaws.com/brain-tasks


Authenticate Docker with ECR

```
aws ecr get-login-password --region us-east-1 | \  
docker login \  
--username AWS \  
--password-stdin \  
$(aws ecr describe-repositories \  
  --repository-names brain-tasks \  
  --region us-east-1 \  
  --query 'repositories[0].repositoryUri' \  
  --output text | cut -d/ -f1)
```

Tag existing docker image

```
ECR_URI=$(aws ecr describe-repositories \  
  --repository-names brain-tasks \  
  --region us-east-1 \  
  --query 'repositories[0].repositoryUri' \  
  --output text)
```

```
docker tag brain-tasks:1.0 $ECR_URI:1.0
```



Verify

Docker images

Push image to ECR

Docker push \$ECR_URI:1.0

Verify the pushed images

aws ecr list-images --repository-name brain-tasks --region us-east-1

54.86.4.118

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ docker push $ECR_URI:1.0
The push refers to repository [620455726130.dkr.ecr.us-east-1.amazonaws.com/brain-tasks]
850bf2dcecff: Pushed
55afa1ecc21d: Pushed
cc558e50538c: Pushed
44136fa355b3: Pushed
af7dd138f459: Pushed
58c524ea09ce: Pushed
bc98d7675616: Pushed
51900e10fb9c: Pushed
1e33d24a0f5e: Pushed
8f924cf5086c: Pushed
6636b9fc203c: Pushed
1.0: digest: sha256:65bbb19a8fba5de003315acb83790124c4e92267696e7d105ab135574bb633dc size: 856
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

54.86.4.118

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ aws ecr list-images --repository-name brain-tasks --region us-east-1
{
  "imageIds": [
    {
      "imageDigest": "sha256:829461e2a12258f4f832e6ed122df1474d1c80f2eeb858745f18938474514255"
    },
    {
      "imageDigest": "sha256:90ecfacad582c05f6663b830993ecef72baf5b187a746742c0a55ee700c0d430"
    },
    {
      "imageDigest": "sha256:65bbb19a8fba5de003315acb83790124c4e92267696e7d105ab135574bb633dc",
      "imageTag": "1.0"
    }
  ]
}
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>


Installing kubectl in the EC2

curl -O

```
https://s3.us-west-2.amazonaws.com/amazon-eks/1.36.2/2026-07-05/bin/linux/amd64/kubectl  
chmod +x ./kubectl
```

```
mkdir -p $HOME/bin && cp ./kubectl $HOME/bin/kubectl && export PATH=$HOME/bin:$PATH
```

kubectl version --client



98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessshst
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```

ubuntu@ip-172-31-25-163:~$ curl -O https://s3.us-west-2.amazonaws.com/amazon-eks/1.36.2/2026-07-05/bin/linux/amd64/kubectl
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100 56.81M 100 56.81M    0     0  28.31M      0  00:02  00:02   00:00  12.48M
ubuntu@ip-172-31-25-163:~$

```

ip-172-31-25-163 1% 0.35 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 47 min /: 51% /tmp: 0% /boot: 18% /boot/efi: 7%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:41 13-09-2026

98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessshst
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```

ubuntu@ip-172-31-25-163:~$ curl -O https://s3.us-west-2.amazonaws.com/amazon-eks/1.36.2/2026-07-05/bin/linux/amd64/kubectl
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed
100 56.81M 100 56.81M    0     0  28.31M      0  00:02  00:02   00:00  12.48M
ubuntu@ip-172-31-25-163:~$ chmod +x ./kubectl
ubuntu@ip-172-31-25-163:~$

```

ip-172-31-25-163 0% 0.35 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 47 min /: 51% /tmp: 0% /boot: 18% /boot/efi: 7%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:42 13-09-2026

98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ curl -O https://s3.us-west-2.amazonaws.com/amazon-eks/1.36.2/2026-07-05/bin/linux/amd64/kubectl
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 56.81M 100 56.81M 0 0 28.31M 0 00:02 00:02 0 12.48M
ubuntu@ip-172-31-25-163:~$ chmod +x ./kubectl
ubuntu@ip-172-31-25-163:~$ mkdir -p $HOME/bin && cp ./kubectl $HOME/bin/kubectl && export PATH=$HOME/bin:$PATH
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:42 13-09-2026

98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ curl -O https://s3.us-west-2.amazonaws.com/amazon-eks/1.36.2/2026-07-05/bin/linux/amd64/kubectl
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
100 56.81M 100 56.81M 0 0 28.31M 0 00:02 00:02 0 12.48M
ubuntu@ip-172-31-25-163:~$ chmod +x ./kubectl
ubuntu@ip-172-31-25-163:~$ mkdir -p $HOME/bin && cp ./kubectl $HOME/bin/kubectl && export PATH=$HOME/bin:$PATH
ubuntu@ip-172-31-25-163:~$ kubectl version --client
Client Version: v1.36.2-eks-8f14419
Kustomize Version: v5.8.1
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:43 13-09-2026

Install eksctl

```
# for ARM systems, set ARCH to: `arm64`
```

```
ARCH=amd64
```

```
PLATFORM=$(uname -s)_$ARCH
```

```
curl -sLO
```

```
"https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_${PLATFORM}.tar.gz"
```

```
# (Optional) Verify checksum
```

```
curl -sL "https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_checksums.txt" |
```

```
grep $PLATFORM | sha256sum --check
```

```
tar -xzf eksctl_${PLATFORM}.tar.gz -C /tmp && rm eksctl_${PLATFORM}.tar.gz
```

```
sudo install -m 0755 /tmp/eksctl /usr/local/bin && rm /tmp/eksctl
```

```
eksctl version
```

98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lesshst
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ # for ARM systems, set ARCH to: `arm64`
ARCH=amd64
PLATFORM=$(uname -s)_$ARCH

curl -sLO "https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_${PLATFORM}.tar.gz"

# (Optional) Verify checksum
curl -sL "https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_checksums.txt" | g
rep $PLATFORM | sha256sum --check

tar -xzf eksctl_${PLATFORM}.tar.gz -C /tmp && rm eksctl_${PLATFORM}.tar.gz

sudo install -m 0755 /tmp/eksctl /usr/local/bin && rm /tmp/eksctl
eksctl_Linux_amd64.tar.gz: OK
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:48 13-09-2026

98.93.184.91

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .docker
- .ssh
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lesshst
- .profile
- .viminfo
- .Xauthority

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~$ # for ARM systems, set ARCH to: `arm64`
ARCH=amd64
PLATFORM=$(uname -s)_$ARCH

curl -sLO "https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_${PLATFORM}.tar.gz"

# (Optional) Verify checksum
curl -sL "https://github.com/eksctl-io/eksctl/releases/latest/download/eksctl_checksums.txt" | g
rep $PLATFORM | sha256sum --check

tar -xzf eksctl_${PLATFORM}.tar.gz -C /tmp && rm eksctl_${PLATFORM}.tar.gz

sudo install -m 0755 /tmp/eksctl /usr/local/bin && rm /tmp/eksctl
eksctl_Linux_amd64.tar.gz: OK
ubuntu@ip-172-31-25-163:~$ eksctl version
0.230.0
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

19:49 13-09-2026

Creating the Cluster

```
eksctl create cluster \  
  --name brain-tasks-cluster \  
  --region us-east-1 \  
  --nodegroup-name brain-tasks-nodes \  
  --node-type t3.medium \  
  --nodes 2 \  
  --nodes-min 1 \  
  --nodes-max 3 \  
  --managed
```

Verify Cluster

```
eksctl get cluster --region us-east-1
```

```
98.93.184.91
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...
/home/ubuntu/
Name
..
.aws
.cache
.docker
.ssh
Brain-Tasks-App
.bash_history
.bash_logout
.bashrc
.gitconfig
.jessshst
.profile
.viminfo
.xauthority

Remote monitoring
Follow terminal folder

ubuntu@ip-172-31-25-163:~$ eksctl create cluster \
--name brain-tasks-cluster \
--region us-east-1 \
--nodegroup-name brain-tasks-nodes \
--node-type t3.medium \
--nodes 2 \
--nodes-min 1 \
--nodes-max 3 \
--managed
2026-09-13 14:19:45 [i] eksctl version 0.230.0
2026-09-13 14:19:45 [i] using region us-east-1
2026-09-13 14:19:45 [i] setting availability zones to [us-east-1a us-east-1c]
2026-09-13 14:19:45 [i] subnets for us-east-1a - public:192.168.0.0/19 private:192.168.64.0/19
2026-09-13 14:19:45 [i] subnets for us-east-1c - public:192.168.32.0/19 private:192.168.96.0/19
2026-09-13 14:19:45 [i] nodegroup "brain-tasks-nodes" will use "" [AmazonLinux2023/1.34]
2026-09-13 14:19:45 [!] Auto Mode will be enabled by default in an upcoming release of eksctl.
This means managed node groups and managed networking add-ons will no longer be created by default. To maintain current behavior, explicitly set 'autoModeConfig.enabled: false' in your cluster configuration. Learn more: https://eksctl.io/usage/auto-mode/
2026-09-13 14:19:45 [i] using Kubernetes version 1.34
2026-09-13 14:19:45 [i] creating EKS cluster "brain-tasks-cluster" in "us-east-1" region with managed nodes
2026-09-13 14:19:45 [i] will create 2 separate CloudFormation stacks for cluster itself and the initial managed nodegroup
2026-09-13 14:19:45 [i] if you encounter any issues, check CloudFormation console or try 'eksctl

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: https://mobaxterm.mobatek.net

20:15
13-09-2026

98.93.184.91
Terminal Sessions View X server Tools Games Settings Macros Help
Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...
/home/ubuntu/
Name
..
.aws
.cache
.docker
.ssh
Brain-Tasks-App
.bash_history
.bash_logout
.bashrc
.gitconfig
.jessshst
.profile
.viminfo
.xauthority

Remote monitoring
Follow terminal folder

brain-tasks-nodes"
2026-09-13 14:31:15 [i] waiting for CloudFormation stack "eksctl-brain-tasks-cluster-nodegroup-brain-tasks-nodes"
2026-09-13 14:31:54 [i] waiting for CloudFormation stack "eksctl-brain-tasks-cluster-nodegroup-brain-tasks-nodes"
2026-09-13 14:33:09 [i] waiting for CloudFormation stack "eksctl-brain-tasks-cluster-nodegroup-brain-tasks-nodes"
2026-09-13 14:33:09 [i] waiting for the control plane to become ready
2026-09-13 14:33:10 [✓] saved kubeconfig as "/home/ubuntu/.kube/config"
2026-09-13 14:33:10 [i] no tasks
2026-09-13 14:33:10 [✓] all EKS cluster resources for "brain-tasks-cluster" have been created
2026-09-13 14:33:10 [i] nodegroup "brain-tasks-nodes" has 2 node(s)
2026-09-13 14:33:10 [i] node "ip-192-168-12-149.ec2.internal" is ready
2026-09-13 14:33:10 [i] node "ip-192-168-42-15.ec2.internal" is ready
2026-09-13 14:33:10 [i] waiting for at least 1 node(s) to become ready in "brain-tasks-nodes"
2026-09-13 14:33:10 [i] nodegroup "brain-tasks-nodes" has 2 node(s)
2026-09-13 14:33:10 [i] node "ip-192-168-12-149.ec2.internal" is ready
2026-09-13 14:33:10 [i] node "ip-192-168-42-15.ec2.internal" is ready
2026-09-13 14:33:10 [✓] created 1 managed nodegroup(s) in cluster "brain-tasks-cluster"
2026-09-13 14:33:11 [i] creating addon: metrics-server
2026-09-13 14:33:11 [i] successfully created addon: metrics-server
2026-09-13 14:33:12 [i] kubectl command should work with "/home/ubuntu/.kube/config", try 'kubectl get nodes'
2026-09-13 14:33:12 [✓] EKS cluster "brain-tasks-cluster" in "us-east-1" region is ready
ubuntu@ip-172-31-25-163:~$
```

Configure Kubectl

aws eks update-kubeconfig --name brain-tasks-cluster --region us-east-1

The image displays two screenshots of a MobaXterm terminal window, showing the process of configuring Kubectl for an AWS EKS cluster.

Top Screenshot: The terminal shows the command `aws eks update-kubeconfig --name brain-tasks-cluster --region us-east-1` being executed. The output indicates that a new context has been added to the kubeconfig file: `Added new context arn:aws:eks:us-east-1:620455726130:cluster/brain-tasks-cluster to /home/ubuntu/.kube/config`.


Bottom Screenshot: The terminal shows the command `kubectl get nodes` being executed. The output displays a table of nodes in the cluster:



NAME	STATUS	ROLES	AGE	VERSION
ip-192-168-12-149.ec2.internal	Ready	<none>	16m	v1.34.10-eks-cb19647
ip-192-168-42-15.ec2.internal	Ready	<none>	15m	v1.34.10-eks-cb19647


Uploading files to Github

git remote remove origin

git remote add origin https://github.com/gtazariah/project-1.git







Deploy to EKS through kubectl

kubectl apply -f deployment.yaml

kubectl apply -f service.yaml

Verify Deployment



kubectl get deployments


kubectl get pods

kubectl get svc

Loadbalancer URL

a3de539b98baf4d1ead966f669ecdeb5-1254368552.us-east-1.elb.amazonaws.com





AWS Console > CodeBuild Steps

Create build project

Project configuration

Project name
brain-task-codebuild
A project name must be 2 to 255 characters. It can include the letters A-Z and a-z, the numbers 0-9, and the special characters - and _.

Project type
Select what type of project you would like to create. [Info](#)

☒ **Default project**
Create a custom CodeBuild project.

☐ **Runner project**
Create a CodeBuild managed runner for workflows in GitHub Actions, GitHub Enterprise Actions, GitLab, or Buildkite.

Additional configuration
Description, public build access, build badge, concurrent build limit, tags

Source [Add source](#)

Source 1 - Primary
Source provider: GitHub

Credential
✔ Your account is successfully connected by using an AWS managed GitHub App. [Manage account credentials](#).
☐ Use override credentials for this project only

Repository
☒ Repository in my GitHub account ☐ Public repository ☐ GitHub scoped webhook

Repository
Q https://github.com/gtazariah/project-1 X ↻

Source version - optional [Info](#)

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

Developer Tools > CodeBuild > Build projects > Create build project

Environment

Provisioning model [Info](#)

☒ **On-demand**
Automatically provision build infrastructure in response to new builds.

☐ **Reserved capacity**
Use a dedicated fleet of instances for builds. A fleet's compute and environment type will be used for the project.

Environment image

☒ **Managed image**
Use an image managed by AWS CodeBuild

☐ **Custom image**
Specify a Docker image

Compute

☒ **EC2**
Optimized for flexibility during action runs

☐ **Lambda**
Optimized for speed and minimizes the start up time of workflow actions

Running mode

☒ **Container**
Running on Docker container

☐ **Instance**
Running on EC2 instance directly

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:00 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

Developer Tools > CodeBuild > Build projects > Create build project

Operating system

Ubuntu

Runtime(s)

Standard

Image

aws/codebuild/standard:8.0

Image version

Always use the latest image for this runtime version

☐ Use GPU-enhanced compute

Service role

☒ **New service role**
Create a service role in your account

☐ **Existing service role**
Choose an existing service role from your account

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:03 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

Developer Tools > CodeBuild > Build projects > Create build project

Role name
codebuild-brain-task-codebuild-service-role
Type your service role name

Additional configuration
Timeout, privileged, certificate, VPC, compute type, environment variables, file systems, auto-retry, registry credential

Buildspec
Build specifications
☐ Insert build commands
Store build commands as build project configuration
☒ Use a buildspec file
Store build commands in a YAML-formatted buildspec file

Buildspec name - optional
By default, CodeBuild looks for a file named buildspec.yml in the source code root directory. If your buildspec file uses a different name or location, enter its path from the source root here (for example, buildspec-two.yml or configuration/buildspec.yml).
buildspec.yml

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:03 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

Developer Tools > CodeBuild > Build projects > Create build project

Batch configuration
You can run a group of builds as a single execution. Batch configuration is also available in advanced option when starting build.
☐ Define batch configuration - optional
You can also define or override batch configuration when starting a build batch.

Artifacts
Artifact 1 - Primary
Type
No artifacts
You might choose no artifacts if you are running tests or pushing a Docker image to Amazon ECR.
Additional configuration
Cache, encryption key

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:04 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

aws Search [Alt+S] Ask Amazon Q United States (N. Virginia) Rathhi (620455726130) root

Developer Tools > CodeBuild > Build projects > Create build project

▼ Logs

CloudWatch

☒ **CloudWatch logs - optional**
Checking this option will upload build output logs to CloudWatch.

Group name - optional

The group name of the logs in CloudWatch Logs. The log group name will be /aws/codebuild/<project-name> by default.

Stream name prefix - optional

The prefix of the stream name of the CloudWatch Logs.

S3

☐ **S3 logs - optional**
Checking this option will upload build output logs to S3.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search 21:04 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/project/new?region=us-east-1

aws Search [Alt+S] Ask Amazon Q United States (N. Virginia) Rathhi (620455726130) root

Developer Tools > CodeBuild > Build projects > Create build project

Checking this option will upload build output logs to CloudWatch.

Group name - optional

aws/codebuild/brain-task-codebuild

The group name of the logs in CloudWatch Logs. The log group name will be /aws/codebuild/<project-name> by default.

Stream name prefix - optional

The prefix of the stream name of the CloudWatch Logs.

S3

☐ S3 logs - optional

Checking this option will upload build output logs to S3.

Cancel Create build project

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:04 15-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/projects/brain-task-codebuild?builds-meta=eyJmijp7InRleHQiOiilLC...

aws Search [Alt+S] Ask Amazon Q United States (N. Virginia) Rathhi (620455726130) root

Developer Tools > CodeBuild > Build projects > brain-task-codebuild

Developer Tools < CodeBuild

- Source • CodeCommit
- Artifacts • CodeArtifact
- ▼ Build • CodeBuild
 - Getting started
 - Build projects
 - Build project
 - Settings
 - Build history
 - Report groups
 - Report history
 - Compute fleets New

Project created

You have successfully created the following project: brain-task-codebuild

Create a notification rule for this project

brain-task-codebuild

Actions Create trigger Edit Clone Debug build Start build with overrides Start build

This project uses Amazon Linux 2 as the host operating system. CodeBuild will continue to support Amazon Linux 2, but we recommend that you move to Amazon Linux 2023. To change it, in the Edit project Environment section under Additional configuration, choose Amazon Linux 2023 for Host kernel.

Learn more

Configuration

Source provider	Primary repository	Artifacts upload location	Service role
GitHub	gtazariah/project-1	-	arn:aws:iam::620455726130:rol

https://620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codebuild/projects/brain-task-codebuild/builds/start/advanced?region=us-east-1

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21:06 15-09-2026

Since building an AWS-based pipeline,making the build independent of Docker Hub.

pull `nginx:alpine` once, push it into ECR account, and then change the Dockerfile to use ECR copy.

Commands

```
docker pull nginx:alpine
```

```
docker pull nginx:alpine
aws ecr get-login-password --region us-east-1 | \
docker login \
--username AWS \
--password-stdin \
620455726130.dkr.ecr.us-east-1.amazonaws.com
```

```
docker tag nginx:alpine \
620455726130.dkr.ecr.us-east-1.amazonaws.com/brain-tasks-nginx:alpine
```

```
aws ecr create-repository \
--repository-name brain-tasks-nginx \
--region us-east-1
```

```
docker push \
620455726130.dkr.ecr.us-east-1.amazonaws.com/brain-tasks-nginx:alpine
```

Change the Dockerfile

Currently:

```
FROM nginx:alpine
```

```
COPY dist/ /usr/share/nginx/html/
```

Change it to:

```
FROM 620455726130.dkr.ecr.us-east-1.amazonaws.com/brain-tasks-nginx:alpine
```

```
COPY dist/ /usr/share/nginx/html/
```

Step 1 — Add EKS permissions to CodeBuild IAM role

role is:

codebuild-brain-task-codebuild-service-role

First, from Ubuntu/administrator machine, confirm the role:

```
aws iam get-role \
  --role-name codebuild-brain-task-codebuild-service-role \
  --query 'Role.Arn' \
  --output text
```

should get:

arn:aws:iam::620455726130:role/codebuild-brain-task-codebuild-service-role

Step 2 — Create an IAM policy

Create a file:

nano codebuild-eks-policy.json

Put this in it:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "EKSDescribeCluster",
      "Effect": "Allow",
      "Action": [
        "eks:DescribeCluster"
      ],
      "Resource": "arn:aws:eks:us-east-1:620455726130:cluster/brain-tasks-cluster"
    }
  ]
}
```

Saved it.

Step 3 — Create the IAM policy

Run:

```
aws iam create-policy \  
  --policy-name CodeBuildBrainTasksEKSDescribePolicy \  
  --policy-document file:///codebuild-eks-policy.json
```

should receive an ARN similar to:

```
arn:aws:iam::620455726130:policy/CodeBuildBrainTasksEKSDescribePolicy
```

Step 4 — Attach it to CodeBuild

Run:

```
aws iam attach-role-policy \  
  --role-name codebuild-brain-task-codebuild-service-role \  
  --policy-arn arn:aws:iam::620455726130:policy/CodeBuildBrainTasksEKSDescribePolicy
```

Verify:

```
aws iam list-attached-role-policies \  
  --role-name codebuild-brain-task-codebuild-service-role
```

It should show the new policy.

Step 5 — Test **eks:DescribeCluster**

test the permission using:

```
aws eks describe-cluster \  
  --name brain-tasks-cluster \  
  --region us-east-1 \  
  --query 'cluster.status'
```

It will return:

```
"ACTIVE"
```

Step 6 — Give CodeBuild access to EKS

First check EKS authentication mode:

```
aws eks describe-cluster \
  --name brain-tasks-cluster \
  --region us-east-1 \
  --query 'cluster.accessConfig.authenticationMode' \
  --output text
```

It will return:

API

or:

API_AND_CONFIG_MAP

If get one of those, we can use an **EKS access entry**.

Step 7 — Create EKS access entry

Get the CodeBuild role ARN:

```
CODEBUILD_ROLE_ARN=$(aws iam get-role \
  --role-name codebuild-brain-task-codebuild-service-role \
  --query 'Role.Arn' \
  --output text)
```

```
echo $CODEBUILD_ROLE_ARN
```

Expected:

```
arn:aws:iam::620455726130:role/codebuild-brain-task-codebuild-service-role
```

Now:

```
aws eks create-access-entry \
  --cluster-name brain-tasks-cluster \
  --principal-arn "$CODEBUILD_ROLE_ARN" \
  --type STANDARD \
  --region us-east-1
```

AWS EKS access entries allow IAM principals such as CodeBuild roles to authenticate to the Kubernetes API.


Step 8 — Give CodeBuild Kubernetes permissions

Run:

```
aws eks associate-access-policy \  
  --cluster-name brain-tasks-cluster \  
  --principal-arn "$CODEBUILD_ROLE_ARN" \  
  --policy-arn arn:aws:eks::aws:cluster-access-policy/AmazonEKSClusterAdminPolicy \  
  --access-scope type=cluster \  
  --region us-east-1
```

Verify:

```
aws eks list-associated-access-policies \  
  --cluster-name brain-tasks-cluster \  
  --principal-arn "$CODEBUILD_ROLE_ARN" \  
  --region us-east-1
```



54.234.221.118

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/Brain-Tasks-App

Name

- ..
- .git
- dist
- k8s
- buildspec.yml
- Dockerfile
- README.md

Remote monitoring

Follow terminal folder

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ aws iam list-attached-role-policies \
--role-name codebuild-brain-task-codebuild-service-role
{
  "AttachedPolicies": [
    {
      "PolicyName": "AmazonEC2ContainerRegistryPowerUser",
      "PolicyArn": "arn:aws:iam::aws:policy/AmazonEC2ContainerRegistryPowerUser"
    },
    {
      "PolicyName": "CodeBuildCodeConnectionsSourceCredentialsPolicy-brain-task-codebuild-
us-east-1-620455726130",
      "PolicyArn": "arn:aws:iam::620455726130:policy/service-role/CodeBuildCodeConnections
SourceCredentialsPolicy-brain-task-codebuild-us-east-1-620455726130"
    },
    {
      "PolicyName": "CodeBuildBasePolicy-brain-task-codebuild-us-east-1",
      "PolicyArn": "arn:aws:iam::620455726130:policy/service-role/CodeBuildBasePolicy-brai
n-task-codebuild-us-east-1"
    },
    {
      "PolicyName": "CodeBuildBrainTasksEKSDescribePolicy",
      "PolicyArn": "arn:aws:iam::620455726130:policy/CodeBuildBrainTasksEKSDescribePolicy"
    }
  ]
}
```

ip-172-31-25-163 0% 0.38 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 112 min /: 67% /tmp: 0% /boot: 18% /boot/efi: 7%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

22:02 15-09-2026

54.234.221.118

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/Brain-Tasks-App

Name

- ..
- .git
- dist
- k8s
- buildspec.yml
- Dockerfile
- README.md

Remote monitoring


Follow terminal folder

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ aws eks describe-cluster \
--name brain-tasks-cluster \
--region us-east-1 \
--query 'cluster.status'
"ACTIVE"
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ aws eks describe-cluster \
--name brain-tasks-cluster \
--region us-east-1 \
--query 'cluster.accessConfig.authenticationMode' \
--output text
API_AND_CONFIG_MAP
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$
```

ip-172-31-25-163 0% 0.38 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 114 min /: 67% /tmp: 0% /boot: 18% /boot/efi: 7%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

22:03 15-09-2026



Developer Tools

CodeBuild

Source • CodeCommit

Artifacts • CodeArtifact

Build • CodeBuild

Getting started

Build projects

Build project

Settings

Build history

Report groups

Report history

Compute fleets New

Build started

You have successfully started the following build: brain-task-codebuild:03053a23-da11-41d9-bdf3-93e1e661a8a2

brain-task-codebuild:03053a23-da11-41d9-bdf3-93e1e661a8a2

Stop build

Debug build

Retry build

Build status

Status

Succeeded

Initiator

root

Build ARN

arn:aws:codebuild:us-east-1:620455726130:build/brain-task-codebuild:03053a23-da11-41d9-bdf3-93e1e661a8a2

Resolved source version

db8e22a379fc3eaa37ef433403e0e8ff86103d6d

Start time

Sep 15, 2026 10:08 PM (UTC+5:30)

End time

Sep 15, 2026 10:09 PM (UTC+5:30)

Build number

5

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Search

22:17

15-09-2026

Amazon ECR

Private registry

Repositories

brain-tasks

Images (6)

Filter active images

	Image tags	Type	Created at	Image size (MB)	Image digest	Last pulled at
☐	db8e22a379fc3eaa37ef433403e0e8ff86103d6d	Image	15 September 2026, 22:09:15 (UTC+05.5)	28.88	sha256:4...	-
☐	-	Image	15 September 2026, 22:01:07 (UTC+05.5)	28.88	sha256:8...	-
☐	-	Image	15 September 2026, 21:47:07 (UTC+05.5)	28.88	sha256:b...	-

15

CloudShell

Agent Toolkit for AWS

Feedback

Console mobile app

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Search

22:18

15-09-2026

Codepipeline permission to access EKS

AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline

```
aws iam list-roles \
  --query 'Roles[?contains(RoleName, `CodePipeline`)].[RoleName,Arn]' \
  --output table
```

```
aws eks create-access-entry \
  --cluster-name brain-tasks-cluster \
  --principal-arn
arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-ta
sks-pipeline \
  --type STANDARD \
  --region us-east-1
```

```
aws eks associate-access-policy \
  --cluster-name brain-tasks-cluster \
  --principal-arn
arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-ta
sks-pipeline \
  --policy-arn arn:aws:eks::aws:cluster-access-policy/AmazonEKSClusterAdminPolicy \
  --access-scope type=cluster \
  --region us-east-1
```

```
arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-ta
sks-pipeline
```

Confirming the EKS running with current build

```
kubectl get pods -l app=brain-tasks -o jsonpath='{range .items[*]}{.metadata.name}{ " ->
"}{.status.containerStatuses[0].imageID}{ "\n"}{end}'
```

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Choose creation option

Step 1 of 7

Category

☐ Deployment ☐ Continuous Integration ☐ Automation

☒ Build custom pipeline

Cancel Next

Step 1: Choose creation option
Step 2: Choose pipeline settings
Step 3: Add source stage
Step 4 - optional: Add build stage
Step 5 - optional: Add test stage
Step 6: Add deploy stage
Step 7: Review

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:29 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipelines?region=us-east-1&pipelines-meta=eyJmjp7InRI...

Developer Tools > CodePipeline > Pipelines

Pipelines

View history Release change Delete pipeline Create pipeline

1

Name	Latest execution status	Latest source revisions	Latest execution started	Most recent executions
No results There are no results to display.				

Source • CodeCommit
Build • CodeBuild
Deploy • CodeDeploy
Pipeline • CodePipeline
Getting started
Pipelines
Account metrics
Settings
Go to resource
Feedback

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:29 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Choose pipeline settings

Step 3

Add source stage

Step 4 - optional
Add build stage

Step 5 - optional
Add test stage

Step 6
Add deploy stage

Step 7
Review

Source

Source provider
This is where you stored your input artifacts for your pipeline. Choose the provider and then provide the connection details.

GitHub (via GitHub App)

Connection
Choose an existing connection that you have already configured, or create a new one and then return to this task.

arn:aws:codeconnections:us- or [Connect to GitHub](#)

Repository name
Choose a repository in your GitHub account.

gtazariah/project-1

You can type or paste the group path to any project that the provided credentials can access. Use the format 'group/subgroup/project'.

Default branch
Default branch will be used only when pipeline execution starts from a different source or manually started.

main

Output artifact format
Choose the output artifact format.

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:48 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1
[Choose creation option](#)

Step 2
[Choose pipeline settings](#)

Step 3
[Add source stage](#)

Step 4 - optional
Add build stage

Step 5 - optional
Add test stage

Step 6
Add deploy stage

Step 7
Review

Add build stage - optional [Info](#)
Step 4 of 7

Build - optional

Build provider
Choose the tool you want to use to run build commands and specify artifacts for your build action.

☐ Commands ☒ Other build providers

AWS CodeBuild

Project name
Choose a build project that you have already created in the AWS CodeBuild console. Or create a build project in the AWS CodeBuild console and then return to this task.

brain-task-codebuild or [Create project](#)

☐ **Define buildspec override - optional**
Buildspec file or definition that overrides the latest one defined in the build project, for this build only.

Service role override - optional

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:50 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1
Choose creation option

Step 2
Choose pipeline settings

Step 3
Add source stage

Step 4 - optional
Add build stage

Step 5 - optional
Add test stage

Step 6
Add deploy stage

Step 7
Review

Add deploy stage Info

Step 6 of 7

Deploy - optional

Deploy provider
Choose how you want to deploy your application or content. Choose the provider, and then provide the configuration details for that provider.

Amazon EKS

Region
United States (N. Virginia)

Input artifacts
Choose an input artifact for this action. [Learn more](#)

BuildArtifact
Defined by: Build

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:51 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Choose a name for the EKS cluster.

brain-tasks-cluster

Deploy configuration type
Please select deploy configuration type.

☐ Helm
Helm configuration type

☒ Kubectl
Kubectl configuration type

Manifest file paths
Enter comma-separated manifest file paths.

k8s/deployment.yaml,k8s/service.yaml

Kubernetes namespace - optional
You can provide a name for the Kubernetes namespace to override the default.

Subnet IDs
Specify the subnet IDs that your compute action will use.

Security group IDs

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22:52 17-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/codesuite/codepipeline/pipeline/new?region=us-east-1

aws Search [Alt+S] Ask Amazon Q United States (N. Virginia) root

Developer Tools > CodePipeline > Pipelines > Create new pipeline

Step 1
Choose creation option

Step 2
Choose pipeline settings

Step 3
Add source stage

Step 4 - optional
Add build stage

Step 5 - optional
Add test stage

Step 6
Add deploy stage

Step 7
Review

Review Info

Step 7 of 7

Step 2: Choose pipeline settings

Pipeline settings

Pipeline name
brain-tasks-pipeline

Pipeline type
V2

Execution mode
QUEUED

Artifact location
A new Amazon S3 bucket will be created as the default artifact store for your pipeline

Service role name
AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

13.220.117.166

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect... Reconnect SSH-browser

User sessions
13.220.117.166
54.91.131.26

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ aws iam list-roles \
--query 'Roles[?contains(RoleName, `CodePipeline`)].[RoleName,Arn]' \
--output table
```

ListRole	
RoleName	Arn
AWSCodePipelineServiceRole-ap-south-1-brain-tasks-project	arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-ap-south-1-brain-tasks-project
AWSCodePipelineServiceRole-ap-south-1-brain-tasks-project-1	arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-ap-south-1-brain-tasks-project-1
AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline	arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

22:58 17-09-2026

The screenshot shows a MobaXterm terminal window with the title bar '13.220.117.166'. The menu bar includes Terminal, Sessions, View, X server, Tools, Games, Settings, Macros, and Help. The toolbar contains icons for Session, Servers, Tools, Games, Sessions, View, Split, MultiExec, Tunneling, Packages, Settings, and Help. On the left, there is a 'Quick connect...' field and a 'Reconnect SSH-browser' button. Below these are 'User sessions' listed with IP addresses 13.220.117.166 and 54.91.131.26. The terminal pane shows the following command and output:

```
--principal-arn arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline \
--type STANDARD \
--region us-east-1
{
  "accessEntry": {
    "clusterName": "brain-tasks-cluster",
    "principalArn": "arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline",
    "kubernetesGroups": [],
    "accessEntryArn": "arn:aws:eks:us-east-1:620455726130:access-entry/brain-tasks-cluster/role/620455726130/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline/d0d05835-8b70-8f64-1491-1f3c4902f65b",
    "createdAt": "2026-09-17T17:30:03.468000+00:00",
    "modifiedAt": "2026-09-17T17:30:03.468000+00:00",
    "tags": {},
    "username": "arn:aws:sts::620455726130:assumed-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline/{{SessionName}}",
    "type": "STANDARD"
  }
}
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$
```

At the bottom of the terminal window, there is a status bar showing system information: ip-172-31-25-163, 1%, 0.35 GB / 0.89 GB, 0.01 Mb/s, 0.00 Mb/s, 141 min, /: 78%, /tmp: 0%, /boot: 18%, /boot/efi: 7%. Below the terminal window, there is a message: 'UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>'. The Windows taskbar at the bottom shows the search bar, task view button, and several application icons. The system clock shows 23:04 on 17-09-2026.

13.220.117.166

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

Reconnect SSH-browser

User sessions

- 13.220.117.166
- 54.91.131.26

```
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$ aws eks associate-access-policy \
--cluster-name brain-tasks-cluster \
--principal-arn arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline \
--policy-arn arn:aws:eks::aws:cluster-access-policy/AmazonEKSClusterAdminPolicy \
--access-scope type=cluster \
--region us-east-1
{
  "clusterName": "brain-tasks-cluster",
  "principalArn": "arn:aws:iam::620455726130:role/service-role/AWSCodePipelineServiceRole-us-east-1-brain-tasks-pipeline",
  "associatedAccessPolicy": {
    "policyArn": "arn:aws:eks::aws:cluster-access-policy/AmazonEKSClusterAdminPolicy",
    "accessScope": {
      "type": "cluster",
      "namespaces": []
    },
    "associatedAt": "2026-09-17T17:31:30.063000+00:00",
    "modifiedAt": "2026-09-17T17:31:30.063000+00:00"
  }
}
ubuntu@ip-172-31-25-163:~/Brain-Tasks-App$
```

ip-172-31-25-163 0% 0.37 GB / 0.89 GB 0.01 Mb/s 0.00 Mb/s 142 min /: 78% /tmp: 0% /boot: 18% /boot/efi: 7%

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

Search

aws

Search [Alt+S]

United States (N. Virginia) Rath (620455726130) root

Developer Tools > CodePipeline > Pipelines > brain-tasks-pipeline

Success

Congratulations! The pipeline brain-tasks-pipeline has been created.

brain-tasks-pipeline

Edit Stop execution Create trigger Clone pipeline Release change

Pipeline Executions Triggers Settings Tags

Source

b2321e93-ca16-47f3-9524-73fe98763ed8

All actions succeeded.

Source

GitHub (via GitHub App) 5 minutes ago

ce348e43 Source: Remove Kubernetes deployment commands from buildspec

Removed Kubernetes deployment steps from buildspec.

Build

b2321e93-ca16-47f3-9524-73fe98763ed8

All actions succeeded.

Build

AWS CodeBuild 5 minutes ago

ce348e43 Source: Remove Kubernetes deployment commands from buildspec

Removed Kubernetes deployment steps from buildspec.

Deploy

b2321e93-ca16-47f3-9524-73fe98763ed8

All actions succeeded.

Deploy

Amazon EKS 3 minutes ago

ce348e43 Source: Remove Kubernetes deployment commands from buildspec

Removed Kubernetes deployment steps from buildspec.

Horizontal Vertical

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Cloud Watch

Application Logs — EKS

Check whether CloudWatch Observability is installed

```
aws eks list-addons \  
  --cluster-name brain-tasks-cluster \  
  --region us-east-1
```

Check for Look for:
amazon-cloudwatch-observability

```
aws eks describe-cluster \  
  --name brain-tasks-cluster \  
  --region us-east-1 \  
  --query 'cluster.version' \  
  --output text  
1.34
```

```
aws eks create-addon \  
  --cluster-name brain-tasks-cluster \  
  --addon-name eks-pod-identity-agent \  
  --region us-east-1
```

```
aws eks describe-addon \  
  --cluster-name brain-tasks-cluster \  
  --addon-name eks-pod-identity-agent \  
  --region us-east-1 \  
  --query 'addon.status' \  
  --output text
```

kubectl get pods -n kube-system -l [app.kubernetes.io/instance=eks-pod-identity-agent](https://kubernetes.io/docs/reference/kubernetes-api/service-resources/pod-identity-agent)

Create the CloudWatch IAM role

IAM Role: EKS-CloudWatch-Observability-Role

Create the trust policy

```
cat > cloudwatch-pod-identity-trust-policy.json <<'EOF'  
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Allow",  
      "Principal": {  
        "Service": "eks.amazonaws.com"  
      },  
      "Action": "sts:AssumeRole"    }  
  ]  
}
```

```

{
  "Effect": "Allow",
  "Principal": {
    "Service": "pods.eks.amazonaws.com"
  },
  "Action": [
    "sts:AssumeRole",
    "sts:TagSession"
  ]
}
]
}
EOF

```

```

aws iam create-role \
  --role-name EKS-CloudWatch-Observability-Role \
  --assume-role-policy-document file://cloudwatch-pod-identity-trust-policy.json

```

```

aws iam attach-role-policy \
  --role-name EKS-CloudWatch-Observability-Role \
  --policy-arn arn:aws:iam::aws:policy/CloudWatchAgentServerPolicy

```

```

aws iam get-role \
  --role-name EKS-CloudWatch-Observability-Role \
  --query 'Role.Arn' \
  --output text

```

```

aws eks create-pod-identity-association \
  --cluster-name brain-tasks-cluster \
  --namespace amazon-cloudwatch \
  --service-account cloudwatch-agent \
  --role-arn arn:aws:iam::620455726130:role/EKS-CloudWatch-Observability-Role \
  --region us-east-1

```

```

aws eks list-pod-identity-associations \
  --cluster-name brain-tasks-cluster \
  --region us-east-1 \
  --query 'associations[*].[associationId,namespace,serviceAccount,roleArn]' \
  --output table

```

```

aws eks create-addon \
  --cluster-name brain-tasks-cluster \
  --addon-name amazon-cloudwatch-observability \
  --addon-version v6.6.0-eksbuild.1 \
  --region us-east-1

```

```
aws eks describe-addon \  
  --cluster-name brain-tasks-cluster \  
  --addon-name amazon-cloudwatch-observability \  
  --region us-east-1 \  
  --query 'addon.status' \  
  --output text
```

```
kubectl get pods -A | grep -E 'cloudwatch|amazon-cloudwatch'
```

```
kubectl get pods -n amazon-cloudwatch
```

```
kubectl get pods -A | grep brain-tasks
```

```
aws logs describe-log-groups \  
  --region us-east-1 \  
  --query 'logGroups[*].logGroupName' \  
  --output table
```

```
aws logs describe-log-streams \  
  --log-group-name /aws/containerinsights/brain-tasks-cluster/application \  
  --region us-east-1 \  
  --order-by LastEventTime \  
  --descending \  
  --max-items 10 \  
  --query 'logStreams[*].logStreamName' \  
  --output table
```

```
aws eks describe-addon-versions \  
  --addon-name amazon-cloudwatch-observability \  
  --kubernetes-version 1.34 \  
  --region us-east-1 \  
  --query 'addons[0].addonVersions[*].[addonVersion,compatibilities[0].defaultVersion]' \  
  --output table
```

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/cloudwatch/home?region=us-east-1#logsV2:log-groups

CloudWatch > Log management

Log groups (4)

By default, we only load up to 10,000 log groups.

Filter log groups or try pattern search

Exact match

Log group	Log class	Anomaly d...	Del...	Bea...	D...
/aws/codebuild/brain-task-codebuild	Standard	Configure	Off	Off	-
/aws/codepipeline/brain-tasks-pipeline	Standard	Configure	Off	Off	-
/aws/lambda/demo-lambda-function	Standard	Configure	Off	Off	-
/aws/lambda/hello-lambda-demo	Standard	Configure	Off	Off	-

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/cloudwatch/home?region=us-east-1#logsV2:log-groups/log-group/\$252Faws\$252Fcode...

CloudWatch > Log management > /aws/codebuild/brain-task-codebuild

/aws/codebuild/brain-task-codebuild

Actions View in Logs Insights Start tailing Search log group

Log group details

Log class: Standard

ARN: [arn:aws:logs:us-east-1:620455726130:log-group:/aws/codebuild/brain-task-codebuild:](#)

Creation time: 4 days ago

Retention: Never expire

Stored bytes

Subscription filters: 0

Contributor Insights rules: -

KMS key ID: -

Deletion protection: Off

Data protection: -

Sensitive data count

Custom field indexes: [Configure](#)

Transformer: [Configure](#)

Anomaly detection: [Configure](#)

Bearer token authentication: Off

Syslog ingestion: [Configure](#) [Info](#)

CloudWatch > Log management > /aws/codebuild/brain-task-codebuild > d322d649-9630-4766-b3f3-dff303c3ef3a

CloudWatch

Log events

You can use the filter bar below to search for and match terms, phrases, or values in your log events. [Learn more about filter patterns](#)

Filter events - press enter to search

Display

1m 1h UTC timezone

Timestamp	Message
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:15.520799 Waiting for DOWNLOAD_SOURCE
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:16.999109 Phase is DOWNLOAD_SOURCE
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:17.000064 CODEBUILD_SRC_DIR=/codebuild/output/src3796598958/src
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:17.000530 YAML location is /codebuild/output/src3796598958/src/...
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:17.002506 Setting HTTP client timeout to higher timeout for S3 ...
2026-09-18T17:11:21.094Z	[Container] 2026/09/18 17:11:17.002610 Processing environment variables

Back to top

CloudWatch > Log management > /aws/codepipeline/brain-tasks-pipeline

CloudWatch

/aws/codepipeline/brain-tasks-pipeline

Actions View in Logs Insights Start tailing Search log group

Log group details

Log class Standard	Subscription filters 0	Custom field indexes Configure
ARN arn:aws:logs:us-east-1:620455726130:log-group:/aws/codepipeline/brain-tasks-pipeline*	Contributor Insights rules -	Transformer Configure
Creation time 1 day ago	KMS key ID -	Anomaly detection Configure
Retention Never expire	Deletion protection Off	Bearer token authentication Off
Stored bytes	Data protection -	Syslog ingestion Info Configure
	Sensitive data count	

CloudWatch > Log management > /aws/codepipeline/brain-tasks-pipeline

CloudWatch

Log streams (8)

By default, we only load the most recent log streams.

Filter log streams or try prefix search

Exact match Show expired Info

Log stream	Last event time
a4f24201-5b31-4da9-a809-101c8c93e166/3bb24dd5-3009-48cf	2026-09-18 17:11:57 (UTC)
46a190bd-1298-4eb2-a527-2713f63423c7/f2bb12a6-4a57-4bd3	2026-09-18 16:54:55 (UTC)
a30a2bce-a7e4-400e-975c-9a9698a93afe/84487695-a6ad-4c06	2026-09-18 16:42:54 (UTC)
23f05d7b-bc1f-4287-aa12-03b199915f6f/ba31f879-e3ef-4c49-b	2026-09-18 16:41:30 (UTC)
6ba05ce7-463e-46c3-a349-2d40e146aab4/cec1f058-9eeb-40b1-	2026-09-17 18:13:06 (UTC)
356d284e-d9a3-4bb9-997f-e430ca8eb896/72050707-8613-4e4!	2026-09-17 17:52:29 (UTC)

ubuntu@ip-172-31-25-163:~\$ aws eks list-addons \

--cluster-name brain-tasks-cluster \

--region us-east-1

```
{
  "addons": [
    "coredns",
    "kube-proxy",
    "metrics-server",
    "vpc-cni"
  ]
}
```

ubuntu@ip-172-31-25-163:~\$

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessshst

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws eks describe-cluster \
--name brain-tasks-cluster \
--region us-east-1 \
--query 'cluster.version' \
--output text
1.34
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:01 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessshst

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws eks describe-addon \
--cluster-name brain-tasks-cluster \
--addon-name eks-pod-identity-agent \
--region us-east-1 \
--query 'addon.status' \
--output text
ACTIVE
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:07 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws eks describe-addon \
--cluster-name brain-tasks-cluster \
--addon-name eks-pod-identity-agent \
--region us-east-1 \
--query 'addon.status' \
--output text
ACTIVE
ubuntu@ip-172-31-25-163:~$ kubectl get pods -n kube-system -l app.kubernetes.io/instance=eks-pod-identity-agent
NAME                                READY   STATUS    RESTARTS   AGE
eks-pod-identity-agent-bfggl        1/1     Running   0           65s
eks-pod-identity-agent-clzwx        1/1     Running   0           65s
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:07 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ cat > cloudwatch-pod-identity-trust-policy.json <<'EOF'
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "pods.eks.amazonaws.com"
      },
      "Action": [
        "sts:AssumeRole",
        "sts:TagSession"
      ]
    }
  ]
}
EOF
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:09 18-09-2026

The screenshot shows the MobaXterm interface with a terminal window connected to an Ubuntu instance at IP 100.48.94.247. The terminal displays the command to create an IAM role and its output. The left sidebar shows the file explorer for the /home/ubuntu directory. The bottom status bar indicates the software is an unregistered version.


```
ubuntu@ip-172-31-25-163:~$ aws iam create-role \
--role-name EKS-CloudWatch-Observability-Role \
--assume-role-policy-document file://cloudwatch-pod-identity-trust-policy.json
{
  "Role": {
    "Path": "/",
    "RoleName": "EKS-CloudWatch-Observability-Role",
    "RoleId": "AROAZA5QLBQZMIF5B2WA4",
    "Arn": "arn:aws:iam::620455726130:role/EKS-CloudWatch-Observability-Role",
    "CreateDate": "2026-09-18T17:36:14+00:00",
    "AssumeRolePolicyDocument": {
      "Version": "2012-10-17",
      "Statement": [
        {
          "Effect": "Allow",
          "Principal": {
            "Service": "pods.eks.amazonaws.com"
          },
          "Action": [
            "sts:AssumeRole",
            "sts:TagSession"
          ]
        }
      ]
    }
  }
}
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

The screenshot shows the MobaXterm interface with a terminal window connected to the same Ubuntu instance. The terminal displays the command to attach an IAM policy to the role and the subsequent prompt. The left sidebar shows the file explorer. The bottom status bar indicates the software is an unregistered version.

```
ubuntu@ip-172-31-25-163:~$ aws iam attach-role-policy \
--role-name EKS-CloudWatch-Observability-Role \
--policy-arn arn:aws:iam::aws:policy/CloudWatchAgentServerPolicy
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>



100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws eks create-addon \
--cluster-name brain-tasks-cluster \
--addon-name amazon-cloudwatch-observability \
--addon-version v6.6.0-eksbuild.1 \
--region us-east-1
{
  "addon": {
    "addonName": "amazon-cloudwatch-observability",
    "clusterName": "brain-tasks-cluster",
    "status": "CREATING",
    "addonVersion": "v6.6.0-eksbuild.1",
    "health": {
      "issues": []
    },
    "addonArn": "arn:aws:eks:us-east-1:620455726130:addon/brain-tasks-cluster/amazon-cloudwa
tch-observability/fad05ace-14a0-7478-8658-79c61189ddb",
    "createdAt": "2026-09-18T17:41:45.593000+00:00",
    "modifiedAt": "2026-09-18T17:41:45.609000+00:00",
    "tags": {},
    "namespaceConfig": {
      "namespace": "amazon-cloudwatch"
    }
  }
}
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:15 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ kubectl get pods -A | grep -E 'cloudwatch|amazon-cloudwatch'
amazon-cloudwatch      amazon-cloudwatch-observability-controller-manager-6887c87jzjkm    1/1      Ru
nning 0 5m28s
amazon-cloudwatch      cloudwatch-agent-6lf6r                                             1/1      Ru
nning 0 5m22s
amazon-cloudwatch      cloudwatch-agent-wg9hr                                             1/1      Ru
nning 0 5m21s
amazon-cloudwatch      fluent-bit-86415                                                  1/1      Ru
nning 0 5m28s
amazon-cloudwatch      fluent-bit-zccrq                                                  1/1      Ru
nning 0 5m28s
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:21 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lesshist

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ kubectl get pods -n amazon-cloudwatch
```

NAME	READY	STATUS	RESTARTS	A
amazon-cloudwatch-observability-controller-manager-6887c87jzjkm	1/1	Running	0	6
cloudwatch-agent-6lf6r	1/1	Running	0	5
cloudwatch-agent-wg9hr	1/1	Running	0	5
fluent-bit-864l5	1/1	Running	0	6
fluent-bit-zccrq	1/1	Running	0	6

ubuntu@ip-172-31-25-163:~\$

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:22 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lesshist

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ kubectl get pods -A | grep brain-tasks
```

NAME	READY	STATUS	RESTARTS	A
default/brain-tasks-deployment-76d44c9448-5vdlw	1/1	Running	0	37m
default/brain-tasks-deployment-76d44c9448-hf69x	1/1	Running	0	37m

ubuntu@ip-172-31-25-163:~\$

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:23 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws logs describe-log-groups \
--region us-east-1 \
--query 'logGroups[*].logGroupName' \
--output table
```

```
DescribeLogGroups
```

/aws/codebuild/brain-task-codebuild
/aws/codepipeline/brain-tasks-pipeline
/aws/containerinsights/brain-tasks-cluster/application
/aws/containerinsights/brain-tasks-cluster/dataplane
/aws/containerinsights/brain-tasks-cluster/host
/aws/containerinsights/brain-tasks-cluster/performance
/aws/lambda/demo-lambda-function
/aws/lambda/hello-lambda-demo

```
ubuntu@ip-172-31-25-163:~$
```

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:24 18-09-2026

100.48.94.247

Terminal Sessions View X server Tools Games Settings Macros Help

Session Servers Tools Games Sessions View Split MultiExec Tunneling Packages Settings Help

Quick connect...

/home/ubuntu/

Name

- ..
- .aws
- .cache
- .config
- .copilot
- .docker
- .kube
- .local
- .ssh
- .vscode-server
- bin
- Brain-Tasks-App
- .bash_history
- .bash_logout
- .bashrc
- .gitconfig
- .lessht

Remote monitoring

Follow terminal folder

Loading remote monitoring, please wait...

```
ubuntu@ip-172-31-25-163:~$ aws logs describe-log-streams \
--log-group-name /aws/containerinsights/brain-tasks-cluster/application \
--region us-east-1 \
--order-by LastEventTime \
--descending \
--max-items 10 \
--query 'logStreams[*].logStreamName' \
--output table
```

```
DescribeLogStreams
```

ip-192-168-63-224.ec2.internal-application.var.log.containers.brain-tasks-deployment-76d44c9448-5vdbg_default_brain-tasks-6978f1260cea69da8f53270384414755ef7c6615c015cc1b8401f8a399f9f7ea.log
ip-192-168-7-142.ec2.internal-application.var.log.containers.brain-tasks-deployment-76d44c9448-hf69x_default_brain-tasks-71b614a4e4ec032cc098f28ee9666bb12c8492ccc15d306d1d4750e263eaf253.log
ip-192-168-63-224.ec2.internal-application.var.log.containers.cloudwatch-agent-61f6r_amazon-cloudwatch_otc-container-0764c2906d5edc3fdc4b5f72344f6ebb19041dc5e659854386b9ca8ba67a2fa1.log

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

23:25 18-09-2026

620455726130-ezuhuylo.us-east-1.console.aws.amazon.com/cloudwatch/home?region=us-east-1#logsV2:log-groups/log-group/\$252Faws\$252Fcont...

CloudWatch > Log management > /aws/containerinsights/brain-tasks-cluster/application

/aws/containerinsights/brain-tasks-cluster/application

Actions View in Logs Insights Start tailing Search log group

Log group details

Log class Standard	Subscription filters 0	Custom field indexes Configure
ARN arn:aws:logs:us-east-1:620455726130:log-group:/aws/containerinsights/brain-tasks-cluster/application:*	Contributor Insights rules -	Transformer Configure
Creation time 14 minutes ago	KMS key ID -	Anomaly detection Configure
Retention Never expire	Deletion protection Off	Bearer token authentication Off
Stored bytes	Data protection -	Syslog ingestion Info Configure
	Sensitive data count	

Log streams (9)

By default, we only load the most recent log streams.

Filter log streams or try prefix search Exact match Show expired Info 1

Log stream	Last event time
ip-192-168-63-224.ec2.internal-application.var.log.containers.brai	2026-09-18 17:48:14 (UTC)
ip-192-168-7-142.ec2.internal-application.var.log.containers.brai	2026-09-18 17:43:04 (UTC)
ip-192-168-63-224.ec2.internal-application.var.log.containers.clo	2026-09-18 17:42:27 (UTC)
ip-192-168-7-142.ec2.internal-application.var.log.containers.clo	2026-09-18 17:42:18 (UTC)
ip-192-168-63-224.ec2.internal-application.var.log.containers.am	2026-09-18 17:42:16 (UTC)
ip-192-168-7-142.ec2.internal-application.var.log.containers.flue	2026-09-18 17:42:14 (UTC)
ip-192-168-63-224.ec2.internal-aoolication.var.log.containers.eks	2026-09-18 17:42:12 (UTC)