

IDSEVASION — MUHAMMED NIDAL

Register | CTFscore

10.201.113.221:8000/register

Kali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DBOffSec

CTFscore

LoginRegister

Register

Create a new account with the system here. Make sure to register the computers that you will use to interact with the CTF. The system uses this information to isolate attacks from different users. So, make sure that this information is correct if you want an accurate score.

If you're using Linux you will be able to retrieve a list of all the IPs associated with your node by running the following commands:

ip a

or:

ifconfig

If your using Windows you can use:

ipconfig

Note that the IPs you register must be the ones associated with the adapter that will be used to interact with the CTF. Otherwise, no IDS alerts will be correctly processed. This IP should already be set as the first identifier.

Username:

Controlled IP Addresses:

10.8.189.207

```
root@kali: /home/kali
File Actions Edit View Help

(root@kali)-[/home/kali]
# nmap -sV 10.201.121.115

Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-10-03 22:16 +0530
Nmap scan report for 10.201.121.115
Host is up (0.57s latency).
Not shown: 996 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.4 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
3000/tcp  open  ppp?
8000/tcp  open  http-alt gunicorn
2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service:
=====
NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF:Port3000-TCP:V=7.94SVN|I=7%D=10/3%Time=68DFFE38|P=x86_64-pc-linux-gnu|
SF:(GenericLines,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x
SF:20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Ba
SF:d\x20Request")%r(GetRequest,174,"HTTP/1.0\x20302\x20Found\r\nCache-Con
SF:trol:\x20no-cache\r\nContent-Type:\x20text/html;\x20charset=utf-8\r\nEx
SF:pries:\x20-1\r\nLocation:\x20/login\r\nPragma:\x20no-cache\r\nSet-Cooki
SF:e:\x20redirect_to=%2F;\x20Path=/;\x20HttpOnly;\x20SameSite=Lax\r\nX-Con
SF:tent-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20deny\r\nX-Xss-Pro
SF:tection:\x201;\x20mode=block\r\nDate:\x20Fri,\x2003\x20Oct\x202025\x2016
SF::47:56\x20GMT\r\nContent-Length:\x2029\r\n\r\nca\x20href="/login">Fou
SF:nd</a>.\n\n)%r(Help,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent
SF:-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n4
SF:00\x20Bad\x20Request")%r(HTTPOptions,12E,"HTTP/1.0\x20302\x20Found\r\n
SF:Cache-Control:\x20no-cache\r\nExpires:\x20-1\r\nLocation:\x20/login\r\n
SF:Pragma:\x20no-cache\r\nSet-Cookie:\x20redirect_to=%2F;\x20Path=/;\x20Ht
SF:tpOnly;\x20SameSite=Lax\r\nX-Content-Type-Options:\x20nosniff\r\nX-Fram
SF:e-Options:\x20deny\r\nX-Xss-Protection:\x201;\x20mode=block\r\nDate:\x2
SF:0Fri,\x2003\x20Oct\x202025\x2016:48:03\x20GMT\r\nContent-Length:\x200\r
SF:\n\r\n")%r(RTSPRequest,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nConten
SF:t-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n
```

Kali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DBOffSec

Most Recent Alerts: Suricata

Click on any alert in this table to view a breakdown of how the score was calculated and every aspect of the alert.

Show10▼entries

Search:

Timestamp	Message	Category	Severity	Targeted Asset	Score
Fri, 03 Oct 2025 16:29:13 GMT	SURICATA STREAM Packet with invalid timestamp	Unknown Classtype	3	172.200.0.30	5.33
Fri, 03 Oct 2025 16:29:19 GMT	SURICATA STREAM Packet with invalid timestamp	Unknown Classtype	3	172.200.0.30	5.33
Fri, 03 Oct 2025 16:29:34 GMT	SURICATA STREAM Packet with invalid timestamp	Unknown Classtype	3	172.200.0.30	5.33
Fri, 03 Oct 2025 16:29:50 GMT	SURICATA STREAM Packet with invalid timestamp	Unknown Classtype	3	172.200.0.30	5.33
Fri, 03 Oct 2025 16:30:28 GMT	SURICATA STREAM Packet with invalid timestamp	Unknown Classtype	3	172.200.0.30	5.33

Previous

~/Downloads/alerts.json - Mousepad

File Edit Search View Document Help

```
1 [{"category": "", "dest_ip": "172.200.0.10", "id": "27576", "ids_name": "Suricata", "message": "SURICATA Applayer Mismatch protocol both
directions", "normalised_severity": "1.67", "score": "2.67", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:17 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27568", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:14
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.10", "id": "27567", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "2.67", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:14
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27566", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:14
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.10", "id": "27565", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "2.67", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:14
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27564", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:13
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.10", "id": "27563", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "2.67", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:13
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27562", "ids_name": "Suricata", "message": "ET SCAN Nmap Scripting Engine User-Agent
Detected (Nmap Scripting Engine)", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:50:12
GMT"}, {"category": "Unknown Classtype", "dest_ip": "172.200.0.20", "id": "27560", "ids_name": "Suricata", "message": "ET SCAN MS Terminal Server Traffic on Non-
standard Port", "normalised_severity": "1.67", "score": "4.27", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:49:32 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27558", "ids_name": "Suricata", "message": "SURICATA STREAM Packet with invalid
timestamp", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:59 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27556", "ids_name": "Suricata", "message": "SURICATA STREAM Packet with invalid
timestamp", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:50 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27554", "ids_name": "Suricata", "message": "SURICATA Applayer Detect protocol only one
direction", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:41 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.30", "id": "27550", "ids_name": "Suricata", "message": "ET SCAN MS Terminal Server Traffic on Non-
standard Port", "normalised_severity": "1.67", "score": "5.33", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:39 GMT"},
{"category": "Unknown Classtype", "dest_ip": "172.200.0.20", "id": "27549", "ids_name": "Suricata", "message": "SURICATA Applayer Detect protocol only one
direction", "normalised_severity": "1.67", "score": "4.27", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:39 GMT"},
{"category": "", "dest_ip": "172.200.0.20", "id": "27546", "ids_name": "Suricata", "message": "SURICATA Applayer Mismatch protocol both
directions", "normalised_severity": "1.67", "score": "2.67", "severity": "3", "src_ip": "10.8.189.207", "timestamp": "Fri, 03 Oct 2025 16:48:39 GMT"}]
```

```
(root@kali)-[/home/kali]
# nmap -sV --script-args https.useragent="Mozilla/5.0 (iPhone; CPU iPhone OS 11_0 like Mac OS X) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/58.0.4079.1285 Mobile Safari/537.36" 10.201.121.115
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-10-03 22:36 +0530
Nmap scan report for 10.201.121.115
Host is up (1.3s latency).
Not shown: 996 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.4 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http      Apache httpd 2.4.41 ((Ubuntu))
3000/tcp  open  ppp?
3000/tcp  open  http-alt  gunicorn

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
=====
NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)
=====
5F:Port3000-TCP:V=7.94SVN%I=7%D=10/3%Time=68E00319%P=x86_64-pc-linux-gnu%r
5F:(GenericLines,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x
5F:20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Ba
5F:d\x20Request")%r(GetRequest,174,"HTTP/1.0\x20302\x20Found\r\nCache-Con
5F:trol:\x20no-cache\r\nContent-Type:\x20text/html;\x20charset=utf-8\r\nEx
5F:pries:\x20-1\r\nLocation:\x20/login\r\nPragma:\x20no-cache\r\nSet-Cooki
5F:e:\x20redirect_to=%2F;\x20Path=/;\x20HttpOnly;\x20SameSite=Lax\r\nX-Con
5F:t-Type:\x20text/plain;\x20nosniff\r\nX-Frame-Options:\x20deny\r\nX-Xss-Prot
5F:ection:\x20;\x20mode=block\r\nDate:\x20Fri,\x2003\x20Oct\x202025\x2017
5F::08:44\x20GMT\r\nContent-Length:\x2029\r\n\r\n<a\x20href="/login">Fou
5F:nd</a>.\n\n")%r(Help,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent
5F:t-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n4
5F:00\x20Bad\x20Request")%r(HTTPOptions,12E,"HTTP/1.0\x20302\x20Found\r\n
5F:Cache-Control:\x20no-cache\r\nExpires:\x20-1\r\nLocation:\x20/login\r\n
5F:Pragma:\x20no-cache\r\nSet-Cookie:\x20redirect_to=%2F;\x20Path=/;\x20Ht
5F:tpOnly;\x20SameSite=Lax\r\nX-Content-Type-Options:\x20nosniff\r\nX-Fram
5F:e-Options:\x20deny\r\nX-Xss-Protection:\x20;\x20mode=block\r\nDate:\x2
5F:0Fri,\x2003\x20Oct\x202025\x2017:08:53\x20GMT\r\nContent-Length:\x200\r
5F:\n\r\n")%r(RTSPRequest,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nConten
5F:t-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n
5F:400\x20Bad\x20Request")%r(SSLSessionReq,67,"HTTP/1.1\x20400\x20Bad\x20
5F:Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:
5F:\x20close\r\n\r\n400\x20Bad\x20Request")%r(TerminalServerCookie,67,"HTT
5F:P/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20text/plain;\x20char
5F:set=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20Request")%r(TLSS
5F:essionReq,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20te
5F:xt/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x2
5F:0Request")%r(Kerberos,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent
5F:-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n4
5F:00\x20Bad\x20Request")%r(FourOhFourRequest,1A1,"HTTP/1.0\x20302\x20Fou
5F:nd\r\nCache-Control:\x20no-cache\r\nContent-Type:\x20text/html;\x20char
5F:set=utf-8\r\nExpires:\x20-1\r\nLocation:\x20/login\r\nPragma:\x20no-cac
5F:he\r\nSet-Cookie:\x20redirect_to=%2Fnice%2520ports%252C%2FTri%256Eity\
5F:txt%252ebak;\x20Path=/;\x20HttpOnly;\x20SameSite=Lax\r\nX-Content-Type-
5F:Options:\x20nosniff\r\nX-Frame-Options:\x20deny\r\nX-Xss-Protection:\x2
```

Scoring Histor

the score wa

Cate

Unknown
Classtyp

Unknown
Classtyp

Unknown
Classtyp

Unknown
Classtyp

Unknown
Classtyp

Unknown
Classtyp

Unknown
Classtyp

(root@kali)-[/home/kali]

nmap --script=vuln --script-args http.useragent="Mozilla/5.0 (Linux; Android 5.0; ome/48.0.5774.1755 Mobile Safari/537.36" 10.201.121.115

Starting Nmap 7.94SVN (https://nmap.org) at 2025-10-03 22:46 +0530

Pre-scan script results:

| broadcast-avahi-dos:

| Discovered hosts:

| 224.0.0.251

| After NULL UDP avahi packet DoS (CVE-2011-1002).

|_ Hosts are all up (not vulnerable).

Nmap scan report for 10.201.121.115

Host is up (0.40s latency).

Not shown: 996 closed tcp ports (reset)

PORT STATE SERVICE

22/tcp open ssh

80/tcp open http

|_http-stored-xss: Couldn't find any stored XSS vulnerabilities.

|_http-dombased-xss: Couldn't find any DOM-based XSS.

|_http-csrf: Couldn't find any CSRF vulnerabilities.

3000/tcp open ppp

8000/tcp open http-alt

Nmap done: 1 IP address (1 host up) scanned in 200.68 seconds

Total Number of Recorded Alerts: 1

Average Alert Score: 4.82

Lowest Alert Score: 3

View All Alerts

Most Recent Alerts: Wazuh

(root@kali)-[/home/kali]

nmap --script=vuln --script-args http.useragent="Mozilla/5.0 (Linux; Android 5.0; ome/48.0.5774.1755 Mobile Safari/537.36" 10.201.121.115

Starting Nmap 7.94SVN (https://nmap.org) at 2025-10-03 22:46 +0530

Pre-scan script results:

| broadcast-avahi-dos:

| Discovered hosts:

| 224.0.0.251

| After NULL UDP avahi packet DoS (CVE-2011-1002).

|_ Hosts are all up (not vulnerable).

Severity	Target
No data available in table	

(root@kali)-[/home/kali]

nmap -sS 10.201.121.115

Starting Nmap 7.94SVN (https://nmap.org) at 2025-10-03 22:54 +0530

Nmap scan report for 10.201.121.115

Host is up (0.40s latency).

Not shown: 996 closed tcp ports (reset)

PORT STATE SERVICE

22/tcp open ssh

80/tcp open http

3000/tcp open ppp

8000/tcp open http-alt

Nmap done: 1 IP address (1 host up) scanned in 119.61 seconds

Score: 5.33

Alerts By Category

```
(root@kali)~# nikto -p 80,3000 -h 10.201.12.130
- Nikto v2.5.0

+ Target IP: 10.201.12.130
+ Target Hostname: 10.201.12.130
+ Target Port: 80
+ Start Time: 2025-10-04 14:27:29 (GMT5.5)

+ Server: Apache/2.4.41 (Ubuntu)
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ Apache/2.4.41 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is the EOL for the 2.x branch.
+ /: Server may leak inodes via ETags, header found with file /, inode: 5e7, size: 5db57980d8b8, mtime: gzip. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ GPL EXPLOIT .httr access

Unknown Classtype 3 Suricata
```

```
(root@kali)~# nikto -p 3000 -T 1 2 3 -h 10.201.12.130
- Nikto v2.5.0

+ Target IP: 10.201.12.130
+ Target Hostname: 10.201.12.130
+ Target Port: 3000
+ Start Time: 2025-10-04 14:43:38 (GMT5.5)

+ Server: No banner retrieved
+ Root page / redirects to: /login
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /robots.txt: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ /login/: This might be interesting.
+ 2410 requests: 0 error(s) and 2 item(s) reported on remote host
+ End Time: 2025-10-04 15:12:57 (GMT5.5) (1759 seconds)

+ 1 host(s) tested
```

CTFScore

Dashboard Alerts Logout

Scoring Breakdown For Alert: 37528 (ET WEB_SERVER /etc/shadow Detected in URI)

Alert Details

- Alert ID: 37528
- Alert Timestamp: 2025-10-06 19:48:49.125593
- Source IP: 10.8.189.207
- Affected Asset: 172.200.0.20
- Alert Description: ET WEB_SERVER /etc/shadow Detected in URI
- Alert Category: Unknown Classtype
- Alert Severity: 3
- Alert Score: 4.27

Target Details

- Asset Name: grafana
- Asset Value: 8


IDS Details

- IDS Name: Suricata
- IDS Reliability: 8
- IDS Severity Range: 1-3*

*Note that, Suricata inverts the normal severity scale so an alert with a severity of 1 is, the most critical whereas, an alert with severity of 3 is not important. The scoring system does account for this.

Alert Stats

First Occurrence: Mon, 06 Oct 2025 19:48:49 GMT
Last Occurrence: Mon, 06 Oct 2025 19:52:12 GMT
Total Occurrences: 2
Total Impact On Score: 8.54 (25.0%)



CVE-2022-21673	2022-01-18	GitHub, Inc.	OAuth Identity feature enabled, sending a query to that datasource with an API token (and no other user credentials) will forward the OAuth Identity of the most recently logge...
CVE-2021-43815	2021-12-10	GitHub, Inc.	Grafana is an open-source platform for monitoring and observability. Grafana prior to versions 8.3.2 and 7.5.12 has a directory traversal vulnerability for arbitrary .csv files. It only affects instances that have the developer testing tool called TestData DB data source enabled and configured. The vulnerability ...
CVE-2021-43813	2021-12-10	GitHub, Inc.	Grafana is an open-source platform for monitoring and observability. Grafana prior to versions 8.3.2 and 7.5.12 contains a directory traversal vulnerability for fully lowercase or fully uppercase .md files. The vulnerability is limited in scope, and only allows access to files with the extension .md...
CVE-2021-43798	2021-12-07	GitHub, Inc.	Grafana is an open-source platform for monitoring and observability. Grafana versions 8.0.0-beta1 through 8.3.0 (except for patched versions) iss vulnerable to directory traversal, allowing access to local files. The vulnerable URL path is: `<grafana_host_url>/public/plugins//`, where is the plugin ...

Welcome, dammerr

Current Score:

16364.680

Alert Stats

Total Number of Recorded IDS Alerts: 4022
Highest Alert Score: 5.33
Average Alert Score: 4.07
Lowest Alert Score: 3

View All Alerts

Most Recent Alerts: Wazuh

Click on any alert in this table to view a breakdown of how the score was calculated and every aspect of the alert.

Show 10 entries

Timestamp	Message	Category	Severity
Sat, 11 Oct 2025 06:45:43 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:43 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:43 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:45 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:45 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:45 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:45 GMT	Multiple web server 400 error codes from same source ip.	web	10
Sat, 11 Oct 2025 06:45:45 GMT	Web server 400 error code.	web	5
Sat, 11 Oct 2025 06:45:45 GMT	Multiple web server 400 error codes from same source ip.	web	10
Sat, 11 Oct 2025 06:45:45 GMT	Web server 400 error code.	web	5

Previous

Home | CTFScore

10.201.101.225:8000/index

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

CTFScore

Dashboard Alerts Logout

Welcome, dammerr

Current Score:

1495.160

Alert Stats

Total Number of Recorded IDS Alerts: 290
Highest Alert Score: 5.33
Average Alert Score: 5.16
Lowest Alert Score: 3

View All Alerts

Most Recent Alerts: Wazuh

Click on any alert in this table to view a breakdown of how the score was calculated and every aspect of the alert.

Show 10 entries

Timestamp	Message	Category	Severity	Targeted Asset	Score
No data available in table					

Search:

Getting access to the system



You did it! 🇬🇧 Intrusion Detection complete!

Points earned

🎯 144

Completed tasks

☑️ 12

Room type

👤 Walkthrough

Difficulty

📊 Medium

Streak

🔥 1



81,199 users are actively learning this week

💬 Leave Feedback

Continue