


Task 6 : Simulated Phishing Campaign Report

Intro




Gophish is an open-source phishing framework designed to make it easy for organizations and security professionals to simulate real-world phishing attacks for educational and security awareness purposes. It provides a user-friendly web interface that allows users to quickly set up and run phishing campaigns, track who interacts with emails, and analyze results to help improve defenses against phishing threats.

Campaign Setup Steps

- Downloaded and unpacked the Gophish framework on a Kali Linux virtual machine to serve as the test environment.
- Initiated the Gophish server by executing the provided binary file, which activated both the backend and web-based administration dashboard.

- Logged in to the Gophish admin UI within the VM and configured a sending profile using Gmail's SMTP service, allowing outgoing test emails.
- Designed a phishing email template with the subject "reset your password here," embedding a trackable link that directs recipients to a custom-crafted landing page.
- Developed a credential harvesting landing page that emulates the Google login experience, making sure it is only used in a controlled environment for demonstration purposes.
- Assembled a recipient group consisting only of a single test account under personal control, ensuring the campaign remained contained and ethical.
- Created a new campaign labeled "Salary Policy" and initiated its launch, thereby simulating an attempt to collect Google credentials for training and evaluation .



Findings and Insights

- Target list had 1 recipient
 - Sent 1 email
 - Email was delivered
 - Email was opened
 - Link in email clicked
 - Credentials submitted
-

Findings

- Gophish ran smoothly on the Kali VM.
- Gmail SMTP successfully sent emails to the test account.
- The fake login page accepted submitted test credentials.
- No errors, delivery failures, or warnings occurred.

Executive Summary

A controlled phishing campaign named "Google" ran on Kali VM using Gophish and Gmail SMTP. It showed convincing credential capture is possible, highlighting the need for regular phishing tests and user training. Recommended security measures include email authentication and clear reporting procedures.