

TASK 6

AIM: GoPhish Simulated Phishing Campaign

SUBMITTED BY: Keshav S S

SUMMARY


This report shows a simulated phishing campaign carried out with help of GoPhish framework inside a controlled Kali Linux VM (virtualbox), with screenshots to describe each step.

```
Session Actions Edit View Help
(kali@kali)-[~/gophish]
$ sudo chmod +x gophish
[sudo] password for kali:


(kali@kali)-[~/gophish]
$ sudo ./gophish
time="2025-10-27T15:06:31+05:30" level=warning msg="No contact address has been configured."
time="2025-10-27T15:06:31+05:30" level=warning msg="Please consider adding a contact_address entry in your config.json"
goose: migrating db environment 'production', current version: 0, target: 20220321133237
OK 20160118194630_init.sql
OK 20160131153104_0.1.2_add_event_details.sql
OK 20160211211220_0.1.2_add_ignore_cert_errors.sql
OK 20160217211342_0.1.2_create_from_col_results.sql
OK 20160225173824_0.1.2_capture_credentials.sql
OK 20160227180335_0.1.2_store-smtp-settings.sql
OK 20160317214457_0.2_redirect_url.sql
OK 20160605210903_0.2_campaign_scheduling.sql
OK 20170104220731_0.2_result_statuses.sql
OK 20170219122503_0.2.1_email_headers.sql
OK 20170827141312_0.4_utc_dates.sql
OK 20171027213457_0.4.1_maillogs.sql
OK 20171208201932_0.4.1_next_send_date.sql
OK 20180223101813_0.5.1_user_reporting.sql
OK 20180524203752_0.7.0_result_last_modified.sql
OK 20180527213648_0.7.0_store_email_request.sql
OK 20180830215615_0.7.0_send_by_date.sql
OK 20190105192341_0.8.0_rbac.sql
OK 20191104103306_0.9.0_create_webhooks.sql
OK 20200116000000_0.9.0_imap.sql
OK 20200619000000_0.11.0_password_policy.sql
OK 20200730000000_0.11.0_imap_ignore_cert_errors.sql
OK 20200914000000_0.11.0_last_login.sql
OK 20201201000000_0.11.0_account_locked.sql
OK 20220321133237_0.4.1_envelope_sender.sql
time="2025-10-27T15:06:31+05:30" level=info msg="Please login with the username admin and the password de41db5df0c5febb"
time="2025-10-27T15:06:31+05:30" level=info msg="Starting IMAP monitor manager"
time="2025-10-27T15:06:31+05:30" level=info msg="Starting new IMAP monitor for user admin"
time="2025-10-27T15:06:31+05:30" level=info msg="Starting phishing server at http://0.0.0.0:80"
time="2025-10-27T15:06:31+05:30" level=info msg="Creating new self-signed certificates for administration interface"
time="2025-10-27T15:06:31+05:30" level=info msg="Background Worker Started Successfully - Waiting for Campaigns"
time="2025-10-27T15:06:31+05:30" level=info msg="TLS Certificate Generation complete"
time="2025-10-27T15:06:31+05:30" level=info msg="Starting admin server at https://127.0.0.1:3333"
```

SETUP


1. GoPhish web dashboard on Kali Linux was used to manage the campaign, to show email info like sent, opened, and submitted.



2. A test group was set up under 'Users & Groups Tab', filled with accounts used as targets for the phishing simulation.




3. In 'Email Templates Tab' I designed an urgent message aimed at tricking users into clicking a suspicious link.




4. In 'Sending Profiles Tab', a sending profile was configured with SMTP settings so that phishing messages looked like they came from an official account, increasing the chances of the person

clicking on the mail.



5. In 'Landing Pages Tab', a landing page was created to capture credentials, clicking the phishing link redirected targets there and asked them to enter sensitive information.



6. A phishing campaign was launched successfully using the configured group, template, sending profile, and landing page. The campaign ran successfully and allowed tracking of users.

