

A Gas-Efficient Superlight Bitcoin Client in Solidity

Stelios Daveas
University of Athens

Aggelos Kiayias
University of Edinburgh
IOHK

Kostis Karantias
IOHK

Dionysis Zindros
University of Athens
IOHK

ABSTRACT

Superlight clients enable the verification of proof-of-work-based blockchains by checking only a small representative number of block headers instead of all the block headers as done in simplified payment verification (SPV). Such clients can be embedded within other blockchains by implementing them as smart contracts, allowing for cross-chain verification. One such interesting instance is the consumption of Bitcoin data within Ethereum by implementing a Bitcoin superlight client in Solidity. While such theoretical constructions have demonstrated security and efficiency in theory, no practical implementation exists. In this work, we put forth the first practical Solidity implementation of a superlight client which implements the NIPoPoW superblocks protocol. Contrary to previous work, our Solidity smart contract achieves sufficient gas-efficiency to allow a proof and counter-proof to fit within the gas limit of a block, making it practical. We provide extensive experimental measurements for gas consumption. The optimizations that enable gas-efficiency heavily leverage a novel technique which we term hash-and-resubmit, which almost completely eliminates persistent storage requirements, the most expensive operation of smart contracts in terms of gas. Instead, the contract asks contesters to resubmit data and checks their veracity by hashing it. Other optimizations include off-chain manipulation of proofs in order to remove expensive look-up structures, and the usage of an optimistic schema. We show that such techniques can be used to bring down gas costs significantly and may be of independent interest. Lastly, our implementation allows us to calculate concrete cryptographic parameters for the superblocks NIPoPoWs protocol and in particular to make recommendations about the monetary value of the collateral parameters. We provide such parameter recommendations over a variety of liveness settings.

KEYWORDS

Blockchain; Superlight clients; NIPoPoWs; Solidity; Design Patterns

1 INTRODUCTION

Blockchain interoperability [45] is the ability of distinct blockchains to communicate. This *crosschain* [22, 43] communication enables useful features across blockchains such as the transfer of assets from one chain to another (one-way peg) [24] and back (two-way peg) [26], as well as the generic passing of information from chain

to chain [29]. To date, there is no commonly accepted decentralized protocol that enables cross-chain transactions.

In general, crosschain-enabled blockchains A, B support the following operations:

- Crosschain trading: a user with deposits in blockchain A, makes a payment to a user in blockchain B.
- Crosschain fund transfer: a user transfers her funds from blockchain A to blockchain B. After the transfer, these funds no longer exist in blockchain A. The user can later decide to transfer any portion of the original amount to the blockchain of origin.

In order to perform crosschain operations, mechanism that allows users of blockchain A to discover events that have occurred in chain B, such as settled transactions, must be introduced. One tricky aspect is to ensure the atomicity of such operations, which require that either the transactions take place in *both* chains, or in *neither*. This is achievable through atomic swaps [21, 34]. However, atomic swaps provide limited functionality in that they do not allow the generic transfer of information from one blockchain to a smart contract in another. For many applications, a richer set of functionalities is needed [25, 29]. To communicate the fact that an event took place in a source blockchain, a naïve approach is to have users relay all the source blockchain blocks to a smart contract residing in the target chain, which functions as a client for the remote chain and validates all incoming information [9]. This approach, however, is impractical because a sizable amount of storage is needed to host entire chains as they grow in time. As of June 2020, Bitcoin [33] chain spans roughly 245 GB, and Ethereum [4, 41] has exceeded 300 GB¹.

One early solution to compress the extensive size of blockchain and improve the efficient of a client is addressed by Nakamoto [33] with the Simplified Payment Verification (SPV) protocol. In SPV, only the headers of blocks are stored, saving a considerable amount of storage. However, even with this protocol, the process of downloading and validating all block headers still demands a considerable amount of resources since they grow linearly in the size of the blockchain. In Ethereum, for instance, headers sum up to approximately 4.8 GB² of data. These numbers quickly become impractical when it comes to consuming and storing the data within a smart contract.

Towards the goal of delivering more practical solutions for blockchain transaction verification, a new generation of *superlight* clients

AFT 2020, October 21–23, 2020, New York, USA
2020.

¹Size of blockchain derived from <https://www.statista.com>, <https://etherscan.io>

²Calculated as the number of blocks (10,050,219) times the size of header (508 bytes). Statistics by <https://etherscan.io/>.

has emerged [3, 23, 27, 28]. In these protocols, cryptographic proofs are generated, that prove the occurrence of events in a blockchain. These proofs require only a polylogarithmic size of data compared to the SPV model, resulting in better performance. By utilizing superlight client protocols, a compressed proof for an event in chain A is constructed and dispatched to chain B. If chain B supports smart contracts, the proof is then verified automatically and transparently *on-chain*. This communication is realized without the intervention of trusted third-parties. An interesting application of such a protocol is the communication between Bitcoin and Ethereum and in particular the passing of Bitcoin events to Ethereum smart contracts.

The first protocol in this family is the *superblocks* Non-Interactive Proofs of Proof-of-Work (NIPoPoWs) protocol. This cryptographic primitive is *provably secure* and provides *succinct proofs* about the existence of an arbitrary event in a chain. We leverage NIPoPoWs as the fundamental building block of our solution.

Related Work. NIPoPoWs were introduced by Kiayias, Miller and Zindros [28] and their application to cross-chain communication was described in follow-up work [29], but only theoretically and without providing an implementation. A few cryptocurrencies already include built-in NIPoPoWs support, namely ERGO [7], Nimiq [38], and WebDollar [39]; these chains can natively function as *sources* in cross-chain protocols. Christoglou [10] provided a Solidity smart contract which is the first implementation of crosschain events verification based on NIPoPoWs, where proofs are submitted and checked for their validity, marking the first implementation of an *on-chain* verifier. This solution, however, is impractical due to extensive usage of resources, widely exceeding the Ethereum block gas limit. Other attempts have been made to address the verification of Bitcoin transactions to the Ethereum blockchain, most notably BTC Relay [9], which requires storing a full copy of all Bitcoin block headers within the Ethereum chain.

Our contributions. Notably, no practical implementation for an on-chain superlight clients exists to date. In this paper, we focus on constructing a practical client for superblock NIPoPoWs. For the implementation of our client, we refine the NIPoPoW protocol based on a series of keen observations. These refinements allow us to leverage useful techniques that construct a practical solution for proof verification. We believe this achievement is a decisive and required step towards establishing NIPoPoWs as the standard protocol for cross-chain communication. A summary of our contributions in this paper is as follows:

- (1) We develop the first on-chain decentralized client that securely verifies crosschain events and is practical. Our client establishes a trustless and efficient solution to the interoperability problem. We implement³ our client in Solidity, and we verify Bitcoin events to the Ethereum blockchain. The security assumptions we make are no other than SPV's [20, 42].
- (2) We present a novel pattern which we term *hash-and-resubmit*. Our pattern significantly improves performance of Ethereum

smart contracts [4, 41] in terms of gas consumption by utilizing the *calldata* space of Ethereum blockchain to eliminate high-cost storage operations.

- (3) We create an *optimistic* schema which we incorporate into the design of our client. This design achieves significant performance improvement by replacing linear complexity verification of proofs with constant complexity verification.
- (4) We demonstrate that superblock NIPoPoWs are practical, making it the first efficient cross-chain primitive.
- (5) We present a cryptoeconometric analysis of NIPoPoWs. We provide concrete values for the collateral/liveness trade-off.

Our implementation meets the following requirements:

- (1) **Security:** The client implements a provably secure protocol.
- (2) **Decentralization:** The client is not dependent on trusted third-parties and operates in a transparent, decentralized manner.
- (3) **Efficiency:** The client complies with environmental constraints, i.e. block gas limit and calldata size limit of the Ethereum blockchain.

We selected Bitcoin as the source blockchain as it the most popular cryptocurrency, and enabling crosschain transactions in Bitcoin is beneficial to the majority of the blockchain community. We selected Ethereum as the target blockchain because, besides its popularity, it supports smart contracts, which is a requirement in order to perform on-chain verification. We note here that prior to Bitcoin events being consumable in Ethereum, Bitcoin requires a velvet fork [44], a matter treated in a separate line of work [35]. **Structure.** In Section 2 we describe the blockchain technologies that are relevant to our work. In Section 3 we put forth the *hash-and-resubmit* pattern. We demonstrate the improved performance of smart contracts using the pattern, and how it is incorporated into our client. In Section 4, we present an alteration to the NIPoPoW protocol that enables the elimination of look-up structures. This allows for efficient interactions due to the considerably smaller size of dispatched proofs. In Section 5, we put forth an optimistic schema that significantly lowers the complexity of a proof's structural verification from linear to constant, by introducing a new interaction which we term *dispute phase*. Furthermore, we present a technique that leverages the dispatch of a constant number of blocks in the contest phase. Finally, in Section 6, we present our cryptoeconomic analysis on our client and establish the monetary value of collateral parameters.

2 PRELIMINARIES

Model. We consider a setting where the blockchain network consists of two different types of nodes: The first kind, *full nodes*, are responsible for the maintenance of the chain including verifying it and mining new blocks. The second kind, *verifiers*, connect to full nodes and wish to learn facts about the blockchain without downloading it, for example whether a particular transaction is confirmed. The full nodes therefore also function as *provers* for the verifiers. Each verifier connects to multiple provers, at least one of which is assumed to be honest.

Blockchain. Each honest full node locally maintains a *chain C*, a sequence of blocks. In understanding that we are developing an improvement on top of SPV, we use the term *block* to mean what

³Our implementation, unit tests and experiments can be found in <https://github.com/sdaveas/nipow-verifier> and are released as open source software.

is typically referred to as a *block header*. Each block contains the Merkle Tree root [32] of transaction data \bar{x} , the hash s of the previous block in the chain known as the *previd*, as well as a nonce value *ctr*. As discussed in the Introduction, the compression of application data \bar{x} is orthogonal to our goals in this paper and has been explored in independent work [8] which can be composed with ours. Each block $b = s \parallel \bar{x} \parallel ctr$ must satisfy the proof-of-work [12] equation $H(b) \leq T$ where T is a constant *target*, a small value signifying the difficulty of the proof-of-work problem. Our treatment is in the *static difficulty* case, so we assume that T is constant throughout the execution⁴. $H(B)$ is known as the *block id*.

Blockchains are finite block sequences obeying the *blockchain property*: that in every block in the chain there exists a pointer to its previous block. A chain is *anchored* if its first block is *genesis*, denoted \mathcal{G} , a special block known to all parties. This is the only block the verifier knows about when it boots up. For chain addressing we use Python brackets $C[\cdot]$. A zero-based positive number in a bracket indicates the indexed block in the chain. A negative index indicates a block from the end, e.g., $C[-1]$ is the tip of the blockchain. A range $C[i:j]$ is a subarray starting from i (inclusive) to j (exclusive). Given chains C_1, C_2 and blocks A, Z we concatenate them as C_1C_2 or C_1A (if clarity mandates it, we also use the symbol \parallel for concatenation). Here, $C_2[0]$ must point to $C_1[-1]$ and A must point to $C_1[-1]$. We denote $C\{A:Z\}$ the subarray of the chain from block A (inclusive) to block Z (exclusive). We can omit blocks or indices from either side of the range to take the chain to the beginning or end respectively. As long as the blockchain property is maintained, we freely use the set operators \cup, \cap and \subseteq to denote operations between chains, implying that the appropriate blocks are selected and then placed in chronological order.

During every round, every party attempts to *mine* a new block on top of its currently adopted chain. Each party is given q queries to the random oracle which it uses in attempting to mine a new block. Therefore the adversary has tq queries per round while the honest parties have $(n - t)q$ queries per round. When an honest party discovers a new block, they extend their chain with it and broadcast the new chain. Upon receiving a new chain C' from the network, an honest party compares its length $|C'|$ against its currently adopted chain C and adopts the newly received chain if it is longer. It is assumed that the honest parties control the majority of the computational power of the network. If so, the protocol ensures consensus among the honest parties: There is a constant k , the *Common Prefix* parameter, such that, at any round, all the chains belonging to honest parties share a common prefix of blocks; the chains can deviate only up to k blocks at the end of each chain [16]. Concretely, if at some round r two honest parties have C_1 and C_2 respectively, then either $C_1[: -k]$ is a prefix of C_2 or $C_2[: -k]$ is a prefix of C_1 .

Superblocks. Some valid blocks satisfy the proof-of-work equation better than required. If a block b satisfies $H(b) \leq 2^{-\mu}T$ for some natural number $\mu \in \mathbb{N}$ we say that b is a μ -*superblock* or a block of *level* μ . The probability of a new valid block achieving level μ is $2^{-\mu}$. The number of levels in the chain will be $\log |C|$ with

⁴A treatment of variable difficulty NIPoPoWs has been explored in the soft fork case [45], but we leave the treatment of velvet fork NIPoPoWs in the variable difficulty model for future work.

high probability [27]. Given a chain C , we denote $C\uparrow^\mu$ the subset of μ -superblocks of C .

Non-Interactive Proofs of Proof-of-Work (NIPoPoW) protocols allow verifiers to learn the most recent k blocks of the blockchain adopted by an honest full node without downloading the whole chain. The challenge lies in building a verifier who can find the suffix of the longest chain between claims of both honest and adversarial provers, while not downloading all block headers. Towards that goal, the *superblock* approach uses superblocks as samples of proof-of-work. The prover sends superblocks to the verifier to convince them that proof-of-work has taken place without actually presenting all this proof-of-work. The protocol is parametrized by a constant security parameter m . The parameter determines how many superblocks will be sent by the prover to the verifier and security is proven with overwhelming probability in m .

Prover. The prover is a friendly but untrusted node that submits proofs of events that happen on a *source* chain. These proofs are advertised to a different *target* chain and their validity is ensured by other honest nodes. Provers need to monitor both source and target chains in order to (a) create proofs of events from the source chain and (b) validate proofs that are submitted by other nodes to the target chain.

The prover selects various levels μ and, for each such level, sends a carefully chosen portion of its μ -level *superchain* $C\uparrow^\mu$ to the verifier. In standard blockchain protocols such as Bitcoin and Ethereum, each block $C[i+1]$ in C points to its previous block $C[i]$, but each μ -superblock $C\uparrow^\mu[i+1]$ does not point to its previous μ -superblock $C\uparrow^\mu[i]$. It is imperative that an adversarial prover does not reorder the blocks within a superchain, but the verifier cannot verify this unless each μ -superblock points to its most recently preceding μ -superblock. The proposal is therefore to *interlink* the chain by having each μ -superblock include an extra pointer to its most recently preceding μ -superblock. To ensure integrity, this pointer must be included in the block header and verified by proof-of-work. However, the miner does not know which level a candidate block will attain prior to mining it. For this purpose, each block is proposed to include a pointer to the most recently preceding μ -superblock, for every μ as illustrated in Figure 1. As these levels are only $\log |C|$, this only adds $\log |C|$ extra pointers to each block header.

Even though a proof can be structurally correct, an adversary prover can dispatch a proof of an dishonest chain. This is addressed by establishing a contest period, in which honest provers can submit honest proofs that invalidate the originally submitted. The rationale behind this is that the honest chain encapsulates the most proof-of-work, and thus achieves better score among other proofs that represent shorter, dishonest chains. To provide incentives for honest nodes to contest fraud proofs, a collateral is included to the submission of proofs which is paid to the party that achieves to present a better proofs than the originally submitted. If no contest happen, the collateral is returned to the original issuer.

Verifier. The verifier is an application that performs operations on proofs and does not need to be aware of the state of each chain. Upon receiving two proofs, π_1 and π_2 , the NIPoPoW verifier first checks that they form valid chains. To check that they are valid chains, the verifier ensures every block in the proof contains a pointer to its previous block inside the proof through either the *previd* pointer in the block header, or in the interlink vector. If

Algorithm 1 The Prove algorithm for the NIPoPoW protocol in a soft fork

```

1: function Provem,k(C)
2:   B ← C[0]                                ▷ Genesis
3:   for μ = |C[-k - 1].interlink| down to 0 do
4:     α ← C[: -k]{B :}↑μ
5:     π ← π ∪ α
6:     if m < |α| then
7:       B ← α[-m]
8:     end if
9:   end for
10:  χ ← C[-k :]
11:  return πχ
12: end function

```




Figure 1: The interlinked blockchain. Each superblock is drawn taller according to its achieved level. Each block links to all the blocks that are not being overshadowed by their descendants. The most recent (right-most) block links to the four blocks it has direct line-of-sight to.

Algorithm 2 The Verify algorithm for the NIPoPoW protocol

```

1: function best-argm(π, b)
2:   M ← {μ : |π↑μ{b :}| ≥ m} ∪ {0}          ▷ Valid levels
3:   return maxμ ∈ M{2μ · |π↑μ{b :}|}        ▷ Score for level
4: end function
5: operator πA ≥m πB
6:   b ← (πA ∩ πB)[-1]                      ▷ LCA
7:   return best-argm(πA, b) ≥ best-argm(πB, b)
8: end operator
9: function Verifym,kQ(P)
10:  π̃ ← (Gen)                                ▷ Trivial anchored blockchain
11:  for (π, χ) ∈ P do                        ▷ Examine each proof in P
12:    if validChain(πχ) ∧ |χ| = k ∧ π ≥m π̃ then
13:      π̃ ← π
14:      χ̃ ← χ                                ▷ Update current best
15:    end if
16:  end for
17:  return Q̃(χ̃)
18: end function

```

any of these checks fail, the proof is rejected. It then compares π_1 against π_2 using the \leq_m operator, which works as follows. It finds the lowest common ancestor block $b = (\pi_1 \cap \pi_2)[-1]$; that is, b is the most recent block shared among the two proofs. Subsequently, it chooses the level μ_1 for π_1 such that $|\pi_1\{b:\}\uparrow^{\mu_1}| \geq m$ (i.e., π_1 has at least m superblocks of level μ_1 following block b)

Algorithm 3 The verify algorithm for the NIPoPoW infix protocol

```

1: function ancestors(B, blockByld)
2:   if B = Gen then
3:     return {B}
4:   end if
5:   C ← ∅
6:   for id ∈ B.interlink do
7:     if id ∈ blockByld then
8:       B' ← blockByld[id]                    ▷ Collect into DAG
9:       C ← C ∪ ancestors(B', blockByld)
10:    end if
11:  end for
12:  return C ∪ {B}
13: end function
14: function verify-infixℓ,m,kD(P)
15:  blockByld ← ∅
16:  for (π, χ) ∈ P do
17:    for B ∈ π do
18:      blockByld[id(B)] ← B
19:    end for
20:  end for
21:  π̃ ← best π ∈ P according to suffix verifier
22:  return D(ancestors(π̃[-1], blockByld))
23: end function

```

and the value $2^{\mu_1} |\pi_1\{b:\}\uparrow^{\mu_1}|$ is maximized. It chooses a level μ_2 for π_2 in the same fashion. The two proofs are compared by checking whether $2^{\mu_1} |\pi_1\{b:\}\uparrow^{\mu_1}| \geq 2^{\mu_2} |\pi_2\{b:\}\uparrow^{\mu_2}|$ and the proof with the largest score is deemed the winner. The comparison is illustrated in Algorithm 2.

An adversary prover could skip the blocks of interest and present an honest and longer chain that is considered a better proof. For that reason, the last step of the algorithm in the suffix verifier is changed to not only store the best proof but also combine the two proofs by including all of the ancestor blocks of the losing proof. This is called infix verification and is guaranteed to include the blocks of interest. The resulting best proof is stored as a DAG (Directed Acyclic Graph), as in Algorithm 3.

3 THE HASH-AND-RESUBMIT PATTERN

We now introduce a novel design pattern for Solidity smart contracts that results into significant gas optimization due to the elimination of expensive storage operations. We first introduce our pattern, and illustrate how smart contracts benefit from using it. Then, we proceed to integrate our pattern in the NIPoPoW protocol, and we analyze the performance in comparison with previous work [10].

Motivation. It is essential for smart contracts to store data in the blockchain. However, interacting with the storage of a contract is among the most expensive operations of the EVM [4, 41]. Therefore, only necessary data should be stored and redundancy should be avoided when possible. This is contrary to conventional software architecture, where storage is considered cheap. Usually, data access performance in traditional systems is measured with respect to time and space. In Ethereum, however, performance is related

to gas consumption. Access to persistent data costs a substantial amount of gas, which has a direct correspondence to a monetary cost.

One way to mitigate gas cost of reading variables from the blockchain is to declare them as public. This leads to the creation of a *getter* function in the background, allowing free access to the value of the variable. But this treatment does not prevent the initial population of storage data and write operations which are significantly expensive for large sizes of data.

By using the *hash-and-resubmit* pattern, large structures are omitted from storage entirely, and are contained in memory. When a function call is performed, the signature and arguments of the function are included in the transactions field of the body of a block. The contents of blocks are public to the network, therefore this information is locally available to full nodes. By simply observing blocks, a node retrieves data sent to the contract by other users. To interact publicly with this data without the utilization storage, the node *resends* the observed data to the blockchain. The concept of resending data is redundant in conventional systems. However, this technique is very efficient to use in Solidity due to the significantly lower gas cost of memory operations in relation with storage operations.

Related patterns. Towards implementing gas-efficient smart contracts, several methodologies have been proposed [5, 6, 14, 18]. In order to eliminate storage operations using data signatures, the utilization of IPFS [2] has been proposed [19, 37]. However, these solutions do not address *availability*, which is one of our main requirements. Another solution uses logs [11] to replace storage in a similar manner, sparing a great amount of gas. However, this approach does not address consistency, which is also one of our critical targets. Lastly, there have been proposals [40] to replace storage read operations, but they do not address write operations.

Applicability. To benefit from the *hash-and-resubmit* pattern, an application needs to meet the following requirements:

- (1) The application is a Solidity smart contract.
- (2) Read/write operations are performed in large arrays that exist in storage. Using the pattern for variables of small size may result in negligible gain or even performance loss.
- (3) A full node observes function calls to the smart contract.

Participants and collaborators. The first participant is the smart contract S that accepts function calls. Another participant is the invoker E_1 , who dispatches a large array d_0 to S via a function $\text{func}_1(d_0)$. Upon submission, d_0 is potentially processed in func_1 , resulting to d . The last participant is the observer E_2 , who is a full node that observes transactions towards S in the blockchain. This is possible because nodes maintain the blockchain locally. After observation, E_2 retrieves data d . Since this is an off-chain operation, a malicious E_2 potentially alters d before interacting with S . We denote the potentially modified d as d^* . Finally, E_2 acts as an invoker by making a new call to S , $\text{func}_2(d^*)$. The verification that $d = d^*$, which is a prerequisite for the secure functionality of the underlying contract, forms a part of the pattern and is performed in func_2 .

Implementation. The implementation of this pattern is divided in two parts. The first part covers how d^* is retrieved by E_2 , whereas in the second part the verification of $d = d^*$ is realized. The challenge here is twofold:

- (1) Availability: E_2 must be able to retrieve d without the need of accessing on-chain data.
- (2) Consistency: E_2 must be prevented from dispatching d^* that differs from d which is a product of the originally submitted d_0 .

The *hash-and-resubmit* technique is performed in two stages to face these challenges: (a) the *hash* phase, which addresses *consistency*, and (b) the *resubmit* phase which addresses *availability* and *consistency*.

Addressing availability: During the *hash* phase, E_1 makes the function call $\text{func}_1(d_0)$. This transaction, which includes a function signature (func_1) and the corresponding data (d_0), is confirmed in a block by a miner. Due to blockchain’s transparency, the observer E_2 of func_1 retrieves a copy of d_0 from the calldata, without the need of accessing contract data. In turn, E_2 performs *locally* the same set of on-chain instructions operated on d_0 , generating d . Thus, availability is addressed through observability.

Addressing consistency: We prevent an adversary E_2 from dispatching data $d^* \neq d$ by storing the *commitment* of d in the contract’s state during the execution of $\text{func}_1(\cdot)$ by E_1 . In the context of Solidity, a commitment is the digest of the structure’s *hash*. The pre-compiled sha256 is convenient to use in Solidity; however we can make use of any cryptographic hash function $H(\cdot)$:

$$\text{hash} \leftarrow H(d)$$

Then, in *rehash* phase, the verification is performed by comparing the stored digest of d with the digest of d^* :

$$\text{require}(\text{hash} = H(d^*))$$

In Solidity, the size of this digest is 32 bytes. To persist such a small value in the contract’s memory only adds a small constant gas overhead. We illustrate the application of the *hash-and-resubmit* pattern in Figure 2.

Sample. We now demonstrate the usage of the *hash-and-resubmit* pattern with a simplistic example. We create a smart contract that orchestrates a game between two players, P_1 and P_2 . The winner is the player with the most valuable array. The interaction between players through the smart contract is realized in two phases: (a) the submit phase and (b) the contest phase.




Figure 2: The *hash-and-resubmit* pattern. First, an invoker calls $\text{func}_1(d_0)$. Then d_0 is processed *on-chain* and d is generated. The commitment to d is stored in the blockchain as the digest of a hash function $H(\cdot)$. Then, a full node that observes invocations of func_1 retrieves d_0 , and generates d by performing the respective processing on d_0 *off-chain*. An adversarial observer dispatches d^* , where $d^* \neq d$. Finally, the nodes invoke $\text{func}_2(\cdot)$. In func_2 , the validation of input data is performed, reverting the function call if the hash of the input does not match with the stored commitment. By applying a *hash-and-resubmit pattern*, only the fixed-size commitment of d is stored to the contract's state, replacing arbitrarily large structures.

Submit phase: P_1 submits an N -sized array, a_1 , and becomes the holder of the contract.

Contest phase: P_2 submits a_2 . If the result of $\text{compare}(a_2, a_1)$ is true, then P_2 becomes the holder. We provide a simple implementation for compare, but we can consider any notion of comparison, since the pattern is abstracted from such implementation details.

We make use of the *hash-and-resubmit* pattern by prompting P_2 to provide *two* arrays to the contract during contest phase: (a) a_1^* , which is the originally submitted array by P_1 , possibly modified by P_2 , and (b) a_2 , which is the contesting array.

We provide two implementations of the above described game. In Algorithm 4 we display the storage implementation, while in Algorithm 5 we show the implementation leveraging the *hash-and-resubmit* pattern.

Algorithm 4 *best array* using storage

```

1: contract best-array
2:   best  $\leftarrow \emptyset$ ; holder  $\leftarrow \emptyset$ 
3:   function submit(a)
4:     best  $\leftarrow a$  ▷ array saved in storage
5:     holder  $\leftarrow \text{msg.sender}$ 
6:   end function
7:   function contest(a)
8:     require(compare(a))
9:     holder  $\leftarrow \text{msg.sender}$ 
10:  end function
11:  function compare(a)
12:    require(|a|  $\geq$  |best|)
13:    for  $i \leftarrow 1$  to |best| do
14:      require(a[i]  $\geq$  best[i])
15:    end for
16:    return true
17:  end function
18: end contract

```

Algorithm 5 *best array* using hash-and-resubmit

```

1: contract best-array
2:   hash  $\leftarrow \emptyset$ ; holder  $\leftarrow \emptyset$ 
3:   function submit(a1)
4:     hash  $\leftarrow H(a_1)$  ▷ hash saved in storage
5:     holder  $\leftarrow \text{msg.sender}$ 
6:   end function
7:   function contest(a1*, a2)
8:     require(H(a1*) = hash) ▷ validate a1*
9:     require(compare(a1*, a2))
10:    holder  $\leftarrow \text{msg.sender}$ 
11:  end function
12:  function compare(a1*, a2)
13:    require(|a1*|  $\geq$  |a2|)
14:    for  $i \leftarrow 1$  to |a1*| do
15:      require(a1*[i]  $\geq$  a2[i])
16:    end for
17:  end function
18:  return true
19: end contract

```

Gas analysis. The gas consumption of the two above implementations is displayed in Figure 3. By using the *hash-and-resubmit* pattern, the aggregated gas consumption for submit and contest is decreased by 95%. This significantly affects the efficiency and applicability of the contract. Note that the storage implementation exceeds the Ethereum block gas limit (10,000,000 gas as of June 2020), for arrays of size 500 and above, contrary to the optimized version, which consumes approximately only $1/10^{\text{th}}$ of the block gas limit for arrays of 1,000 elements.




Figure 3: Gas-cost reduction of Algorithm 4 using the *hash-and-resubmit* pattern (lower is better). By avoiding gas-heavy storage operations, the aggregated cost of submit and contest is decreased by 95%.

Consequences. The consequence of applying the *hash-and-resubmit* pattern is the circumvention of storage, a benefit that saves a substantial amount of gas, especially when stored structures are large. Therefore, smart contracts that exceed the Ethereum block gas limit and benefit sufficiently from the alleviation of storage can become practical.

Known uses. To our knowledge, we are the first to address consistency and availability by combining blockchain’s transparency with commitments in a manner that eliminates storage from smart contracts.

Enabling NIPoPoWs. We now present how the *hash-and-resubmit* pattern is used in the context of the NIPoPoW superlight client. The NIPoPoW verifier adheres to a submit-and-contest schema where the inputs of the functions are arrays that are processed on-chain, and a node observes function calls towards the smart contract. Therefore, it makes a suitable case for our pattern.

In the *submit* phase, a *proof* is submitted. In the case the proof is fraudulent, it is contested by another user in the *contest* phase. The contest is a node that monitors the traffic of the verifier contract. The input of the submit function includes the submit proof (π_s) that claims the occurrence of an *event* (e) in the source chain, and the input of the contest function includes a contesting proof (π_c). A successful contest of π_s is realized when π_c has a better score [28]. In this section, we will not examine the score evaluation process since it is irrelevant to the pattern. The size of proofs is dictated by the value m . We adopt the recommended [28] parameter value $m = 15$.

In previous work, NIPoPoW proofs are maintained on-chain, resulting in extensive storage operations. In our implementation,




Figure 4: Forked chains for our gas analysis.

proofs are not stored on-chain, and π_s is retrieved by the contestor from the calldata. Since we assume a trustless network, π_s can be altered by an adversarial contestor. We denote the potentially changed π_s as π_s^* . In the *contest* phase, π_s^* and π_c are dispatched in order to enable the *hash-and-resubmit* pattern.

For our analysis, we create a blockchain similar to the Bitcoin chain with the addition of the interlink structure in each block [10]. Our experimental chain spans 650,000 blocks, representing a slightly larger chain than Bitcoin⁵. From the tip of our chain, we branch two sub-chains that span 100 and 200 additional blocks respectively, as illustrated in Figure 4. Then, we use the smaller chain to create π_s , and the larger chain to create π_c . We apply the protocol by submitting π_s , and contesting with π_c . The contest is successful, since π_c represents a chain consisting of a greater number of blocks than π_s . We select this setting as it provides maximum code coverage, and it describes the most gas-heavy scenario for the verifier.

In Algorithm 6 we show how the *hash-and-resubmit* pattern is leveraged by our modified NIPoPoW client.

In Figure 5, we illustrate how *hash-and-resubmit* improves client performance compared to previous work. The graph illustrates the aggregated cost of the *submit* and *contest* phases for each implementation. We observe that, by using the *hash-and-resubmit* pattern, we improve the gas consumption of the contract by 50%. This is a decisive step towards creating a practical superlight client.

Note that, in our graph, gas consumption generally follows an ascending trend; however it is not monotonically increasing. This is due to the fact that NIPoPoWs are probabilistic structures, the size of which is determined by the distribution of superblocks within the underlying chain. A proof that is constructed for a chain of a certain size can be larger than a proof constructed for a slightly smaller chain, sometimes resulting in a slight decrease of gas consumption between consecutive values of proof sizes.

4 REMOVING LOOK-UP STRUCTURES

Now that we freely eliminate large arrays, we can focus on other types of storage variables. The challenge we face is that the protocol of NIPoPoWs depends on a Directed Acyclic Graph (DAG) of blocks which is constructed using a mutable hashmap in the recommended implementation. This DAG is needed because, in the infix part of a NIPoPoW, an adversary can skip blocks that should normally be included in an honest proof. By using a DAG, the set of ancestor blocks of a block is extracted by performing a simple graph search. For the evaluation of the predicate, the set of previously encountered *ancestors* of the tip of the longest blockchain

⁵Bitcoin spans 633,022 blocks as of June 2020. Metrics by <https://www.blockchain.com/>

Algorithm 6 The NIPoPoW client using hash-and-resubmit

```

1: contract crosschain
2:   events  $\leftarrow \perp$ ;  $\mathcal{G} \leftarrow \perp$ 
3:   function initialize( $\mathcal{G}_{remote}$ )
4:      $\mathcal{G} \leftarrow \mathcal{G}_{remote}$ 
5:   end function
6:   function submit( $\pi_s, e$ )
7:     require(events[e] =  $\perp$ )
8:     require( $\pi_s[0] = \mathcal{G}$ )
9:     require(valid-interlinks( $\pi$ ))
10:    DAG  $\leftarrow$  DAG  $\cup \pi_s$ 
11:    ancestors  $\leftarrow$  find-ancestors(DAG,  $\pi_s[-1]$ )
12:    require(evaluate-predicate(ancestors, e))
13:    ancestors =  $\perp$ 
14:    events[e].hash  $\leftarrow$  H( $\pi_s$ ) ▷ enable pattern
15:  end function
16:  function contest( $\pi_s^*, \pi_c, e$ ) ▷ provide proofs
17:    require(events[e]  $\neq \perp$ )
18:    require(events[e].hash = H( $\pi_s^*$ )) ▷ verify  $\pi_s^*$ 
19:    require( $\pi_c[0] = \mathcal{G}$ )
20:    require(valid-interlinks( $\pi_c$ ))
21:    lca = find-lca( $\pi_s^*, \pi_c$ )
22:    require( $\pi_c \geq_m \pi_s^*$ )
23:    DAG  $\leftarrow$  DAG  $\cup \pi_c$ 
24:    ancestors  $\leftarrow$  find-ancestors(DAG,  $\pi_s^*[-1]$ )
25:    require( $\neg$ evaluate-predicate(ancestors, e))
26:    ancestors =  $\perp$ 
27:    events[e]  $\leftarrow \perp$ 
28:  end function
29: end contract

```




Figure 5: Gas consumption of our NIPoPoWs verifier enhanced with hash-and-resubmit compared to previous work (lower is better) using a secure value of m . Gas consumption is decreased by approximately 50%.

is used. The set of ancestors is created to avoid an adversary who presents an honest chain but skips the block of interest.

This logic is intuitive and efficient to implement in most traditional programming languages. However, as our analysis demonstrates, such an implementation in Solidity is expensive. Although Solidity supports constant-time look-up structures, native hashmaps are only possible to hold in storage. This affects the performance of the client, especially for large proofs.

We make a series of observations regarding the potential positions of the *block of interest* within proofs, which lead us to the construction of an architecture that does not require maintaining a DAG, ancestors, or other complementary structures. We consider the predicate p to be of the form: “does block B exist inside proof π ?”, where B denotes the block of interest of proof π . Let E_s denote the node that performs the submission and the E_c denote the node that initiates a contest.

The node E_s is submitting the proof π_s in an attempt to convince the verifier that the predicate p is *true*, while E_c is submitting the proof π_c in an attempt to convince the verifier that the predicate is *false*. We call a proof *pointless* if it does not contribute to its purpose of convincing the verifier. Namely, π_s is pointless if it does not contribute to convincing the verifier of the *truth* of the predicate, while π_c is pointless if it does not contribute to convincing the verifier of the *falsity* of the predicate. We call non-pointless proofs *meaningful*.

Position of block of interest. NIPoPoWs are sets of sampled interlinked blocks that form chains. Since proofs π_s and π_c differ (otherwise the contesting proof would not be accepted), a fork is created at their last common ancestor LCA. Since π_s claims the *truth* of the predicate, the block of interest B lies at a certain stable index [28, 30] within π_s . A submission in which B is absent from π_s is pointless, since no element of π_s satisfies p . On the contrary, if the block of interest is included in π_c , then the contest is pointless.

In the NIPoPoW protocol, proof segments $\pi_s\{:\text{LCA}\}$ and $\pi_c\{:\text{LCA}\}$ are merged into a single chronologically ordered chain to prevent adversaries from skipping blocks, and the predicate is evaluated against $\pi_s\{:\text{LCA}\} \cup \pi_c\{:\text{LCA}\}$. We observe that $\pi_c\{:\text{LCA}\}$ can be omitted during the predicate’s evaluation, because no block B exists in $\pi_c\{:\text{LCA}\}$ that is missing from $\pi_s\{:\text{LCA}\}$ and for which the predicate holds. This is due to the fact that, in a meaningful contest, B is not included in π_c . Consequently, π_c is only meaningful if it forks π_s at a block prior to B .

Minimal forks. Given the above observation, we modify our construction to ask the contestor to only send those blocks of π_c that follow the LCA block. We term this truncated chain $\pi_c^f = \pi_c\{\text{LCA}:\}$. In Algorithm 7, we show how the minimal fork technique is incorporated into our client, replacing DAG and ancestor structures. Security is preserved by requiring that the provided π_c^f is a *minimal fork*, namely that it satisfies the following:

- (1) $\pi_s\{\text{LCA}\} = \pi_c^f[0]$
- (2) $\pi_s\{\text{LCA}:\} \cap \pi_c^f[1:] = \emptyset$

The verifier checks that the above conditions are met in line 19.

In Figure 6 we show how the performance of the client improves. We use the same test case as in *hash-and-resubmit*. We achieve a 55% decrease in gas consumption. The *submit* phase now costs

4,700,000 gas, and the *contest* phase costs 4,900,000 gas. Notably, after these changes, each phase individually fits within an Ethereum block.

Algorithm 7 The NIPoPoW client using the minimal fork technique

```

1: contract crosschain
2:   ...
3:   function submit( $\pi_s$ ,  $e$ )
4:     require( $\pi_s[0] = \mathcal{G}$ )
5:     require(events[e] =  $\perp$ )
6:     require(valid-interlinks( $\pi_s$ ))
7:     require(evaluate-predicate( $\pi_s$ ,  $e$ ))
8:     events[e].hash  $\leftarrow$  H( $\pi_s$ )
9:   end function
10:  function contest( $\pi_s^*$ ,  $\pi_c^f$ ,  $e$ ,  $f$ )  $\triangleright$   $f$ : Fork index
11:    require(events[e]  $\neq \perp$ )
12:    require(events[e].hash = H( $\pi_s^*$ ))
13:    require(valid-interlinks( $\pi_c^f$ ))
14:    require(minimal-fork( $\pi_s^*$ ,  $\pi_c^f$ ,  $f$ ))  $\triangleright$  Minimal fork
15:    require( $\pi_c^f \geq_m \pi_s^*$ )
16:    require( $\neg$ evaluate-predicate( $\pi_c^f$ ,  $e$ ))
17:    events[e]  $\leftarrow \perp$ 
18:  end function
19:  function minimal-fork( $\pi_1$ ,  $\pi_2$ ,  $f$ )
20:    if  $\pi_1[f] \neq \pi_2[0]$  then  $\triangleright$  Check fork head
21:      return false
22:    end if
23:    for  $b_1 \in \pi_1[f+1:]$  do  $\triangleright$  Check disjoint proofs
24:      if  $b_2 \in \pi_2[1:]$  then
25:        return false
26:      end if
27:    end for
28:    return true
29:  end function
30: end contract

```

5 PROCESSING FEWER BLOCKS

The complexity of most demanding on-chain operations of the verifier are linear to the size of the proof. This includes the proof validation and the evaluation of score. We now present two techniques that allow for equivalent operations of constant complexity.

Optimistic schemes. In smart contracts, in order to ensure that users comply with the underlying protocol, certain actions are typically performed on-chain, e.g., verification of data, balance checks, etc. In a different recently introduced approach, the contract does not perform the verification initially, but accepts the execution’s results at face value. Actions that deviate from the protocol are reverted only after honest users indicate them, therefore disallowing them. Such smart contracts that do not check the validity of actions by default, but rather depend on the intervention of honest users are characterized “optimistic”. In the Ethereum community, several projects [1, 15, 17, 31, 36] have emerged that incorporate the notion of optimistic interactions. We observe that such an optimization applies to the NIPoPoW protocol.




Figure 6: Performance improvement using minimal fork (lower is better). The gas consumption is decreased by approximately 55%.

Process	Gas cost	Total %
verify-interlink	2,200,000	53%
submit	4,700,000	100%

Table 1: Gas usage of verify-interlink compared to the overall gas consumption of submit.

We discussed how the verification in the NIPoPoW protocol is realized in two phases. In the *submit* phase, the verification of π_s is performed. This is necessary in order to prevent adversaries from submitting structurally invalid proofs. A proof is *structurally valid* if: (a) the first block of the proof is the *genesis* block of the underlying blockchain and (b) every block has a valid interlink that points to the previous one in the proof.

Asserting the existence of genesis in the first index of a proof is an inexpensive operation of constant complexity. However, confirming the interlink correctness of all blocks is a process of linear complexity to the size of the proof. Although the verification is performed in memory, sufficiently large proofs result into costly submissions since their validation constitutes the most demanding function of the *submit* phase. In Table 1 we display the cost of the valid-interlink function which determines the structural correctness of a proof in comparison with the overall gas used in submit. **Dispute phase.** We add a new *dispute* phase to our protocol. It alleviates the burden of verifying all elements of the proof by enabling the indication of an individual incorrect block. This phase allows an honest party to indicate a particular index where π_s is structurally incorrect. This check takes constant gas.

The process works as follows. Initially, a proof π_s is submitted. An honest contestator monitors the network for proof submissions. This data can be found in the `calldata` of a smart contract call transaction. In case she notices π_s is structurally invalid, she computes the index of the first block at which it contains an invalid interlink connection. This computation occurs off-chain. The contestator calls `dispute(π_s , i)`, where i indicates the disputing index of

π_s . Therefore, the interlink connection between only two subsequent blocks in the proof is checked *on-chain* rather than the entire span of π_s .

Note that this additional phase does not imply increased rounds of interactions between the parties. If π_s is invalidated in the *dispute* phase, then the *contest* phase is skipped. Similarly, if π_s is structurally correct, but represents a dishonest chain, then the con-tester proceeds directly to the *contest* phase without invoking of *dispute*.

In Table 2 we display the gas consumption for two independent cycles of interactions:

- (1) *Submit* and *dispute* for a structurally invalid π_s .
- (2) *Submit* and *contest* for a structurally valid π_s that represents a dishonest chain.

In lines 9–14 of Algorithm 8, we show the implementation of the *dispute* phase. The introduction of the *dispute* phase leaves contest unchanged.

Isolating the best level. As we discussed, *dispute* and *contest* phases are mutually exclusive. Unfortunately, the same constant-time verification as in the *dispute* phase cannot be applied in a contest without increasing the rounds of interactions for the users. However, we derive a subsequent optimization for the *contest* phase by observing the process of score evaluation.

Process	Gas ($\times 10^3$)	Total	Gas ($\times 10^3$)	Total
valid-interlinks	900	18%	120	10%
minimal-fork	1,900	39%	275	18%
args (π_s)	750	16%	750	51%
args (π_c)	950	19%	20	1%
other	400	8%	300	20%
contest	I. 4,900	100%	II. 1,465	100%

Table 3: Gas usage in contest. I: Before utilizing best-level. II: After utilizing best-level.

In NIPoPoWs, after the last common ancestor is found, each proof fork is evaluated in terms of the proof-of-work score of its blocks after the LCA block. Each level captures a different score, and the level with the best score for the fork is used for the comparison (see Algorithm 2). The position of LCA determines the span of the proofs that will be included in the score evaluation process. Furthermore, it is impossible to determine the score of a proof in the *submit* phase because the position of LCA is yet unknown.

After π_s is retrieved from the calldata, the contesteer can calculate off-chain the score of both proofs. This means that the contesteer knows the level at which each proof captures the best score for each fork. In light of this observation, it suffices for the contesteer to submit the blocks that constitute the *best level* of π_c . The number of these blocks is constant, as it is determined by the security parameter m , which is independent of the size of the underlying blockchain. We illustrate the blocks that participate in the formulation of a proof’s score and the best level of contesting proof in Figure 7.

An adversarial contesteer can send a level of π_c which is different than the best. However, this is pointless, since different levels only undermine her score. On the contrary, due to the consistency property of *hash-and-resubmit*, π_s cannot be altered. We denote b the best level of π_c^f and the subchain at that level as $\pi_c^f \uparrow^b$.




Figure 7: Fork of two proofs. Striped blocks determine the score of each proof. Black blocks belong to the level that has the best score. Only black blocks are part of the best level of the contesting proof.

In Algorithm 8, we show the implementation of the *contest* phase under the best-level enhancement. This greatly improves the performance of the client, because the complexity of the majority of contest functions is proportional to the size of π_c . In Table 3, we demonstrate the difference in gas consumption in the various stages of the *contest* phase before and after using *best-level*. The performance of most functions is improved by approximately 85%. This is due to the fact that the size of π_c is decreased accordingly. For $m = 15$, $\pi_c^f \uparrow^b$ consists of 31 blocks, while π_c^f consists of 200 blocks. Notably, the calculation of score for $\pi_c^f \uparrow^b$ needs 97% less gas than the naive implementation, because the evaluation of the score of an individual level is performed entirely in memory.

In Figure 8, we illustrate the performance gains of the client using the *dispute* phase and the *best-level* method. The aggregated gas consumption of the *submit* and *contest* phases is reduced to 3,500,000 gas. This makes the contract practical, since a complete cycle of interactions now effortlessly fits inside a single Ethereum block.

6 CRYPTOECONOMICS

We now present our economic analysis on our client. We have already discussed that the NIPoPoW protocol is performed in distinct phases. In each phase, different entities are prompted to act. As in SPV, the security assumption that is made is that at least one honest node is connected to the verifier contract and serves honest proofs. However, the process of contesting a submitted proof by an honest node does not come without expense. Such an expense is the computational power a node has to consume in order to fetch a submitted proof from the calldata and construct a contesting proof, but, most importantly, the gas that has to be paid in order to dispatch the proof to the Ethereum blockchain. Therefore, it is essential to provide incentives to honest nodes, while adversaries must be discouraged from submitting invalid proofs. In this section, we discuss the topic of incentives and treat our honest nodes as rational. We propose concrete monetary values to achieve incentive compatibility.

In NIPoPoWs, incentive compatibility is addressed by the establishment of a monetary value termed *collateral*. In the *submit* phase, the user pays this collateral in addition to the expenses of the function call, and, if the proof is contested successfully, the

	Phase	Gas (millions)		Phase	Gas (millions)		Phase	Gas (millions)
	submit	4.7		submit	2.2		submit	2.2
	contest	4.9		dispute	1.3		contest	4.9
I.	Total	9.6	II.	Total	3.5		Total	7.1

Table 2: Performance per phase. Gas units are displayed in millions. I: Gas consumption prior to dispute phase incorporation. II: Gas consumption for two independent sets of interactions submit/dispute and submit/contest.

Algorithm 8 The NIPoPoW client enhanced with dispute phase and best-level contesting

```

1: contract crosschain
2:   ...
3:   function submit( $\pi_s, e$ )
4:     require( $\pi_s[0] = \mathcal{G}$ )
5:     require( $\text{events}[e] = \perp$ )
6:     require( $\text{evaluate-predicate}(\pi_s, e)$ )
7:      $\text{events}[e].\text{hash} \leftarrow H(\pi_s)$ 
8:   end function
9:   function dispute( $\pi_s^*, e, i$ ) ▷  $i$ : Dispute index
10:    require( $\text{events}[e] \neq \perp$ )
11:    require( $\text{events}[e].\text{hash} = H(\pi_s^*)$ )
12:    require( $\neg \text{valid-single-interlink}(\pi_s, i)$ )
13:     $\text{events}[e] \leftarrow \perp$ 
14:  end function
15:  function valid-single-interlink( $\pi, i$ )
16:     $\mu \leftarrow \text{level}(\pi[i])$ 
17:    return  $\pi[i+1].\text{intelink}[\mu] = \pi[i]$ 
18:  end function
19:  function contest( $\pi_s^*, \pi_c^f \uparrow^b, e, f$ )
20:    require( $\text{events}[e] \neq \perp$ )
21:    require( $\text{events}[e].\text{hash} = H(\pi_s^*)$ )
22:    require( $\text{valid-interlinks}(\pi_c^f \uparrow^b)$ )
23:    require( $\text{minimal-fork}(\pi_s^*, \pi_c^f \uparrow^b, f)$ )
24:    require( $\text{arg-at-level}(\pi_c^f \uparrow^b) > \text{best-arg}(\pi_s^*[f:])$ )
25:    require( $\neg \text{evaluate-predicate}(\pi_c^f \uparrow^b, e)$ )
26:     $\text{events}[e] \leftarrow \perp$ 
27:  end function
28:  function arg-at-level( $\pi$ )
29:     $\mu \leftarrow \text{level}(\pi[-1])$  ▷ Pick proof level from a block
30:    for  $b \in \pi$  do
31:      assert( $\text{level}(b) = \mu$ )
32:    end for
33:    return  $2^\mu |\pi|$ 
34:  end function
35: end contract

```

collateral is paid to the user that successfully invalidated the proof. If the proof is not contested, then the collateral is returned to the original issuer. This treatment incentivizes nodes to participate to the protocol, and discourages adversaries from joining. It is critical that the collateral covers all the expenses of the entity issuing the contest and in particular the gas costs of the contestation.

Collateral versus contestation period. The contestation period and the collateral are generally inversely proportional quantities




Figure 8: Performance improvement using *optimistic* evaluation in the submit phase and *best level* contestation (lower is better). Gas consumption is decreased by approximately 65%.

and are both hard-coded in a particular deployment of the NIPoPoW verifier smart contract. If the contestation period is large, the collateral can be allowed to become small, as it suffices for any contester to pay a small gas price to ensure the contestation transaction is confirmed within the contestation period. On the other hand, if the contestation period is small, the collateral must be made large so as to ensure that it can cover the, potentially large, gas costs required for quick confirmation. This introduces an expected trade-off between good liveness (fast availability of cross-chain data ready for consumption) and cheap collateral (the amount of money that needs to be locked up while the claim is pending). The balance between the two is a matter of application and is determined by user policy. Any user of the NIPoPoW verifier smart contract must at a minimum ensure that the collateral and contestation period parameters are both lower-bounded in such a way that the smart contract is incentive compatible. If these bounds are not attained, the aspiring user of the NIPoPoW verifier smart contract must refuse to use it, as the contract does not provide incentive compatibility and is therefore not secure. Depending on the application, the user may wish to impose additional upper bounds on the contestation period (to ensure good liveness) or on the collateral (to ensure low cost), but these are matters of performance and not security.

Analysis. We give concrete bounds for the contestation period and collateral parameters. It is known [41] that gas prices affect the prioritization of transactions within blocks. In particular, each block

mined by a rational miner will contain roughly all transactions of the mempool sorted by decreasing gas price until a certain minimum gas price is reached. We used the Ethereum explorer [13] to download recent blocks and inspected their included transactions to determine their lowest gas price. In our measurements, we make the simplifying assumption that miners are rational and therefore will necessarily include a transaction of higher gas price if they are including a transaction of lower gas price. We sampled 200 blocks of the Ethereum blockchain around March 2020 (up to block height 9,990,025) and collected their respective minimum gas prices. Starting with a range of reasonable gas prices, and based on our miner rationality assumption, we modelled the experiment of acceptance of a transaction with a given gas price within the next block as a Bernoulli trial. The probability of this distribution is given by the percentage of block samples among the 200 which have a lower minimum gas price, a simple maximum likelihood estimation of the Bernoulli parameter. This sampling of real data gives the discretized appearance in our graph. For each of these Bernoulli distributions, and the respective gas price, we deduced a Geometric distribution modelling the number of blocks that the party must wait for before their transaction becomes confirmed.

Given these various candidate gas prices (in gwei), and multiplying them by the gas cost needed to call the NIPoPoW *contest* method, we arrived at an absolute minimum collateral for each nominal gas price which is just sufficient to cover the gas cost of the contestation transaction (real collateral must include some additional compensation to ensure a rational miner is also compensated for the cost of monitoring the blockchain). For each of these collaterals, we used the previous geometric distribution to determine both the *expected* number of blocks needed to wait prior to confirmation, as well as an upper bound on the number of blocks needed for confirmation. For the purpose of an upper bound, we plot one standard deviation above the mean. This upper bound corresponds to the minimum contestation period recommended, as this bound ensures that, at the given gas price, if the number of blocks needed to wait for falls within one standard deviation of the geometric distribution mean, then the rational contestester will create a transaction that will become confirmed prior to the contestation period expiring. Critical applications that require a higher assurance of success must consider larger deviations from the mean.

We display the cost of submitting a proof in Figure 9. The horizontal axis shows the cost of submit in USD and Ether (using ether prices of 1 ether = 217.41 USD as of June 2020). The vertical axis shows the number of blocks needed for at least one confirmation. We observe that 0.50 USD are enough to ensure that the submission is confirmed within 5 blocks.

We plot our cryptoeconomic recommendations based on our measurements in Figure 10. The horizontal axis shows the collateral denominated in both Ether and USD (using ether prices of 1 ether = 246.41 USD as of June 2020). We assume that the rational contestester will pay a contestation gas cost up to the collateral itself. The vertical axis shows the recommended contestation period. The solid line is computed from the block wait time needed for confirmation according to the mean of the geometric distribution at the given gas price. The shaded area depicts one standard deviation below and above the mean of the geometric distribution.




Figure 9: Cost of submitting a NIPoPoW proof.

Our experiments are based on the contestation transaction gas cost of the previous section; namely they are conducted on a blockchain of 650,000 blocks with a NIPoPoW proof of 250 blocks. The contesting proof stands at a fork point after which the original proof deviates with 100 blocks, while the contesting proof deviates with 200 disjoint blocks.

The analysis of this experiment is displayed in Figure 10a. We also illustrate the expected price of contesting proofs when the fork point of the adversarial chain is at *Genesis*. Although we claim that this is an improbable case, we show that the verifier can handle such extreme scenarios. The analysis of genesis-fork is displayed in Figure 10b.


We conclude that consumption of cross-chain data within the Ethereum blockchain can be obtained at very reasonable cost. If the waiting time is set to just 10 Ethereum blocks (approximately 2 minute in expectation), a collateral of just 0.50 USD is sufficient to cover for up to one standard deviation in confirmation time. Note that the collateral of an honest party is not consumed and is returned to the party upon the expiration of the contestation period. We therefore deem our implementation to be practical.

ACKNOWLEDGEMENTS


The authors wish to thank Patrick McCorry for providing an overview of known optimistic protocols.

REFERENCES

- [1] John Adler and Mikerah Quintyne-Collins. 2019. Building Scalable Decentralized Payment Systems. *arXiv preprint arXiv:1904.06441* (2019).
- [2] Juan Benet. 2014. Ipfv-content addressed, versioned, p2p file system. *arXiv preprint arXiv:1407.3561* (2014).
- [3] Benedikt Bünz, Lucianna Kiffer, Loi Luu, and Mahdi Zamani. 2020. Flyclient: Super-Light Clients for Cryptocurrencies. (2020).
- [4] Vitalik Buterin et al. 2014. A next-generation smart contract and decentralized application platform. *white paper* (2014).
- [5] Ting Chen, Xiaoqi Li, Xiapu Luo, and Xiaosong Zhang. 2017. Under-optimized smart contracts devour your money. In *2017 IEEE 24th International Conference on Software Analysis, Evolution and Reengineering (SANER)*. IEEE, 442–446.
- [6] Ting Chen, Zihao Li, Hao Zhou, Jiachi Chen, Xiapu Luo, Xiaoqi Li, and Xiaosong Zhang. 2018. Towards saving money in using smart contracts. In *2018 IEEE/ACM*



(a) Cost of collateral when the fork point is 100 blocks prior to the tip (expected scenario).



(b) Cost of collateral when the fork point is Genesis (most expensive scenario).

Figure 10: Cryptoeconomic recommendations for the NIPoPoW superlight client.

40th International Conference on Software Engineering: New Ideas and Emerging Technologies Results (ICSE-NIER). IEEE, 81–84.

- [7] Alexander Chepuronoy. 2017. *Ergo platform*. <https://ergoplatform.org/>
- [8] Alexander Chepuronoy, Charalampos Papamanthou, and Yupeng Zhang. 2018. Edrax: A Cryptocurrency with Stateless Transaction Validation. *IACR Cryptology ePrint Archive* 2018 (2018), 968.
- [9] Joseph Chow. 2014. *BTC Relay*. <https://github.com/ethereum/btcrelay>
- [10] Georgios Christoglou. 2018. *Enabling crosschain transactions using NIPoPoWs*. Master's thesis. Imperial College London.
- [11] ConsenSys. 2016. *A Guide to Events and Logs in Ethereum Smart Contracts*. <https://consensys.net/blog/blockchain-development/guide-to-events-and-logs-in-ethereum-smart-contracts/>
- [12] Cynthia Dwork and Moni Naor. 1992. Pricing via processing or combatting junk mail. In *Annual International Cryptology Conference*. Springer, 139–147.
- [13] Etherchain developers. 2020. *Etherchain*. <https://etherchain.org>
- [14] Josselin Feist, Gustavo Grieco, and Alex Groce. 2019. Slither: a static analysis framework for smart contracts. In *2019 IEEE/ACM 2nd International Workshop on Emerging Trends in Software Engineering for Blockchain (WETSEB)*. IEEE, 8–15.
- [15] Karl Floersch. August 2019. Ethereum Smart Contracts in L2: Optimistic Rollup. <https://medium.com/plasma-group/ethereum-smart-contracts-in-l2-optimistic-rollup-2c1cef2ec537>.
- [16] Juan Garay, Aggelos Kiayias, and Nikos Leonardos. 2015. The bitcoin backbone protocol: Analysis and applications. *Annual International Conference on the Theory and Applications of Cryptographic Techniques* (2015), 281–310.
- [17] Alex Gluchowski. November 2019. Optimistic vs. ZK Rollup: Deep Dive. <https://medium.com/matter-labs/optimistic-vs-zk-rollup-deep-dive-ea141e71e075>.
- [18] Neville Grech, Michael Kong, Anton Jurisevic, Lexi Brent, Bernhard Scholz, and Yannis Smaragdakis. 2018. Madmax: Surviving out-of-gas conditions in ethereum smart contracts. *Proceedings of the ACM on Programming Languages* 2, OOPSLA (2018), 1–27.
- [19] Adil H. 2017. *Off-Chain Data Storage: Ethereum & IPFS*. <https://medium.com/@didil/off-chain-data-storage-ethereum-ipfs-570e030432cf>
- [20] Ethan Heilman, Alison Kendler, Aviv Zohar, and Sharon Goldberg. 2015. Eclipse Attacks on Bitcoin's Peer-to-Peer Network. In *USENIX Security Symposium*. 129–144.
- [21] Maurice Herlihy. 2018. Atomic cross-chain swaps. In *Proceedings of the 2018 ACM symposium on principles of distributed computing*. 245–254.
- [22] Kostis Karantias. 2019. *Enabling NIPoPoW Applications on Bitcoin Cash*. Master's thesis. University of Ioannina, Ioannina, Greece.
- [23] Kostis Karantias, Aggelos Kiayias, and Dionysis Zindros. 2019. Compact Storage of Superblocks for NIPoPoW Applications. In *The 1st International Conference on Mathematical Research for Blockchain Economy*. Springer Nature.
- [24] Kostis Karantias, Aggelos Kiayias, and Dionysis Zindros. 2019. Proof-of-Burn. In *International Conference on Financial Cryptography and Data Security*.
- [25] Kostis Karantias, Aggelos Kiayias, and Dionysis Zindros. 2020. Smart Contract Derivatives. In *The 2nd International Conference on Mathematical Research for Blockchain Economy*. Springer Nature.
- [26] Aggelos Kiayias, Peter Gazi, and Dionysis Zindros. 2019. Proof-of-Stake Sidechains. In *IEEE Symposium on Security and Privacy*. IEEE, IEEE.
- [27] Aggelos Kiayias, Nikolaos Lamprou, and Aikaterini-Panagiota Stouka. 2016. Proofs of Proofs of Work with Sublinear Complexity. In *International Conference on Financial Cryptography and Data Security*. Springer, 61–78.
- [28] Aggelos Kiayias, Andrew Miller, and Dionysis Zindros. 2020. Non-Interactive Proofs of Proof-of-Work. In *International Conference on Financial Cryptography and Data Security*. Springer.
- [29] Aggelos Kiayias and Dionysis Zindros. 2019. Proof-of-Work Sidechains. In *International Conference on Financial Cryptography and Data Security*. Springer.
- [30] Yuan Lu, Qiang Tang, and Guiling Wang. 2020. Generic Superlight Client for Permissionless Blockchains. *arXiv preprint arXiv:2003.06552* (2020).
- [31] Patrick McCorry, Surya Bakshi, Iddo Bentov, Sarah Meiklejohn, and Andrew Miller. 2019. Pisa: Arbitration outsourcing for state channels. In *Proceedings of the 1st ACM Conference on Advances in Financial Technologies*. 16–30.
- [32] Ralph C Merkle. 1987. A digital signature based on a conventional encryption function. In *Conference on the Theory and Application of Cryptographic Techniques*. Springer, 369–378.
- [33] Satoshi Nakamoto. 2009. Bitcoin: A peer-to-peer electronic cash system. <http://www.bitcoin.org/bitcoin.pdf>
- [34] Tier Nolan. 2013. Alt chains and atomic transfers. bitcointalk.org.
- [35] Andrianna Polydouri, Aggelos Kiayias, and Dionysis Zindros. 2020. The Velvet Path to Superlight Blockchain Clients.
- [36] Joseph Poon and Vitalik Buterin. 2017. Plasma: Scalable autonomous smart contracts. *White paper* (2017), 1–47.
- [37] Tak. 2019. Store data by logging to reduce gas cost. <https://github.com/ethereum/EIPs/issues/2307>
- [38] Nimiq Team. 2018. *Nimiq*. <https://nimiq.com/en/>
- [39] WebDollar Team. 2017. *WebDollar - Currency of the Internet*. <https://webdollar.io>
- [40] Franz Volland. 2018. *Memory Array Building*. https://fravoll.github.io/solidity-patterns/memory_array_building.html
- [41] Gavin Wood. 2014. Ethereum: A secure decentralised generalised transaction ledger. *Ethereum Project Yellow Paper* 151 (2014), 1–32.
- [42] Karl Wüst and Arthur Gervais. 2016. *Ethereum eclipse attacks*. Technical Report. ETH Zurich.
- [43] Alexei Zamyatin, Mustafa Al-Bassam, Dionysis Zindros, Eleftherios Kokoris-Kogias, Pedro Moreno-Sanchez, Aggelos Kiayias, and William J Knottenbelt. 2019. SoK: Communication across distributed ledgers.
- [44] A Zamyatin, N Stifter, A Judmayer, P Schindler, E Weippl, and WJ Knottenbelt. 2018. A wild velvet fork appears! Inclusive blockchain protocol changes in practice. In *5th Workshop on Bitcoin and Blockchain Research, Financial Cryptography and Data Security*, Vol. 18.
- [45] Dionysis Zindros. 2020. *Decentralized Blockchain Interoperability*. Ph.D. Dissertation. University of Athens.