

# A Study about Cloud Computing Services in Smart Learning System

Guntur Dharma Putra

**Abstract**—Cloud computing services offer several benefits in its implementation to e-learning system, such as increased cost savings and also improved efficiency and convenience of educational services. Furthermore, e-learning services can be also enhanced to be smarter and more efficient using context-aware technologies as context-aware services are based on the users behavior. To add those technologies into existing e-learning services, a service architecture model is needed to transform the existing e-learning environment, which is situation-aware, into the environment that understands context as well. The rationale behind this paper is to study the existence or lack of existing approaches regarding the implementation of cloud computing services in smart learning system. This is done by surveying the state of the art in the area, and illustrating the requirements of context-aware smart learning system with regard to some important factors: dynamicity, scalability, dependability, security and privacy. This paper is eager to help investigating the works that have been done before for cloud computing services in smart learning system and to show the possible requirements for the future smart learning system.

Which approach is the most suitable to be implemented.

**Index Terms**—e-learning, smart learning services, cloud computing, context-aware, Internet enabled learning.

---

## 1 INTRODUCTION

By the turn of the century, the fast development of digital technologies is creating not only new opportunities for our society but challenges to it as well. Our society is now being reshaped by rapid advances by technologies in the field of education, telecommunications, sciences and many more. Today, e-learning and cloud computing is emerging as the new-fangled paradigm of modern education with reduced upfront investment for teachers and the apprentices. E-learning is an Internet based learning process, using Internet technology to design, implement, select, manage, support and extend learning, which will not replace traditional educational methods, but will greatly improve the efficiency of higher education [1].

An increasing number of universities and educational institutions in the USA and UK are adopting cloud computing not only for increased cost savings but also for improving the efficiency and convenience of educational services. The cloud computing systems have been conducted for e-learning services. However, most of the current cloud-based education systems focus on delivering and sharing learning materials rather than supporting and establishing an integrated, total cloud-based educational service environment.

Both time spent on Facebook and time spent engaged in certain Facebook activities can be positively predictive, negatively predictive, or positively and negatively predictive of engagement, depending on the outcome variable. For example, time spent on Facebook is positively predictive of time spent in co-curricular activities while playing games on Facebook is negatively predictive. These results are congruent with others that have found that using the Internet and Facebook (Ellison et al., 2011) in certain ways leads to better psychosocial outcomes, and that using Twitter (Junco, Heiberger et al., 2010) in certain ways leads to better academic outcomes. Therefore, Facebook use in and of itself is not detrimental to academic outcomes, and can indeed be used in ways that are advantageous to students.

Higher education administrators, faculty and staff have an opportunity to help students use Facebook in ways that are beneficial to their engagement and, by extension, to their overall academic experience. Given that Facebook continues to be popular among college students, and that universities are interested in engaging and retaining students, it is important for those working in higher education to familiarize themselves with Facebook (and other such technologies) and to design and support interventions that meet students where they are in

order to help them get to where they are going [2].

The rest of this review paper is organized as follows. Section 2 starts with general introduction into middleware. Section 3 illustrates the recent protocols and standards applied at middleware. Section 4 shows the categorization of middleware technologies according to the context of the study. Section 5 provides illustration for the main requirements of smart spaces with regard to middleware technology for services in ubiquitous computing. Section 6 gives some practices of current smart homes projects. Section 7 studies the middleware of SM4ALL and the rest of the practices described in section 6, according to the characteristics given in section 5. Section 8 describes the future directions of research work within the middleware for smart homes. Section 9 is the research conclusion.

## 2 E-LEARNING AND SMART LEARNING

There are several terminologies that refer to a learning environment with electronic devices, computers, or Internet. A study tried to investigate these terminologies when applied to some particular scenarios [3]. With 43 respondents involved in the survey, the result alleged that definitions found in various articles mirror the conflicting responses provided by the respondents in this study. The findings show great differences in the meaning of foundational terms that are used in the field, but also provide implications internationally for the referencing, sharing, and the collaboration of results detailed in varying research studies [3].

Traditionally e-learning offers teaching and learning by wired computers and in a lecture-style classroom setup only. Even though learners were able to browse and download information anytime and anywhere through the existing e-learning platform, they were limited to wired classroom setups. Then e-learning was developed further with the advancements of Internet. Thus, there are a number of cloud-based applications available in the e-learning sectors [4]. However, E-learning will not in any way replace traditional educational methods. Nevertheless, this will significantly improve the efficiency of the education [1].

Although e-learning is being used more intensively in recent years and some professionals have demonstrated a willingness to explore new approaches, many organizations still hold reservations about becoming involved with innovative pedagogical tools and have not yet realized what can be achieved with them. The range of possibilities offered by e-learning has not been fully exploited. For example, some organizations continue to limit their use of such tools to their repository functions, perhaps pushed to do so because of the poor IT skills

---

• Guntur Dharma Putra is a Master Student Computing Science at the RuG, e-mail: g.d.putra@student.rug.nl.

of their employees. A research has shown e-learning impact on individual performance and the findings, the study has offered various suggestions to different communities of practitioners to improve their performance with regards to the adoption and continued use of e-learning [5].

The smart learning (s-learning) has become an important way of learning during the last few years [6]. It has been made possible by the recent advancements in the Mobile Internet and Information technologies. The S-learning has a major role in creating a good and personalized learning environment, and also being well adapted to the current education model wherever possible [7]. Usually, the teaching and learning that e-learning offers is only inside of a lecture-style classroom with desktop computers. Though the students could download information and browse through the existing e-learning platform regardless of time and place, they were still confined to the limits of the wired classroom-setups.

The concept of s-learning plays an important role in the creation of an efficient learning environment that offers personalized contents and easy adaptation to current education model. It also provides learners with a convenient communication environment and rich resources. However, the existing-learning infrastructure is still not complete. For example, it does not allocate necessary computing resources for s-learning system dynamically [6]. Currently, the majority of s-learning systems have difficulty in interfacing and sharing data with other systems, i.e., it falls short of systematic arrangement, digestion and absorption of the learning contents in other systems. This may lead to duplication in creating teaching resources and low utilization of existing resources. To resolve this problem, it is recommended to use cloud computing to support resource management.

So far there is no clear definition of Smart Learning. Related scholars and people who are involved with education business are discussing that the concept of Smart Learning should not be limited to just utilizing smart devices. Thus, the government, academia, and the educational industry have been working on defining and categorizing Smart Learning. At the Smart Learning Korea forum 2010 [9], a concept of Smart Learning was proposed as follows: first, it is focused on humans and content more than on devices; second, it is effective, intelligent tailored-learning based on advanced IT infrastructure [10]. Also, Kwak Duk-hoon, president and CEO of EBS (Korea Educational Broadcasting System), said the term Smart Learning was first used in Korea. Then, what is the broad concept of Smart Learning in Korea? [8].

MEST (The Korean Ministry of Education, Science and Technology) defined Smart Learning as Self-directed, Motivated, Adaptive, Resource-enriched, and Technology-embedded [9]. More information on S.M.A.R.T Learning promoted by MEST is as follows:

- S: Self-Directed, which means that the education system is progressing toward a self-learning system more than ever. Students roles transition from knowledge adopters to knowledge creators. Also, teachers become facilitators of learning.
- M: Motivated means education becomes experience centered and involves learning by doing; creative problem solving and individualized assessment are pursued.
- A: Adaptive means strengthening of the education systems flexibility and tailoring learning for individual preference and future careers.
- R: Resource-enriched means that Smart Learning utilizes rich content based on open market, cloud education services from both public and private sectors. In other words, it expands the scope of learning resources to include collective intelligence, Social Learning.
- T: Technology-embedded means that in the Smart Learning education environment, students can learn anywhere, any time through advance technologies.

### 3 CLOUD COMPUTING AND EDUCATION

Electronic devices, especially computers, have been playing an important role in modern education since the emergence of e-learning. Education also has a close relation with the internet as many e-learning platform or system are based on online application. An example of popular e-learning that recently has been addressed a new form of on-line learning is Massive Open Online Course or MOOC for short [10]. Some example of these MOOC are edX<sup>1</sup>, Coursera<sup>2</sup>, and Udacity<sup>3</sup>. Several universities, such as MIT<sup>4</sup> and UC Berkeley<sup>5</sup>, also put their theaching materials ranging from undergraduate to graduate-level on-line, so that will be openly available and easy to access. A study asserted that openness and reputation are important for MOOC providers especially for course offering [11]. Openness and reputation are ways that MOOC providers can both differentiate themselves from competitors and enhance an individual's intention for continued MOOCs enrollment.

This section describes the close relation between cloud computing and educational subject, especially e-learning and s-learning. Cloud computing that introduces efficient scale mechanism can let construction of e-learning system be entrusted to suppliers and provide a new mode for e-learning [12].

#### 3.1 Necessity of Cloud Computing in Educational System

A study by Bouyer et al. alleged that Cloud computing is reducing the difference between on campus education and distance education still there are few limitations of E-learning for Lab based education due to computation power [13]. Fortunately cloud computing is the technology which can offer different services in three layers. Cloud computing enable students to access the knowledge by sharing distributed E-learning resources in a public, private or hybrid cloud systems. Due to using cloud computing system for deploying a modern educational systems, universities and other organizations must take to account various items such as cost and accelerate delivery of learning service, quickly learning, and privacy issue. Therefore, cloud service providers should especially attended to offering cloud-based learning for improving education status in poor countries in Asia and Africa.

Cloud computing also owns several important benefits for education [13]. Those important advantages are a quick delivery of various services, cost minimization, risk reduction, security enhancements, re-shaping teaching, and collaboration expansion.

#### 3.2 Cloud-Based Application in E-Learning

The cloud computing is defined as a technology that provides its users with IT resources by using the Internet as a medium. The users can use IT resources such as application software or storage space from the cloud without needing to own them. The users only need to pay per usage charges for the resources they used. The concept of cloud computing is not new. It is the combination of distributed computing, grid computing, utility computing, etc. [4]. When a user requests services from some cloud server, the server immediately provides the requested services to the user based on their request details. It means that the cloud computing has the ability to customize its service to each user. Since servers charge fees based on usage, it can automatically guide its users of their service request based on previous usages. These features allow that users to use the service only the amount they need at their desired time.

Several works have presented their approach to implement cloud computing in e-learning. For example, Casquero et al. [14] presented a framework based on iGoogle and using the Google Apps infrastructure for the development of a network of cooperative personal learning environments. They discussed the integration of institutional and external services in order to provide customized support to faculty members in their daily activities. They also take advantage of the frame-

<sup>1</sup><https://www.edx.org/>

<sup>2</sup><https://www.coursera.org/>

<sup>3</sup><https://www.udacity.com/><https://www.coursera.org/>

<sup>4</sup><http://ocw.mit.edu/>

<sup>5</sup><http://webcast.berkeley.edu/>

work as a testbed for the research, implementation and testing of their educational purpose services. Sedayao [10] proposed an online virtual computing lab that offers virtual computers equipped with numerous applications such as Matlab, Maple, SAS, and many others that can be remotely accessed from the Internet.

Although much work has been done to date with regard to adopting cloud computing for educational systems, further studies need to be conducted to develop more diverse forms of cloud-based education systems, in more innovative and efficient ways [15]. Meanwhile, most of the current cloud-based education systems are concentrating on delivering and sharing learning materials and teaching activities, rather than constructing and supporting an integrated, total cloud-based educational environment.

#### 4 CLOUD COMPUTING IN SMART LEARNING SYSTEM APPROACHES

There are several approaches for implementing cloud computing in smart learning environment. This study has reviewed several recent approaches [6, 4, 15, 16, 17]. Those approaches can be categorized into certain categories: smart cloud computing, elastic model, ontology, and content oriented approach.

##### 4.1 Smart Cloud Computing

The Smart Cloud Computing (SCC for short) based on elastic computing for 4S model has the capability to provide a smart learning environment. It encourages learning system standardization and provides a means for managing it. A traditional e-learning system can display single content on a single device or multiple contents on one device. The SCC can deliver s-learning to the users so they can use multiple devices to render multi learning contents. The multi learning contents can be played in different devices separately to form a virtual class. For this, the SCC uses context-aware sensing. Sensing through the location and IP address of each device, it can orchestrate all devices. The architecture of the model is shown in the Figure 1 [4].




Fig. 1. Smart Cloud Computing Architecture [4].

Figure 1 shows how the SCC provides smart learning to the user. It is using Elastic 4S based on information obtained from the user. The information of the user includes the information about the user and the device, received by context-aware sensors. Context-aware monitoring monitors user request(s) and the kind of device(s) that the user is currently using. By using the information collected by the sensors, SCC can provide user-aware service based on Elastic 4S. Elastic 4S is performed through an intelligent learning engine that consists of the rules based on the four services Smart Pull, Smart Prospect, Smart Content and Smart Push. These four smart services provide high quality services according to the definition of E4S that is described as follows:

$$\{E4S_i\} = \{(Spull_i, Sprosi, Scon_i, Spush_i)\}, 1 \leq i \leq N \quad (1)$$

where:

*Spull<sub>i</sub>*: Smart pullanalyze the extractable content from the sensing information.

*Sprosi*: Smart prospectdescription of the content for target devices and delivery time.

*Scon<sub>i</sub>*: Smart contentconnection establishment between server and target devices.

*Spush<sub>i</sub>*: Smart pushsynchronized delivery of contents to target devices.

As shown in the definition, the E4S pulls the sensing data and analyzes the extractable contents. The context-aware module is functioning as an information filter that extracts only the intended information from the sensing data. There can be multiple contexts in sensing data depending on the services available in the learning management system. They are individually synchronized and pushed by the smart learning service. The sensing data analysis process identifies the different backgrounds of each learner and accommodates each learners needs individually. Learning contents are customized based on the background and learning needs. It means that different learning content may have unique technical and functional characteristics and may use different communication channels. Each customized learning contents may differ in modality (i.e., text-based, audio, video, etc.), capability (i.e., bandwidth), and timing (i.e., types of synchronization).

The system also offers context-aware services, since Context-aware is important [18]. A research also contributed to implement context-aware services in educational system [19]. However, cloud computing were not used as this study only focuses on context-aware in classroom setup only.

##### 4.2 Elastic Model

The cloud computing enable cloud servers to provide smart learning service to users through additional intelligent processes on existing cloud system. The most important responsibility of the servers is to perform elastic processes such as Elastic Computing for Infrastructure as a Service (IaaS), Elastic Management for Platform as a Service (PaaS) and Elastic Deployment for Software as a Service SaaS) constantly. The elastic processing can be described as collecting user information that is pulled by the sensors in the users' mobile devices and process the pulled information in real-time so that it can accommodate users' changing situation dynamically.

A study conducted by Kim et al. [6] proposed the Elastic Conductor that performs provisioning and scheduling for the decision of smart activities. The provisioning and scheduling are performed through an inference engine that utilizes the rules based on three attributesan object id for user context, a predicate relationship for user behavior, and a value for thinking. The elastic conductor is utilized in PaaS as a smart activity.

The Elastic Conductor it can also generate user interface configurations, such as personalized views and content rendering for each individual user. These processing tasks include four smarts concept: Behavior sensing, Behavior matching, Synchronization and Push for displays multi-contents on the multi-device or all content on the one device to render learning content. Using sensing context-awareness through the location and IP address of each device, it can orchestrate all devices. Therefore, the multi learning contents can be played in different devices separately to form a virtual class. The architecture of the model is show in the Figure 2.

The Figure 2 shows how the conductor provides smart learning to the user. The information of the user included the information about the user and the device, received by context-awareness sensor. Context-awareness monitoring monitors user request(s) and the kind of device(s) that the user is currently using. By using the information collected by the sensors, conductor (1) pulls the sensing information and analyses the extractable contents. The behavior sensing (2) concept is functioning as an information filter that extracts only the intended information from sensing data and (3) storage in the user-behavior context DB. There can be multiple contexts in sensing data




Fig. 2. Elastic conductor architecture [6].

depends on the services available in the learning management system. The behavior

To provide the smart learning service to each individual user, the behavior sensing concept must automatically deduce the actual situation from the user's situation. The behavior sensing is the process of extracting user's behavior information through a variety of sensors to filter information from the sensing information. The filtered information is analyzed to determine user's behavior patterns which the collaboration context information to receive a correct set of user preference, GPS and value of terminal MAC-ID (show the Figure 3).




Fig. 3. Behavior sensing domain ontology [6].

The filtered process in behavior sensing is defined with the rating function as:

$$R: Ua \times Ui \times T \times L \times D \rightarrow Rating \quad (2)$$

where  $Ua$  is user action,  $Ui$  is user interest,  $L$  is location,  $T$  is time,  $D$  is device are the information of user situation and user environment sensing respectively,  $Rating$  is the information of rating. The  $Ua$  dimension is defined as User  $c$  U action  $c$  U request  $c$  Learning object title and consist of set of user situation. Similarly, the  $Ui$  dimensions are defined as User  $c$  U interests  $c$  U needs  $c$  U expertise  $c$  I experience. The  $L$  is defined as Location  $c$  Homes Street  $c$  Company. The  $T$  is defined as Time  $c$  Month  $c$  Day  $c$  Morning  $c$  Lunch  $c$  Afternoon  $c$  Evening. Finally, the  $D$  dimension can be defined as Device  $c$  Terminal MAC ID  $c$  Application type.

For instance, continuing  $Ua \times Ui \times T \times L \times D$  example considered above, we can define a rating function  $R$  on the filtered process  $Ua \times Ui \times T \times L \times D$  specifying what a user's request  $Ua$  E User action and how much user interested item  $Ui$  E User interest at the time  $T$  E Time in user's location  $L$  e Location and used application type of device  $D$  e Device,  $R(Ua, Ui, T, L, D)$ . Visually, ratings  $R$  on the filtered process is can be stored in a multidimensional cube, such as the one shown in "Fig. 3".




Fig. 4. Rating for the  $Ua \times Ui \times T \times L \times D$  in filtered process [6].

The double cube in Figure 4 is stored rating  $R(Ua, Ui, T, L, D)$  for the filtered proves  $Ua \times Ui \times T \times L \times D$ , where the five tables define the sets of user action, interest, location, time and device associated with Action, Interest, Time  $\times$  Location and Device dimensions respectively.

For example, the rating  $R(303,1302,2,ASP1)=7$  in Fig. 3 is means that for the action with action ID 303, the user's interest learning object is interest ID 1302 and using this item mainly Time ID 5 in the Location Company, rating 7 was specified during in the device ID ASP1. In other words, the user every afternoon is using application (ID 1302) at the street using smart phone. So that filtered data is basis for creating user behaviour database (DB) for providing smart learning service. According to following classification the situation is determine then user behaviour database will be created.

### 4.3 Ontology

The work of [17] has described this approach.

The development of e-learning cannot ignore the cloud computing and web3.0 trends. There are many benefits from using the integration between cloud computing and web3.0 for e-learning. Using cloud computing and web3.0 for e-learning influences the way an e-learning software projects are managed. There are specific tasks that deal with finding providers for cloud computing, depending on the requirements (infrastructure, platform or services). Also, the cost and risk management influences the way the e-learning based on integrating the cloud computing and web3.0 are managed. An intelligent e-learning system based on an integration between cloud computing and web 3.0 has been developed in order to enhance the efficiency of learning environment, provide flourish; growing, up-to-date, self-regulated, stability, QoS-guaranteed (Quality of Service), equilibrium, reliability, scalability, time reduction, efficient resource use, flexibility, and sustainability of e-learning system. In the future we wish to develop an e-learning by using an integration between web 4.0 and cloud computing.

In summary, the MONTO ontology fits very well into the general architecture of the Intelligent Tutoring Systems (pedagogy ontology to pedagogy module, Domain Ontology to expert module, task ontology to problem-solving environment, and student model ontology to student module) that can be considered as part of a smart learning environment. The MONTO ontology at the back-end is used for eight critical aspects (mentioned in The functionalities derived from ontology section) of the smart learning environment. It is concluded that the use of the MONTO-based system bridges the gaps highlighted in the state of the art study (See Fig. 14). A more effective implementation (constraint-free text entry, different way of presentation of



schematic and semantic knowledge, inclusion of diagrammatic tool for drawing diagrams) would make the system more user-friendly. This ontology can also be used for drawing diagrams automatically for a given problem by using the problem schema. Those diagrams can be matched with the diagrams drawn by students to find missing concepts and misconceptions of the students. Using natural language processing (NLP) and machine learning (ML) techniques, one can generate problems similar to the problems being modeled in the ontology and create analytical questions for a given word problem that can be used in the pedagogy ontology. A completely functional system could use ML techniques to learn how problems are solved by good students and the same strategies could be taught to weak students. MONTO can be used as a part of a bigger adaptive smart learning environment to teach mathematics. With student profiles captured in MONTO, many more learning analytics can be generated for individual students and groups of students [20].

#### 4.4 Content Oriented

This paper proposed a content-oriented smart education system based on cloud computing that integrates a number of features required for implementing a cloud-based educational media service environment. The aim was to develop a total, integrated education content service system based on cloud computing to deliver and share a variety of enhanced forms of educational content, such as text, images, video, audio, animations, memos, quizzes, and 3D and AR objects. For the realization of a cloud-based content service system, we developed six main features. First, by leveraging several IT and cloud computing technologies, we established a private cloud platform to install and operate a cloud-based educational media service environment. In addition, we identified the software and applications required for the proposed cloud-based education services. Second, we developed a common file format enabling manipulation of various forms of media content on multiple platforms using XML, WebGL, and HTML5. Third, we implemented an authoring tool, allowing teachers to create various types of smart media content, including text, images, pictures, videos, and 3D and AR objects. Fourth, we developed a content viewer to display media content on diverse types of devices, such as PCs, notebooks, tablets, smart TVs, and smartphones, through a multi-platform based design. Fifth, we implemented an inference engine to provide students with customized individual learning content by analyzing their learning and content usage patterns. Sixth, a security system was included in the proposed system to encrypt data and to control user access for dependable smart media content services [15] [16].

Figure 5 presents the proposed cloud-based education system for smart media content services [12, 14]. The proposed system enables delivery and sharing of a variety of enhanced educational content by integrating a number of features required for the deployment of a cloud-based educational media service environment. Figure 2 shows the proposed system with its six main features required for deploying cloud-based educational content service.

Teachers in schools are able to create various forms of learning content, including text, images, video, 3-dimensional (3D) objects, and virtual scenes based on virtual reality (VR) and augmented reality (AR), using an authoring tool provided by the system. The content is managed in the cloud in a compatible common file format. The system supports various platforms, such as personal computers (PCs), notebooks, tablets, smart TVs, and smartphones. The system also provides a content viewer for displaying learning content and an inference engine to support content customized to each individual student, based on their preferences and knowledge. An inference engine is included to provide students with personalized learning content by analyzing their preferences, learning styles, and content usage patterns. In addition, a security system is provided for controlling data access and encryption in the cloud.

**Cloud Platform:** The proposed system established a private cloud platform to provide an infrastructure for the implementation of a cloud-based educational media service environment by applying several IT and cloud computing technologies, such as data synchroniza-




Fig. 5. Architecture of the proposed cloud-based education system for smart content services [15].




Fig. 6. Infrastructure of the proposed system with its six main features [15].

tion, virtualization, service provisioning, and multi-sharing services. In other words, we configured a private cloud platform to install and operate a cloud-based educational media service environment by leveraging IT and cloud computing technologies. In addition, we identified software and applications required for the proposed cloud-based education service and allocated them to the three cloud service models (IaaS, PaaS, and SaaS) as shown in Figure 3.

We developed a common file format to be able to manipulate various types of media content on multiple device platforms based on an XML document format with HTML5, eXtensible 3-Dimensional (X3D), and JavaScript.

XML has been used in many areas as a means of representing data and meta-data. It consists of two components: the Document Type Definition (DTD) that defines the schema for the XML document structure and the eXtensible Style sheet Language (XSL) that describes styles for representing XML data. That is, XML separately represents content and style, so that the same content can be viewed on multiple devices by defining only the styles appropriate to each device. XML is also designed to make it easy not only to describe many different kinds of data but also to send and receive data between computer systems connected to the Internet, such as data transmission in smartphones [13]. For these reasons, we adopted XML as the basic representation language for developing a common file format for various types of contents. Table 1 summarizes the content types defined in the common file format [13]. These content types are inserted and handled in a document file as a control. We divided the content types into two categories: basic controls that are displayed in a 2D screen and interactive controls that can play 3D video and objects or respond to user actions. Each of these controls is defined with a number of

properties and each property is specified with its own data type, such as numeric, character, or multiple choice. Table 2 shows the properties and provides brief explanations of each control defined in the common file format.

**Authoring Tool:** The system provides an authoring tool to allow teachers to create various types of smart media content including text, images, video, sounds, widgets, and 3D, VR, and AR objects and scenes. Figure 4 shows the content creation processes of the authoring tool system. The content creation process is divided into three phases: control creation, file configuration and editing, and distribution. In Phase 1, users can perform operations to create controls (content) to be inserted in documents. In Phase 2, users can set the layout of a document and then insert controls into the document. In Phase 3, the authoring system converts the newly-created document to the common file format then uploads the file to the server for distribution to client devices. The document structure of the authoring tool system follows the structure of the Flow Document of WPF (Windows Presentation Foundation). Figure 5 shows examples of a document creation process (Phase 2) using text and image controls (contents).

**Content Viewer:** We developed a content viewer to display media on multiple platforms. Figure 6 shows a number of devices supported by the content viewer. The contents created by the authoring tool are saved in the XML-based common file format described in Section 3.2.2. The viewer displays content on each device by converting the XML data to HTML, appropriate to each device. We used XSLT (Extensible Style sheet Language Transformations) for the file format conversion. XSLT is a language for transforming XML documents into other file formats. The content of the basic controls specified in Table 1 can be easily converted to HTML format via XSLT. However, it is difficult to convert the XML data of the interactive control content (i.e., audio, animations, 3D objects) to HTML format with XSLT. To solve this problem, we create an HTML area for displaying an interactive control, and then display the corresponding content on the HTML area through another content viewer we developed for visualizing interactive controls [13]. Figure 7 shows an example of learning content displayed on an iOS-based smartphone [13].

## 5 DISCUSSION

This section draws the advantages and drawbacks of the reviewed works. This section will also reflect to the factors that drive a successful e-learning [21].

### 5.1 Advantages of Cloud Computing in Education

Some benefits of cloud computing in education are drawn in a study by Gonzalez et al. [22]. Those advantages are a wealth of online application to support education, flexible creation of learning environments, support for mobile learning, computing-intensive support for teaching, learning, and evaluation, scalability of learning systems and applications, costs saving in hardware, cost saving in software.

Factors in implementation of cloud computing [23].

## 6 CONCLUDING REMARKS

Smart Learning can be improved using smart cloud computing.

Since the main goal for this paper is to study whether the existing middleware practices at smart homes support the requirements of ubiquitous computing environments or not. This paper concludes that there are good smart homes infrastructures and practices e.g., SM4All and Gaia projects, that consider most of the basics of the ubiquitous computing needs (e.g., dynamicity, scalability, dependability, security and/or privacy). This done by first introducing the concept of middleware and its protocols and standards which are relevant for the projects e.g., UPnP and OSGi. Then, I classify middleware according to three types: object-oriented, service based, and object oriented base. Following this, a definition of requirements for smart spaces with regard to middleware technology are highlighted. These requirements are kept generic (e.g., dynamicity, dependability, scalability, security, and privacy) in order to allow the identification of criteria for the evaluation of middleware technology.

After that, I choose SM4ALL, RUNES, ANGEL, GTSH, Gaia, and Serenity as examples of the current practice middleware technologies projects at smart homes, discussing them with their comparisons for the middleware part according to the mentioned classification and the given ubiquitous requirements. The findings are that some projects touched the topics of dynamicity, scalability, and dependability at the middleware-service level. Also, a few of them filled the security and privacy needs. The only project that covers all defined requirements is SM4All.

However, the horizons of the present practices middleware will have to expand more and more to cater for the new requirements of ubiquitous computing (e.g., support of heterogeneity, mobility, tolerance for component failures, controlling and traceability, and ease of deployment and configuration) if they want to survive in the emerging smart space environments. This study help giving a look of the existing works of middleware at smart homes, and showing the requirements for the future vision. Moreover, it is not clear at this point exactly what smart space middleware will consist of. What is likely, however, is that various smart space architectures will emerge independently of each other which greatly increases the need for middleware to provide interoperability between heterogeneous systems.

This paper has compared and reviewed several researches and articles about cloud computing services in smart learning environment.

Further studies, which take these variables into account, will need to be undertaken.

## REFERENCES

- [1] Monisha Singh Sudhir Kumar Sharma, Nidhi Goyal. Distance Education Technologies: Using E-learning System and Cloud Computing. *International Journal of Computer Science and Information Technologies*, 5(2):1451–1454, 2014.
- [2] Reynol Junco. The relationship between frequency of Facebook use, participation in Facebook activities, and student engagement. *Computers & Education*, 58(1):162–171, January 2012.
- [3] Joi L. Moore, Camille Dickson-Deane, and Krista Galyen. e-Learning, online learning, and distance learning environments: Are they the same? *The Internet and Higher Education*, 14(2):129–135, March 2011.
- [4] Svetlana Kim, Su-Mi Song, and Yong-Ik Yoon. Smart Learning Services Based on Smart Cloud Computing. *Sensors*, 11(8):7835–7850, 2011.
- [5] Soheila Mohammadyari and Harminder Singh. Understanding the effect of e-learning on individual performance: The role of digital literacy. *Computers & Education*, 82:11–25, November 2014.
- [6] S Kim and Yongik Yoon. Elastic Service Model for Smart Learning Based on Cloud Environment, 2013.
- [7] L Uden, I T Wangsa, and E Damiani. The future of E-learning: E-learning ecosystem, 2007.
- [8] Taisiya Kim, JiYeon Cho, and BongGyou Lee. Evolution to Smart Learning in Public Education: A Case Study of Korean Public Education. In Tobias Ley, Mikko Ruohonen, Mart Laanpere, and Arthur Tatnall, editors, *Open and Social Technologies for Networked Learning SE - 18*, volume 395 of *IFIP Advances in Information and Communication Technology*, pages 170–178. Springer Berlin Heidelberg, 2013.
- [9] MEST: Ministry of Education, Science and Technology of the Republic of Korea, Smart education promotion strategy, Presidents Council on National ICT Strategies, 2011.
- [10] Anoush Margaryan, Manuela Bianco, and Allison Littlejohn. Instructional Quality of Massive Open Online Courses (MOOCs). *Computers & Education*, 80:77–83, August 2014.

- [11] Khaled M. Alraimi, Hangjung Zo, and Andrew P. Ciganek. Understanding the MOOCs continuance: The role of openness and reputation. *Computers & Education*, 80:28–38, August 2014.
- [12] Xiao Laisheng and Wang Zhengxia. Cloud Computing: A New Business Paradigm for E-learning, 2011.
- [13] Asgarali Bouyer and Bahman Arasteh. The Necessity of Using Cloud Computing in Educational System. *Procedia - Social and Behavioral Sciences*, 143:581–585, August 2014.
- [14] Oskar Casquero, Javier Portillo, Ramón Ovelar, Jesús Romo, and Manuel Benito. igoogle and gadgets as a platform for integrating institutional and external services. *Mash-Up Personal Learning Environments (MUPPLE08)*, page 37, 2008.
- [15] Ji-Seong Jeong, Mihye Kim, and Kwan-Hee Yoo. A Content Oriented Smart Education System based on Cloud Computing. *International Journal of Multimedia & Ubiquitous Engineering*, 8(6), 2013.
- [16] Ji-Seong Jeong, Mihye Kim, and Kwan-Hee Yoo. A Cloud based Smart Education System for e-Learning Content Services. *Advanced Science and Technology Letters (ASTL)*, 25:131, 2013.
- [17] Mona Nasr and Shimaa Ouf. A proposed smart E-Learning system using cloud computing services: PaaS, IaaS and Web 3.0. *International Journal of Emerging Technologies in Learning (iJET)*, 7(3):19–24, 2012.
- [18] A R Pratama, Widyawan, and G D Putra. An infrastructure-less occupant context-recognition in energy efficient building, 2014.
- [19] K Scott and R Benlamri. Context-Aware Services for Smart Learning Spaces, 2010.
- [20] Aparna Lalingkar, Chandrashekar Ramnathan, and Srinivasan Ramani. Ontology-based smart learning environment for teaching word problems in mathematics. *Journal of Computers in Education*, 1(4):313–334, 2014.
- [21] Pei-Chen Sun, Ray J. Tsai, Glenn Finger, Yueh-Yang Chen, and Dowming Yeh. What drives a successful e-Learning? An empirical investigation of the critical factors influencing learner satisfaction. *Computers & Education*, 50(4):1183–1202, May 2008.
- [22] José A. González-Martínez, Miguel L. Bote-Lorenzo, Eduardo Gómez-Sánchez, and Rafael Cano-Parra. Cloud computing and education: A state-of-the-art survey. *Computers & Education*, 80:132–151, September 2014.
- [23] Lorraine Morgan and Kieran Conboy. Factors affecting the adoption of cloud computing: an exploratory study. 2013.