

Lecture Notes:  
Math & Statistics for Data Science  
Unit 3, Calculus

Graham West

## 1 Lecture 1: Approximation, Error, and Derivatives

### Learning Goals

- Understand the role of approximation in mathematics and computing.
- Distinguish absolute and relative error.
- Introduce the derivative as a limit of difference quotients.

### Content

- **Approximation strategy** (Heath reference): replace complicated problems with simpler ones.
  - Infinite  $\rightarrow$  finite, continuous  $\rightarrow$  discrete, nonlinear  $\rightarrow$  linear.
- **Example:** Earth surface area using  $A = 4\pi r^2$ .
  - Sphere approximation, empirical radius, truncated  $\pi$ , finite precision.
- **Error types:** absolute vs. relative error.
- **Sources of error:** measurement, model simplifications, floating-point limitations.

- **Error propagation:** chained approximations accumulate error.
- **Derivatives:**
  - Rate of change = slope of secant line.
  - Limit as  $\Delta t \rightarrow 0$  gives instantaneous rate:

$$f'(t) = \lim_{h \rightarrow 0} \frac{f(t+h) - f(t)}{h}.$$

- Continuous vs. discontinuous functions.

## Exercises

- Approximate Earth's surface area with given radius.
- Identify sources of error in real-world models.
- Compute secant slopes for simple functions and compare with derivatives.

## 2 Lecture 2: Continuity, Differentiability, and Integrals

### Learning Goals

- Recognize the difference between continuity and differentiability.
- Apply second derivatives for optimization.
- Understand integrals as both antiderivatives and areas.

### Content

- **Continuity vs. discreteness:** discrete data is not truly differentiable.
- **Differentiability:** smoothness, no corners/cusps.
- **Second derivative:** curvature, concavity, optimization.

- $f'(x) = 0$  indicates candidate extrema.
- $f''(x) > 0 \Rightarrow$  local minimum;  $f''(x) < 0 \Rightarrow$  local maximum.

- **Integrals:**

- Antiderivative:  $F' = f$ .
- Area interpretation: Riemann sums (left, right, midpoint, trapezoid).
- Fundamental Theorem of Calculus:

$$\int_a^b f'(x) dx = f(b) - f(a).$$

## Exercises

- Differentiate  $f(x) = x^2$  and test concavity.
- Approximate area under a curve with Riemann sums.
- Apply second derivative test for maxima/minima.

## 3 Lecture 3: Multivariable Calculus

### Learning Goals

- Extend differentiation and integration to functions of two variables.
- Interpret partial derivatives and multiple integrals.

### Content

- **Functions of two variables:** graphs and surfaces.
- **Partial derivatives:**
  - Differentiate with respect to one variable while holding the other constant.
  - Notation:  $\frac{\partial f}{\partial x}, \frac{\partial f}{\partial y}$ .
- **Multiple integrals:** generalization of Riemann sums to area/volume.

## Exercises

- Compute partial derivatives of given functions.
- Evaluate simple double integrals.
- Plot surfaces in Python and interpret slopes of cross-sections.

## 4 Lecture 4: Chain Rule, Gradient, and Optimization

### Learning Goals

- Understand the chain rule and its applications.
- Define the gradient and its role in optimization.
- Connect calculus to machine learning optimization methods.

### Content

- **Chain rule:** derivative of composite functions.
  - Application: sequential computations, deep learning backpropagation.
- **Gradient:** vector of all partial derivatives; points in direction of steepest increase.
- **Optimization:**
  - 1D tests: first and second derivative.
  - Gradient descent: iterative minimization.
  - Simulated annealing: stochastic alternative.

## Exercises

- Apply the chain rule to composite functions.
- Compute gradients of multivariable functions.
- Implement gradient descent in Python.

## Pedagogical Notes

- Emphasize conceptual motivation: approximation, error, rate of change, area.
- Use graphical intuition: secant vs. tangent lines, concavity.
- Incorporate Python labs: numerical derivatives, Riemann sums, gradient descent.
- Connect to data science: error propagation, optimization, and regression as a first ML model.