This directory contains the files that you will need to run the CS:APP malloc lab, which develops a student's understanding of pointers, system-level programming, and memory managment.

In this lab, students write their own storage allocator, in particular implementations of the malloc, free, and realloc functions. A trace-driven driver (mdriver) evaluates the quality of the student's implementation in terms of space utilization and throughput.

2. Files

Makefile Makefile that builds the Lab

README This file

grade/ Autograding scripts

malloclab-handout/ The files handed out to the students

src/ The driver sources

traces/ The malloc/free/realloc trace files used by the driver

writeup/ The malloc lab writeup

Step 1: Configure the driver in src/ for your site. See src/README for detailed information on the driver.

Step 2: Modify the Latex writeup in writeup/ to reflect the handout and handin directions for your site. If you don't use Latex, use your favorite document preparation system to prepare Postcript and PDF versions of the writeup in malloclab.ps and malloclab.pdf.

Step 3: Modify the LABNAME and DEST variables in ./Makefile for your site.

Step 4: Type "make" to build the \$(LABNAME)-handout.tar file.

Step 5: Type "make dist" to copy the \$(LABNAME)-handout.tar file and the writeup to the distribution directory where the students will retrieve the lab.

There are autograding scripts for this lab. See grade/README for details.