

Doubling Time QC Pipeline Report

=====

Input file: ../../data/analyze/doubling_time_per_mouse.csv

- Total mice (input): 690
- Models: 84

After per-replicate filters:

- Retained: 626 mice (90.7%)
- Criteria: $R^2 \geq 0.6$, $2.5 \leq DT \leq 50$ days

Removed mouse IDs (replicate filter):

16720.H20.m4, 18674.H20.m10, 18674.H20.m4, 20710.H20.m1
20710.H20.m4, 241417.H20.m13, 241417.H20.m3, 241417.H20.m5
38807.H20.m5, 38807.H20.m6, 44205.H20.m6, 44441.H20.m9
47904.H20.m11, 47904.H20.m13, 48041.H20.m2, 48041.H20.m4
48602.H20.m14, 66684.H20.m1, 66684.H20.m10, 66684.H20.m3
66684.H20.m8, 66684.H20.m9, 66817.H20.m3, 67990.H20.m4
67990.H20.m5, 68941.H20.m1, 68941.H20.m4, 69196.H20.m3
71208.H20.m11, 71732.H20.m11, 85277.H20.m5, 87654.H20.m1
BXT064.H20.m7, NOTCH01.H20.m30, NOTCH10.H20.m15, NOTCH10.H20.m3
NOTCH18.H20.m2, NOTCH18.H20.m6, NOTCHB02.H20.m24, NOTCHB02.H20.m5
NOTCHB02.H20.m6, NOTCHB02.H20.m9, REF001.H20.m6, REF005.H20.m12
REF006.H20.m5, REF006.H20.m6, REF009.H20.m10, REF009.H20.m4
REF010.H20.m2, REF014.H20.m1, REF014.H20.m3, REF014.H20.m8
REF022.H20.m12, REF022.H20.m20, REF022.H20.m22, REF022.H20.m3
REF022.H20.m4, REF023.H20.m5, REF024.H20.m2, REF025.H20.m1
REF025.H20.m7, REF032.H20.m2, REF041.H20.m2, REF047.H20.m11


After per-model consistency filter:

- Outliers flagged: 18
- Final retained mice: 608
- Final models: 81


Removed mouse IDs (model-level outlier filter):

241417.H20.m6, 48342.H20.m5, 70620.H20.m6, 71732.H20.m8
73263.H20.m6, 73471.H20.m15, INSB014.H20.m8, INSB019.H20.m3
NOTCH01.H20.m31, NOTCH06.H20.m14, NOTCH06.H20.m8, REF004.H20.m8
REF005.H20.m3, REF009.H20.m5, REF016.H20.m1, REF019.H20.m5
REF035.H20.m4, REF048.H20.m12


Distribution of Doubling Times (Before vs After QC)




Distribution of R^2 Before vs After QC



Outlier Flagging: Red = Removed



Intra-model variability



Final Cleaned Model Distribution

