# Liste d'accomplissements

#### Guillaume Guénard, Ph. D. Biologie

Compilation: 2022-12-29

Adresse: 2243 rue du Coteau, Saint-Lin-Laurentides QC, J5M 1Z9, Canada, (514) 707-9569

#### Articles dans des revues scientifiques avec comité de lecture

• Guénard, G. & Legendre, P. 2022. *Hierarchical Clustering with Contiguity Constraint in R.* Journal of Statistical Software 103(7): 1–26 doi: 10.18637/jss.v103.i07

- Guénard, G., Morin, J., Matte, P., Secretan, Y., Valiquette E. & Mingelbier, M. 2020. Deep learning habitat modeling for moving organisms in rapidly changing estuarine environments: A case of two fishes. Estuarine Coastal and Shelf Science 238(106713): 1–10 doi: 10.1016/j.ecss.2020.106713
- Guénard, G. & Legendre, P. 2018. Bringing multivariate support to multiscale codependence analysis: assessing the drivers of community structure across spatial scales. Methods in Ecology and Evolution 9(2): 292–304 doi: 10.1111/2041-210X.12864
- Guénard, G., Lanthier, G., Harvey-Lavoie, S., Macnaughton, C. J., Senay, C., Lapointe, M., Legendre, P. & Boisclair, D. 2017. *Modelling habitat distribution for multiple species using phylogenetics*. Ecography 40(9): 1088–1097 doi: 10.1111/ecog.02423
- Harvey-Lavoie, S., Cooke, S. J., Guénard, G. & Boisclair, D. 2016. Differences in movements of northern pike inhabiting rivers with contrasting flow regimes. Ecohydrology 9(8): 1687–1699 doi: 10.1002/eco.1758
- Guénard, G., Lanthier, G., Harvey-Lavoie, S., Macnaughton, C. J., Senay, C., Lapointe, M., Legendre, P. & Boisclair, D. 2016. A spatially-explicit assessment of the fish population response to flow management in a heterogeneous landscape. Ecosphere 7(e01252): 1–13 doi: 10.1002/ecs2.1252
- Legendre, L. J., Guénard, G., Botha-Brink, J. & Cubo, J. 2016. Palaeohistological evidence for ancestral endothermy in Archosaurs. Systematic Biologie 65(6): 989–996 doi: 10.1093/sysbio/syw033
- Majal, E., Guénard, G., Schäfer, R. B. & von der Ohe, P. C. 2016. Evolutionary patterns and physic-ochemical properties explain macroinvertebrate sensitivity to heavy metals. Ecological Applications 26(4): 1249–1259 doi: 10.1890/15-0346
- Guénard, G., Boisclair, D. & Legendre, P. 2015. Phylogenetics to help predict active metabolism. Ecophere 6(62): 1–11 doi: 10.1890/ES14-00479.1
- Guénard, G., von der Ohe, P. C., Walker, S. C., Lek, S. & Legendre, P. 2014. *Using phylogenetic information and chemical properties to predict species tolerances to pesticides.* Proceedings of the Royal Society B: Biological Sciences 281(20133239): 1–9 doi: 10.1098/rspb.2013.3239
- Guénard, G., Legendre, P. & Peres-Neto, P. 2013. Phylogenetic eigenvector maps (PEM): a framework to model and predict species traits using directed graphs. Methods in Ecology and Evolution 4(12): 1120–1131 doi: 10.1111/2041-210X.12111

- Guénard, G., Boisclair, D., Ugedal, O., Forseth, T., Flemming, I. A. & Jonsson, B. 2012. *The bioenergetics of density-dependent growth in Arctic char*. Canadian Journal of Fisheries and Aquatic Sciences 69(10): 1651–1662 doi: 10.1139/F2012-093
- Guénard, G., Boisclair, D., Ugedal, O., Forseth, T., Flemming, I. A. & Jonsson, B. 2012. An experimental study of the multiple effects of brown trout, Salmo trutta, on the bioenergetics of two Arctic char, Salvelinus alpinus, morphs. Journal of Fish Biology 81(4): 1248–1270 doi: 10.1111/j.1095-8649.2012.03414.x
- Walker, S. C., Guénard, G., Sólymos, P. & Legendre, P. 2012. Multiple-Table Data in R with the multitable Package. Journal of Statistical Software 51(8): 1–38 doi: 10.18637/jss.v051.i08
- Guénard, G., von der Ohe, P. C., de Zwart, D., Legendre, P. & Lek, S. 2011. *Using phylogenetic information to predict tolerance to toxic chemicals.* Ecological Applications 21(8): 3178–3190 doi: 10.1890/10-2242.1
- Guénard, G., Legendre, P., Boisclair, D. & Bilodeau, M. 2010. Multiscale codependence analysis: an integrated approach to analyse relationships across scales. Ecology 91(10): 2952–2964 doi: 10.1890/09-0460.1
- Guénard, G., Boisclair, D., Ugedal, O., Forseth, T., Flemming, I. A. & Jonsson, B. 2010. Bioenergetic and behavioural differences between two morphologically distinct Arctic charr populations. Canadian Journal of Fisheries and Aquatic Sciences 67(3): 580–595 doi: 10.1139/F10-004
- Shinn, C., Dauba, F., Grenouillet, G., Guénard, G. & Lek, S. 2009. Temporal Variation of Heavy Metal Contamination in Fish of the River Lot in Southern France. Ecotoxicology and Environmental Safety 72(7): 1957–1965 doi: 10.1016/j.ecoenv.2009.06.007
- Guénard, G., Boisclair, D., Ugedal, O., Forseth, T. & Jonsson, B. 2008. Comparison between activity estimates obtained using bioenergetic and behavioural analyses. Canadian Journal of Fisheries and Aquatic Sciences 65(8): 1705–1720 doi: 10.1139/F08-080
- Chidami, S., Guénard, G. & Amyot, M. 2007. Underwater infrared video system for behavioral studies in lakes. Limnology and Oceanography: Methods 5(10): 571-578 doi: 10.4319/lom.2007.5.371

### Présentations de symposium

• Morin, J., Bachand, M., Guénard, G. & Werick, B. 2017. An ecosystem-friendly rule curve for the Rainy-Namakan system. International Rainy-Lake of the Woods Watershed Forum – International Falls, MN, É-U.A.

- Guénard, G., Lanthier, G., Harvey-Lavoie, S., Macnaughton, C. J., Senay, C., Lapointe, M., Legendre, P. & Boisclair, D. 2017. Community-wide habitat modelling with phylogenetic and spatial eigenvector maps: river fishes distribution. Canadian Conference for Fisheries Research Montréal, QC, Canada
- Guénard, G., Harvey-Lavoie, S., Macnaughton, C. J., Senay, C. & Boisclair, D. 2015. Cartographie de l'effet de différents régimes de débit sur la densité et la diversité des poissons. Symposium du Groupe de Recherche Inter-universitaire en Limnologie St-Hypolite, QC, Canada
- Guénard, G., Harvey-Lavoie, S., Macnaughton, C. J., Senay, C. & Boisclair, D. 2014. Assessing the
  effect of flow regimes on fish density. American Fisheries Society Annual Meeting Ville de Québec,
  QC, Canada
- Harvey-Lavoie, S., Guénard, G., Wheeland, L., Cooke, S. J. & Boisclair, D. 2014. Modelling northern
  pike habitat selection in a river subject to hydropeaking. ISE Ecohydraulics conference Trondheim,
  Norvège

- Boisclair, D., Cooke, S. J., McLaughlin, R. & Guénard, G. 2014. An ecosystemic approach to assess the effects of flow modifications related to hydropower on fish populations. ISE Ecohydraulics conference—Trondheim, Norvège
- Boisclair, D., Cooke, S. J., McLaughlin, R. & Guénard, G. 2013. A framework to assess the consequences
  of the fragmentation of aquatic ecosystems on fisheries productivity. Biophysical Coupling Workshop
  of the Great Lakes Fisheries Commission Huron, Ohio, É-U.A.
- Guénard, G., Walker, S. C., von der Ohe, P. C. & Legendre, P. 2013. *Phylogenetics to help predicting fish swimming costs*. Canadian Conference for Fisheries Research Windsor, ON, Canada
- Guénard, G., Walker, S. C., von der Ohe, P. C. & Legendre, P. 2012. Predicting the tolerance of animal species to chemical using phylogenetics and linear solvation energy parameters. Symposium of the Society for Environmental Toxicology and Chemistry Long Beach, CA, É.-U.A.
- Guénard, G., von der Ohe, P. C., Walker, S. C. & Legendre, P. 2012. Adding phylogenetic information to predicting tolerance to chemicals. Canadian Conference for Fisheries Research Moncton, NB, Canada
- Walker, S. C., Guénard, G. & Legendre, P. 2011. Community ecology with multiple data tables: the interface between data management and analysis. Ecological Society of America (ESA) Annual Conference – Austin, TX, É.-U.A.
- Guénard, G., Walker, S. C., von der Ohe, P. C. & Legendre, P. 2011. Predicting tolerance to pesticides using phylogeny and compound properties. Symposium du Groupe de Recherche Inter-universitaire en Limnologie St-Hypolite, QC, Canada
- Faggiano, L., Guénard, G., Gevrey, M. & Lek, S. 2010. Improving data sampling for better ecosystem diagnostic. Keybioeffect workshop Girona, Espagne
- Guénard, G., von der Ohe, P. C. & Lek, S. 2009. A spatially-explicit assessment of pollutants impact and macro-invertebrates diversity and community structure in Danube river. Final Modelkey conference Leipzig, Allemagne
- Guénard, G., von der Ohe, P. C. & Lek, S. 2009. Spatial correspondence of chemical status and macro-invertebrates diversity in Danube river. Symposium of the Society for Environmental Toxicology and Chemistry – Nouvelle Orléans, LA, É.-U.A.
- Guénard, G., de Zwart, D., von der Ohe, P. C. & Lek, S. 2009. Predicting sensitivity to pollutants using molecular characters. International Symposium for Toxicity Assessment Metz, France
- Guénard, G. & Boisclair, D. 2008. Différences morphologiques, comportementales chez deux populations d'omble chevalier et leurs impact sur la croissance, la consommation et l'activité. Symposium du Groupe de Recherche Inter-universitaire en Limnologie Harrington, QC, Canada
- Guénard, G. & Boisclair, D. 2008. Differences in morphology, energy budget, and activity patterns between arctic charr from two contrasting populations. Canadian Conference for Fisheries Research Halifax, NE, Canada
- Chidami, S., Guénard, G. & Amyot, M. 2007. Fish decomposition in boreal lakes and biogeochemical implications. Canadian Society for Ecology and Evolution – Toronto, ON, Canada
- Guénard, G., Legendre, P., Boisclair, D. & Bilodeau, M. 2007. Une méthode multi-échelle pour décrire la dépendance spatiale commune entre l'abondance des tacons de saumon de l'At-lantique (Salmo salar, L.) et les variables environnementales utilisées comme descripteurs de leur habitat en rivière. Symposium du Groupe de Recherche Inter-universitaire en Limnologie Harrington, QC, Canada
- Guénard, G. & Boisclair, D. 2006. Assessing the effect of fish density on the consumption and activity rate of Arctic charr. Canadian Conference for Fisheries Research Calgary, AB, Canada

- Guénard, G. & Boisclair, D. 2005. Experimental comparison of activity measurements made using spontaneous swimming models and caesium bio-accumulation in fish. Canadian Conference for Fisheries Research Windsor, ON, Canada
- Guénard, G., Legendre, P. & Boisclair, D. 2005. Describing the habitat of Atlantic salmon parr (Salmo salar) using the common spatial dependence between fish abundance and environmental variables: validation and application of a new multi-scale method. Ecological Society of America / INTECOL joint meeting Montréal, QC, Canada
- Guénard, G. & Boisclair, D. 2001. Perspective of the predator-prey relationship through different spatial scales using horizontal hydro-acoustic scanning approach. Canadian Conference for Fisheries Research Toronto, ON, Canada

#### Rapports de recherche

- Guénard, G. 2018. Conditions environnementales structurant les communautés d'invertébrés benthiques dans le fleuve Saint-Laurent : mettre en évidence l'effet de la pollution chimique. Division de monitoring et surveillance de la qualité de l'eau, Environnement et changements climatiques Canada. Contract #3000656770. Montréal, QC, Canada. 20 pp. LIEN
- Morin, J., Bachand, M., Richard, J. H., Champoux, O., Martin, S. & Guénard, G. 2016. *Habitat modeling of the Lake Sturgeon and Walleye spawning habitat of the Rainy River*. Prepared pour la commission mixte internationale (CMI). Section hydrologie et écohydraulique, Environnement et changements climatiques Canada. Scientific Report SR111 MSC. Ville de Québec, QC, Canada. 132 pp. LIEN
- Boisclair, D., Lapointe, M., Saint-Hilaire, A., Rasmussen, J. B., Senay, C., Lanthier, G., Bourque, G., Guénard, G., Macnaughton, C. J. & Harvey-Lavoie, S. 2016. Modélisation des effets des facteurs chimiques et physiques sur les paramètres de productivité des pêches dans des rivières ayant des régimes hydrologiques différents: leçons retenues du réseau HydroNet du CRSNG de 2009 à 2015\_ Document du secrétariat canadien de consultation scientifique. 2016/033. Pêches et Océans Canada. viii + 61 p. LIEN
- Guénard, G. & Boisclair, D. 2015. Data and literature review on the bioenergetics of Salmoninae for Mid Columbia River Adult Habitat use Assessment (CLBMON-18). Préparé pour BC Hydro, P.O. Box 8910 Vancouver, B.C. V6B 4N1, Canada. Département de sciences biologiques. . Université de Montréal C.P. 6128 succ. centre-ville Montréal QC, Canada. 25 pp. LIEN
- Ugedal, O., Forseth, T., Jonsson, B., Daverdin, R., Einum, S., Fleming, I., Saksgård, R., Boisclair, D. & Guénard, G. 2005. Compétition au sein d'une espèce et entre espèces de poisson recherche préliminaire (en norvégien). Pages 67–69 de Jonsson, B. & Yoccoz, N. G. (éditeurs) Dynamique écosystémique: impact anthropique sur la biodiversité. Programme stratégique de l'institut NINA 2001- 2005 (en norvégien). NINA Temahefte. 33. Norsk Institutt for Naturforskning, Trondheim, Norvège. 89 pp. LIEN

## Développement de logiciel

adespatial Dray, S., Bauman, D., Blanchet, G., Borcard, D., Clappe, S., Guenard, G., Jombart, T., Larocque, G., Legendre, P., Madi, N. & Wagner, H. 2022. adespatial: Multivariate Multiscale Spatial Analysis. Description: Tools for the multiscale spatial analysis of multivariate data. Several methods are based on the use of a spatial weighting matrix and its eigenvector decomposition (Moran's Eigenvectors Maps, MEM). R package version 0.3-20

- constr.hclust Legendre, P. & Guénard, G. 2022. Space- And Time-Constrained Clustering Package. Description: Space-constrained or time-constrained agglomerative clustering from a multivariate dissimilarity matrix. R package version 1.6-2
- MPSEM Guénard, G. & Legendre, P. 2022. MPSEM: Modeling Phylogenetic Signals using Eigenvector Maps. Description: Computational tools to represent phylogenetic signals using adapted eigenvector maps. R package version 0.4-1
- codep Guénard, G., Legendre, P. & Pages B. 2018. Multiscale Codependence Analysis. Description: Computation of Multiscale Codependence Analysis and spatial eigenvector maps, as an additional feature. R package version 0.9-1
- WR Legendre, P. & Guénard, G. 2018. Whittaker-Robinson Periodogram Through a C Function Description: Whittaker-Robinson periodogram for univariate series of quantitative data, with permutation tests. R package version 1.0-1

### Travaux en cours (liste abrégée)

- Guénard, G., Harvey-Lavoie, S., Wheeland, L., Cooke, S. J. & Boisclair, D. A novel analytic framework to integrate the effect of a contextual variable into habitat use models using presence-only data. [Article]
- Guénard, G., Harvey-Lavoie, S., MacNaughton, C. J., Senay, C., Boisclair, D. & Legendre, P. An spatially-explicit assessment of the physical drivers of fish community assemblages in regulated and unregulated rivers. [Article]

5