

A Generic Profiling Infrastructure for the Hyperbolic PDE Solver Engine ExaHyPE

Part II

Fabian Gürä

www.exahype.eu

November 2016

The project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 671698 (ExaHyPE).



Introduction

What this presentation is not about:

- ▶ **Numerics** deep dive into ADER-DG, Limiting, etc.
(first ~ 30 pages of the thesis)
- ▶ No beautiful **pictures**, convergence **plots**, application **examples**, ...
- ▶ **Demo session** ;-(

Introduction

What this presentation is not about:

- ▶ **Numerics** deep dive into ADER-DG, Limiting, etc.
(first ~ 30 pages of the thesis)
- ▶ No beautiful **pictures**, convergence **plots**, application **examples**, ...
- ▶ **Demo session** ;-(


What this presentation is about:

- ▶ Review: **Context** and **motivation** behind the project
- ▶ Theory on **hardware performance monitoring** (HPM)
- ▶ A **generic profiling infrastructure** for ExaHyPE
- ▶ Preliminary profiling results and case studies focusing on metrics-driven performance engineering

Context & Motivation

Important aspects in the context of Scientific Computing:


Simulation Pipeline



Exascale Computing



Hyperbolic Balance Laws



ExaHyPE: The Project

Vision:

- ▶ Three pillars of scientific progress:
Theory, Experiment and **Simulation**
- ▶ Programming (exascale) supercomputers is a key challenge
- ▶ The ExaHyPE project seeks to address the **software aspect** of supercomputer development
 - ▶ Development of new mathematical and algorithmic approaches
 - ▶ Initial focus on applications in geo- and astrophysics
 - ▶ In correspondence with Europe's **2020 exascale strategy**
- ▶ Goal: Become **the engine** for large HCL simulations!

ExaHyPE: The Project

Objectives:


- ▶ **Energy efficiency** on tomorrow's supercomputing hardware
- ▶ Scalable algorithms through well-balanced **dynamic adaptivity**
- ▶ **Compute-bound** simulations in spite of slow memory and networks
- ▶ Extreme parallelism on **unreliable hardware**



ExaHyPE: The Project

Benefit:

- ▶ Simulation of **risk scenarios**
 - ▶ Assess the effects of earthquake and aftershocks
 - ▶ Quantify seismic hazards
- ▶ Enable fundamental **scientific findings**
 - ▶ Study some of the longest-standing mysteries in astrophysics...
 - ▶ ... and other disciplines
- ▶ **Open-source** (BSD3, 




Simulation of the 1992 Landers Earthquake

(via Alexander Heinecke, 2014)

ExaHyPE: The Project

Approach:

- ▶ High-order space-time Discontinuous Galerkin method (**ADER-DG**) with a-posteriori FVM based subcell limiting
- ▶ Dynamically adaptive Cartesian grids (**AMR**), space filling curves and dynamic load balancing (**Peano**)
- ▶ Hardware specific optimization of dominant compute kernels (**libxsmm**)



Adaptive grids in Peano
(via Tobias Weinzierl, 2014)

ExaHyPE: Applications


Hyperbolic Balance Laws:

$$\frac{\partial}{\partial t} [\mathbf{u}]_v + \frac{\partial}{\partial x_d} [\mathbf{F}(\mathbf{u})]_{vd} = [\mathbf{s}(\mathbf{u})]_v$$

Initial focus:




Geophysics



Simulation of ground shaking of
the 1992 Landers Earthquake

Astrophysics



Simulation of the merger of two
magnetized neutron stars

Profiling for ExaHyPE: Motivation

You can't optimize for what you don't measure!

Profiling provides metrics to

- ▶ obtain a **baseline**,
- ▶ **guide** and **track progress** of optimization efforts,
- ▶ **compare** current status to other state of the art solutions.



We don't need a third one
of these on campus!



Profiling and Energy-Aware ...



On the Importance?



x86 in contemporary HPC




HPM in x86




Energy Monitoring in x86

Profiling for ExaHyPE: Architecture



Profiling for ExaHyPE: Architecture





Implementations

Profiling for ExaHyPE: Metrics

What we can measure at the moment:

- ▶ Kernel call counts
- ▶ Cycles and wall clock time
- ▶ RAM reads/writes
- ▶ **Flop/s** (estimate)
- ▶ **Energy consumption** (Core, RAM, package; estimate)
- ▶ Cache hits/misses/ratio (I, L2, L3)
- ▶ **Cycles lost** due to cache misses (L2, L3)
- ▶ Instructions retired
- ▶ Branch prediction ratio
- ▶ ...

Overheads



Complete Simulation



Kernel-by-kernel breakdown



The seventh order itch



Finding the juiciest fruits

Conclusion

Key aspects:

1. Exascale Computing is about both hardware and **software**
2. ExaHyPE as an **answer to future challenges** in Scientific Computing
3. **Frameworks** are necessary to manage the increasing complexity in HPC
4. Profiling is important: **Measure, then optimize!**

A Generic Profiling Infrastructure for the Hyperbolic PDE Solver Engine ExaHyPE

Part II

Fabian Gürä

www.exahype.eu

November 2016

The project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 671698 (ExaHyPE).

