OM SYNERGY PTY LTD

PEOPLE | PERFORMANCE | PARTNERSHIP | PROGRESS

Test Plan — SCRUM-5: VWO — Add Passkey and SSO Login Options to VWO login page

QA Test Plan · Prepared by OM SYNERGY QA Engineering

Status: **DRAFT — pending human review.** Not approved until a QA owner signs off.

JIRA Key	SCRUM-5
Ticket Title	VWO : Add Passkey and SSO Login Options to VWO login page
Issue Type	Story
Priority	Medium
Epic Link	Authentication Enhancements
Plan Version	1.0 (Draft)
Author	OM SYNERGY QA Engineering
Date	2026-11-02

1. Scope & Objectives

In scope:

- UI visibility and positioning of the two new login options: **"Sign in using SSO"** and **"Sign in with Passkey"** below "Sign in with Google".
- SSO login flow: successful authentication and redirect to dashboard, plus error handling for invalid credentials.
- Passkey login flow: successful authentication via a registered passkey, plus fallback/guidance when no passkey is available.
- Error handling for failed SSO, failed passkey, and unsupported browser/device.
- Compatibility across supported browsers/devices (passkeys) and configured identity providers (SSO).
- Security: secure protocols (OAuth/SAML/WebAuthn) and no sensitive data in UI or network logs.
- UI responsiveness and accessibility of the new buttons.

Out of scope:

- Passkey registration flow (covered in a separate story).
- SSO provider configuration.

Objective: Confirm that Passkey and SSO login options work correctly, securely, and accessibly on the VWO login page, and that existing authentication methods are not regressed.

2. Gaps & Questions for the author

Gap analysis against the requirement checklist. Every ⚠️/❌ becomes a question for the ticket author.

#	Area	Finding	Question to author
1	Acceptance criteria	⚠️	"Seamlessly" / "smooth user experience" are not measurable — what observable pass/fail behavior defines them?
2	Error handling	⚠️	"Appropriate error messages" is vague — what exact copy/format is required for each failure (SSO, passkey, unsupported device)?
3	Boundary states	❌	What happens when the user cancels the SSO or passkey prompt, or the auth session times out? Is there a defined redirect/state?

4	Test data	❌	Which SSO identity providers and test accounts must be covered? Which passkey-capable test devices/browsers are required?
5	Environment / flag	❌	Is this behind a feature flag? What is the flag name and staging URL for verification?
6	Compatibility matrix	⚠️	"Supported browsers/devices" is not enumerated — what is the explicit browser/OS/device matrix for passkeys?
7	Security / roles	⚠️	Which roles/permissions can use SSO vs. passkey? Are there account-tier restrictions?
8	Accessibility	⚠️	What accessibility standard applies (e.g., WCAG 2.1 AA)? "Accessibility" alone is not testable.
9	Performance	❌	Are there load-time or responsiveness targets for the login page with the new options?
10	Regression surface	⚠️	Should existing email/password and "Sign in with Google" login be explicitly regression-tested as part of this story?
11	Design reference	❌	Is there a design/mockup link to confirm exact button placement, styling, and order?
12	i18n / localization	❌	Do the new labels and messages need localization across supported locales?

3. Test Scenarios

ID	Priority	Type	Scenario	Maps to
TS-1	P0	positive	Verify both "Sign in using SSO" and "Sign in with Passkey" buttons are visible on the login page and positioned below "Sign in with Google".	AC: UI Visibility
TS-2	P0	positive	Validate successful login via SSO with valid credentials and confirm redirect to the dashboard.	AC: SSO Login Flow
TS-3	P0	negative	Validate failed SSO login with incorrect credentials displays the required error message.	AC: SSO / Error Handling
TS-4	P0	positive	Validate successful login via Passkey with a registered passkey and confirm redirect to the dashboard.	AC: Passkey Login Flow
TS-5	P1	boundary	Validate behavior when no passkey is registered — a fallback or guidance message is displayed.	AC: Passkey Login Flow
TS-6	P1	negative	Validate behavior on unsupported browsers/devices — appropriate guidance or error is shown.	AC: Compatibility / Error Handling
TS-7	P1	negative	Validate passkey authentication failure (e.g., canceled or failed biometric) shows an error without breaking the flow.	AC: Error Handling
TS-8	P1	positive	Validate SSO login works across all configured identity providers.	AC: Compatibility (gap #4)
TS-9	P0	security	Verify no sensitive data (tokens, credentials) is exposed in the UI or network logs during SSO/passkey flows.	AC: Security
TS-10	P1	boundary	Verify the user cancels the SSO/passkey prompt and returns to the login page without error or data leakage.	Gap #3
TS-11	P1	regression	Verify existing email/password and "Sign in with Google" login still work after adding the new options.	Gap #10
TS-12	P1	a11y	Verify keyboard navigation, screen reader labels, and contrast for the new buttons (assume WCAG 2.1 AA).	Gap #8
TS-13	P2	performance	Verify the login page with new options still loads within the target time (target to be confirmed).	Gap #9
TS-14	P1	responsive	Verify the new buttons render correctly across mobile/tablet viewports.	AC: UI responsiveness

4. Test Data & Environment

- **Data:** Valid/invalid SSO credentials per identity provider; a registered passkey device; a non-passkey browser profile; a device with no passkey registered. *(To be confirmed — see gaps #4.)*
- **Environment / flags:** Staging environment; feature flag name and URL to be confirmed. *(See gap #5.)*
- **Roles / permissions:** Standard user accounts; enterprise SSO accounts if applicable. *(See gap #7.)*
- **Browsers/devices:** Explicit matrix to be confirmed; presumed latest Chrome, Edge, Safari, Firefox on desktop and mobile web. *(See gap #6.)*

5. Risks & Assumptions

Assumptions made:

- SSO identity providers and passkey platform support are already configured (out of scope: SSO provider configuration).
- Passkey registration is covered in a separate story and is available as a precondition for login testing.
- Accessibility target is WCAG 2.1 AA (not stated in ticket).
- Staging environment and any required feature flag exist.

Risks:

- Passkey testing blocked by lack of supported test devices or platform authenticators.
- Third-party SSO provider sandboxes unavailable, blocking integration tests.
- Unclear error-message copy leading to rework after implementation.
- Missing compatibility matrix causing gaps in cross-browser coverage.
- Feature flag not removed/disabled correctly in production.

6. Entry / Exit criteria

Entry:

- Story implemented and deployed to staging.
- Feature flag (if any) enabled in staging.
- Test accounts, SSO IdP sandboxes, and passkey devices available.
- Design/mockup and error-message copy confirmed by the author.

Exit:

- All acceptance criteria met and verified.
- No open critical or high defects (per Definition of Done).
- Full test scenario set executed and passing.
- Regression of email/password and Google login confirmed.
- QA sign-off completed and documentation updated.

7. Resource Allocation

Role	Responsibility
QA Lead	Plan ownership, gap resolution, sign-off
QA Engineer	Test execution, defect reporting
Automation Engineer	Regression and API automation (SSO/passkey where feasible)
Security Engineer	OAuth/SAML/WebAuthn security validation, log review
Developer	Defect fixes, build readiness

8. Timelines, Sprint Details

- **Sprint:** To be confirmed with Scrum Master.
- **Phases:** Plan approval → test case design → execution cycle 1 → defect fix/retest → regression + sign-off.
- **Timeline:** To be confirmed once scope, environment, and test data are finalized.

Human Review Gate

I assumed: SSO IdPs and passkey support are pre-configured; passkey registration is covered elsewhere; accessibility target is WCAG 2.1 AA; staging and any feature flag exist.

I could not confirm: exact error-message copy, supported browser/device matrix, list of configured identity providers, WCAG level, feature-flag name and staging URL, performance target, localization requirements.

Open questions blocking sign-off: see Section 2 (gaps #1–#12).

Approve, or edit, before I write test cases / automation.
