Lecture 14
Minimum Spanning Trees
Exercises ANS

Department of Computer Science
Hofstra University

Acknowledgement: Lecture slides based on UofW Course on Data Structures

Q. Prim's Algorithm

Run Prim's algorithm starting from node A. Fill in the table with the order in which each edge is added, and its weight. Break ties in alphabetical or numerical order. Highlight the final MST in the graph. For an undirected edge, write the nodes in alphabetical order, e.g., (E, F) instead of (F, E).



Order added	Edge	Edge Weight
1		
2		
3		
4		
5		
6		

Q. Prim's Algorithm ANS

Run Prim's algorithm starting from node A. Fill in the table with the order in which each edge is added, and its weight. Break ties in alphabetical or numerical order. Highlight the final MST in the graph. For an undirected edge, write the nodes in alphabetical order, e.g., (E, F) instead of (F, E).



Order added	Edge	Edge Weight
1	(A, B)	2
2	(A, C)	4
3	(C, D)	2
4	(B, F)	3
5	(C, E)	5
6	(B, G)	50

Q. Kruskal's Algorithm

Run Kruskal's algorithm. Fill in the table with the order in which each edge is added, and its weight. Break ties in alphabetical or numerical order. Highlight the final MST in the graph. For an undirected edge, write the nodes in alphabetical order, e.g., (E, F) instead of (F, E).



Order added	Edge	Edge Weight
1		
2		
3		
4		
5		
6		

Q. Kruskal's Algorithm ANS

Run Kruskal's algorithm. Fill in the table with the order in which each edge is added, and its weight. Break ties in alphabetical or numerical order. Highlight the final MST in the graph. For an undirected edge, write the nodes in alphabetical order, e.g., (E, F) instead of (F, E).



Order added	Edge	Edge Weight
1	(A, B)	2
2	(C, D)	2
3	(B, F)	3
4	(A, C)	4
5	(C, E)	5
6	(B, G)	50