CSC163 Computing, Ethics, and Society
Fall 2026 Midterm Exam – Answer Key

Student Name:_____ ID：_____

Chapters 1–5 | Time allowed: 80 minutes | Total: 100 points | A calculator is allowed.

Total pts	/ 100

Note: For Q2–Q6, **it is recommended that you provide a short explanation for each answer key.** If your answer is correct, you will get the full point without the explanations. But in case your answer is incorrect, the explanations may earn you some partial credit.

Q1	Q2	Q3	Q4	Q5	Q6
/40	/12	/12	/12	/12	/12

Q1 (40 pts) Multiple-choice questions (1 pt each): enter your answer keys here:

1	2	3	4	5	6	7	8	9	10
B	**A**	**A**	**B**	**C**	**A**	**D**	**A**	**A**	**B**

11	12	13	14	15	16	17	18	19	20
C	**D**	**B**	**C**	**B**	**C**	**B**	**A**	**D**	**C**

21	22	23	24	25	26	27	28	29	30
C	**D**	**A**	**C**	**A**	**D**	**B**	**A**	**C**	**B**

31	32	33	34	35	36	37	38	39	40
D	**C**	**C**	**D**	**B**	**C**	**A**	**D**	**A**	**D**

For the following multiple-choice questions, each question has exactly one correct answer key. If multiple choices are correct, choose the option “All of the above”. Fill in the answer keys in the table above. **(Answer keys written in the question area will not be counted.)**

Chapter 1: AI Risk Overview (Q1–8)

1. What are the four major sources of AI risk?
   A. Hardware, software, networks, and data
   B. Malicious use, AI races, organizational risks, and rogue AIs
   C. Bugs, viruses, spam, and phishing
   D. Startups, universities, militaries, and regulators
   ANS: B) Malicious use, AI races, organizational risks, and rogue AIs

2. Which risk from AI-enabled cyberattacks is highlighted in the presentation?
   A. AIs could increase the accessibility, success rate, scale, speed, stealth, and potency of cyberattacks
   B. Cyberattacks can no longer target infrastructure
   C. Attribution of attacks becomes trivially easy
   D. Cyberattacks are unrelated to the risk of war
   ANS: A) AIs could increase the accessibility, success rate, scale, speed, stealth, and potency of cyberattacks

3. How could persuasive AI pollute the information ecosystem, according to the slides?
   A. By interacting with millions of people at once, perpetuating falsehoods, and exploiting user trust
   B. By eliminating all misinformation automatically
   C. By making misinformation far more expensive to produce
   D. By restricting itself to offline use only
   ANS: A) By interacting with millions of people at once, perpetuating falsehoods, and exploiting user trust

4. What concern does the presentation raise about surveillance and power concentration?
   A. AI makes information processing impossible to centralize
   B. Corporations and states could misuse AI to concentrate power and sustain totalitarian regimes
   C. Automated states depend more heavily on mortal human dictators
   D. Power concentration is limited to individuals only
   ANS: B) Corporations and states could misuse AI to concentrate power and sustain totalitarian regimes

5. Which measures are listed as ways to reduce malicious use of AI?
   A. Removing all legal liability from developers
   B. Making AI systems easier to jailbreak
   C. Structured access, legal liability for developers, jailbreak resistance, and defensive technologies such as biodefense and anomaly detection
   D. Abandoning anomaly detection research
   ANS: C) Structured access, legal liability for developers, jailbreak resistance, and defensive technologies such as biodefense and anomaly detection

6. What are AI racing dynamics as described in the slides?
   A. Risks from competition between militaries, corporations, or others to develop increasingly powerful AI systems
   B. A benchmark for model inference speed
   C. A hardware manufacturing standard
   D. A method for labeling training data
   ANS: A) Risks from competition between militaries, corporations, or others to develop increasingly powerful AI systems

7. Why does competitive pressure erode safety?
   A. Because competition removes all profit motives
   B. Because safety and capabilities are unrelated
   C. Because regulation prevents any deployment
   D. Because competition incentivizes businesses to deploy potentially unsafe AI systems and focus on short-term gains
   ANS: D) Because competition incentivizes businesses to deploy potentially unsafe AI systems and focus on short-term gains

8. What is proxy gaming?
   A. Optimizing an approximate goal until it no longer corresponds to the true goal
   B. Training a model with no objective at all
   C. Testing a model only on its training set
   D. Replacing neural networks with lookup tables
   ANS: A) Optimizing an approximate goal until it no longer corresponds to the true goal

Chapter 2: AI Fundamentals (Q9–16)

9. Which definition of AI was adopted in the presentation?
   A. Computer systems performing tasks typically associated with intelligence such as problem solving, decision making, and forecasting
   B. Any electronic spreadsheet
   C. Only humanoid robots
   D. A database with no predictive capability
   ANS: A) Computer systems performing tasks typically associated with intelligence such as problem solving, decision making, and forecasting

10. Which system is recognized in the slides as the first chatbot in modern AI history?
   A. Perceptron
   B. ELIZA
   C. Expert system
   D. Transformer
   ANS: B) ELIZA

11. In the historical timeline, which term describes the period when AI funding and interest dropped significantly?
   A. Symbolic AI
   B. Deep learning boom
   C. AI winter
   D. Expert systems era
   ANS: C) AI winter

12. What does generative modeling do according to the slides?
    A. Deletes all training examples
    B. Predicts only binary labels
    C. Prevents new samples
    D. Creates new data that resembles the training data
    ANS: D) Creates new data that resembles the training data

13. What is the main goal of unsupervised learning in the slides?
    A. Follow explicit output labels
    B. Discover patterns and relationships in unlabeled data
    C. Maximize a reward through actions
    D. Compile source code
    ANS: B) Discover patterns and relationships in unlabeled data

14. How does reinforcement learning obtain its learning signals?
    A. Only from static labels
    B. Only from clustering
    C. From an agent's interaction with an environment and the resulting rewards
    D. From manual rules alone
    ANS: C) From an agent's interaction with an environment and the resulting rewards

15. Which advantage of deep learning is highlighted as "performance" in the slides?
    A. Guarantee of zero error in all tasks
    B. Superhuman performance in some domains such as image recognition, chess, and Go
    C. Requirement for no data
    D. Perfect transparency in all models
    ANS: B) Superhuman performance in some domains such as image recognition, chess, and Go

16. Which statement captures the "scalability" property of deep learning mentioned in the presentation?
    A. Performance usually gets worse with more data
    B. Performance quickly saturates and cannot improve
    C. Deep-learning models are highly scalable and performance often improves with more data rather than tapering off
    D. Deep-learning models cannot use large datasets
    ANS: C) Deep-learning models are highly scalable and performance often improves with more data rather than tapering off

Chapter 3: Single-Agent Safety (Q17–24)

17. Which statement best describes the scope of ML safety in relation to AI safety?
    A. ML safety covers every social and political consequence of AI
    B. ML safety is a small subset of the broader sociotechnical problem of AI safety
    C. ML safety concerns only the speed of model training
    D. ML safety excludes robustness and monitoring
    ANS: B) ML safety is a small subset of the broader sociotechnical problem of AI safety

18. In the lecture's safety framework, what is the primary goal of robustness?
    A. Withstand hazards
    B. Identify hazards
    C. Reduce inherent model hazards
    D. Reduce risks beyond individual models
    ANS: A) Withstand hazards

19. What is an adversarial distortion designed to do to an undefended neural network?
    A. Compress its parameters
    B. Improve its calibration
    C. Remove its training data
    D. Cause it to make a mistake
    ANS: D) Cause it to make a mistake

20. When an adversary cannot access model parameters and observes only model outputs, the model is treated as what?
    A. A transparent model
    B. A white-box model
    C. A black-box model
    D. An unlearned model
    ANS: C) A black-box model

21. What is the defining characteristic of a Trojan in a machine-learning model?
    A. The model has a large number of parameters
    B. The model cannot be evaluated
    C. Hidden functionality triggers a sudden dangerous behavior change
    D. The model always fails on clean inputs
    ANS: C) Hidden functionality triggers a sudden dangerous behavior change

22. Which pair is identified as a possible vector for implanting Trojans?
    A. Only local keyboards and monitors
    B. Weather sensors and GPS satellites
    C. Printed textbooks and calculators
    D. Public datasets and model-sharing libraries
    ANS: D) Public datasets and model-sharing libraries

23. In a data-poisoning Trojan attack, what happens during training?
    A. The dataset is modified so the trained model contains hidden triggered behavior
    B. The model is converted into a rule-based program
    C. Every training example is deleted
    D. The model is evaluated without any data
    ANS: A) The dataset is modified so the trained model contains hidden triggered behavior

24. Which three areas are emphasized under monitoring in the lecture?
    A. Compression, routing, and encryption
    B. Planning, control, and actuation
    C. Evaluations, anomaly detection, and transparency
    D. Watermarking, malware creation, and data collection
    ANS: C) Evaluations, anomaly detection, and transparency

Chapter 4: Safety Engineering (Q25–32)

25. In the deck's terminology, which term describes a hazard with malicious or adversarial intent?
A. Threat
B. Failure mode
C. Exposure
D. Vulnerability
ANS: A) Threat

26. The detailed disaster risk equation expands the classic risk equation into which four factors?
A. Probability, severity, redundancy, and transparency
B. Hazard, threat, failure mode, and fail-safe
C. Reliability, nines, tail, and drift
D. Probability, severity, exposure, and vulnerability
ANS: D) Probability, severity, exposure, and vulnerability

27. In the slippery-floor example, which factor increases when more people walk across the wet floor and it stays wet for longer?
A. Ability to cope
B. Exposure
C. Severity
D. Vulnerability
ANS: B) Exposure

28. According to the Swiss Cheese Model, safety can be improved by:
A. Reducing the size and number of holes and increasing the number of slices
B. Aligning the holes in every slice so that hazards pass through quickly
C. Enlarging the holes so that failures are easier to notice and fix
D. Removing slices so that the overall system stays as simple as possible
ANS: A) Reducing the size and number of holes and increasing the number of slices

29. How does Fault Tree Analysis proceed?
A. Start from a single component and predict every outcome it could eventually cause
B. Average the failure rates of every component to estimate overall system safety
C. Start from a specific negative outcome and work backward to its possible causes
D. Assume accidents happen only when one component fails entirely on its own
ANS: C) Start from a specific negative outcome and work backward to its possible causes

30. In the excerpts from James Reason, why are latent failures prime candidates for principled risk management?
A. They can be removed completely through sanctions and exhortations aimed at individuals
B. They exist long before an accident, created by upstream organizational decisions
C. They disappear once equipment has been fully automated by the organization
D. They occur only at the sharp end, among front-line operators on the day of the accident
ANS: B) They exist long before an accident, created by upstream organizational decisions

31. What is a tail event?
A. An outcome close to the average
B. An event that is always anticipated by experts
C. A high-probability event with small consequences
D. A low-probability but high-impact occurrence
ANS: D) A low-probability but high-impact occurrence

32. How does the deck define a black swan?
A. Any event whose estimated probability is below one percent in a given year
B. A well-understood and frequently observed risk that organizations deliberately accept
C. A tail event that is largely unanticipated, because it is an unknown unknown
D. A frequent event whose timing and size can be fully predicted from past data
ANS: C) A tail event that is largely unanticipated, because it is an unknown unknown

Chapter 5: Complex Systems (Q33–40)

33. What does the reductionist paradigm claim?
A. Whole systems always exhibit properties that no analysis of their parts can ever explain
B. Only statistical averages over many systems are meaningful in science
C. Systems can be fully understood and described by understanding their parts
D. Systems should never be studied by analyzing their individual components
ANS: C) Systems can be fully understood and described by understanding their parts

34. According to the deck, why can reductionist approaches not be used to study all real-world systems such as ecosystems and human society?
A. Their components are so identical that studying them tells us nothing
B. They contain no feedback loops that could be analyzed in isolation
C. They are too small to be measured with modern instruments
D. They have too many components with complex interdependencies
ANS: D) They have too many components with complex interdependencies

35. Which phrase captures why emergent features often "turn on" as a system scales up?
A. Smaller is stronger: systems become safer as they shrink in size
B. More is different: a quantitative change produces a qualitative one
C. More is the same: adding components never changes behavior
D. Faster is safer: higher speed removes emergent behavior altogether
ANS: B) More is different: a quantitative change produces a qualitative one

36. Which example does the deck give of the AI research community exhibiting self-organized criticality?
A. Training only very small models on consumer laptops owned by individual researchers
B. Releasing every model with open weights to the public as soon as it is trained
C. Relying on NVIDIA GPUs, so a conflict in Taiwan could pause scaling
D. Spreading training evenly across many hardware vendors in different countries
ANS: C) Relying on NVIDIA GPUs, so a conflict in Taiwan could pause scaling

37. What does distributed functionality mean for neural networks?
A. Nodes or weights do not map to single concepts, so the network is harder to understand but possibly more robust
B. The network's functions are neatly divided up between separate subsystems that can be studied alone
C. Each neuron stores exactly one human-readable concept, so the network is easy to inspect
D. The network cannot be trained on large datasets without losing most of its accuracy
ANS: A) Nodes or weights do not map to single concepts, so the network is harder to understand but possibly more robust

38. What is "risk compensation" in the discussion of adaptive behavior?
A. Developers refuse to take any risk at all once a system becomes more reliable
B. Insurance companies automatically pay for any AI accident that occurs in deployment
C. Systems always become safer as soon as their reliability is improved by engineers
D. Developers self-organize to their risk tolerance, rendering reliability advances ineffective
ANS: D) Developers self-organize to their risk tolerance, rendering reliability advances ineffective

39. In Lesson 2 (subgoals can supersede original goals), what does modularization refer to?
A. A goal is broken into subgoals that may not be pursued in ways that fulfill the original goal
B. A goal is handed to another agent whose own goals may clash with the original one
C. A system is rebuilt from scratch every time that it is scaled up in size
D. Several agents vote on a single shared goal before any of them acts on it
ANS: A) A goal is broken into subgoals that may not be pursued in ways that fulfill the original goal

40. What does Lesson 3 say about scaling up a safe system?
A. A safe system always remains safe when it is scaled up to a much larger size
B. Scaling up only improves a system's existing abilities and changes nothing else
C. Scaling up removes emergent capabilities that were present at smaller scales before
D. A safe system is not necessarily safe when scaled up, because new behaviors can appear
ANS: D) A safe system is not necessarily safe when scaled up, because new behaviors can appear

Q2. (12 pts) Chapter 1: AI Risk Overview

(a) (4 pts) Classify each scenario by the AI risk source it illustrates best: malicious use, AI race, organizational risks, or rogue AIs. (1 pt each)

Scenario	Risk source
1. A criminal group uses an AI model to write personalized phishing messages at scale	**Malicious use**
2. Two companies skip safety testing to release their chatbot before a rival does	**AI race**
3. Incident reports about a deployed AI system are ignored because of a weak safety culture, and a costly accident follows	**Organizational risks**
4. An AI agent that its developers cannot reliably control resists being shut down	**Rogue AIs**

Grading: 1 pt per correct row.

(b) (4 pts) Bioweapon risk depends on the number of people with the skill and access, multiplied by their willingness to build a weapon. Today 5,000 people have the skill and access, and 0.2 % of them are willing.

(i) (1 pt) How many potential attackers are there today?	**5,000 × 0.002 = 10 potential attackers**
(ii) (2 pts) LLM assistants multiply the number of people with skill and access by 40. How many potential attackers are there now, and by what factor has the risk grown?	**200,000 × 0.002 = 400 potential attackers; the risk grew 40× (willingness is unchanged)**
(iii) (1 pt) Structured access (a vetted API) blocks 95 % of the people in (ii). How many potential attackers remain?	**400 × (1 − 0.95) = 20 remain: the risk is reduced, not removed**

Grading: (ii): 1 pt for 400, 1 pt for the 40× factor.

(c) (4 pts) For each statement write T or F. If it is false, correct it with a few words. (1 pt for T/F, 1 pt for the correction)

Statement	T / F	Correction (if false)
1. Accidents can occur only when there are competitive pressures or malicious actors.	**F**	**They can occur even in ideal circumstances (e.g., the Challenger disaster).**
2. AI risk management is mostly a technical problem that better AI systems will solve.	**F**	**It is mostly not a technical problem (it is sociotechnical: safety culture, governance, coordination).**

Q3. (12 pts) Chapter 2: AI Fundamentals

(a) (5 pts) For each scenario give the ML task (classification, regression, anomaly detection, sequence modeling, or sequential decision making) and the learning type (supervised, unsupervised / self-supervised, or reinforcement). (1 pt per row; both entries must be correct)

Scenario	Task	Learning type
1. Predict tomorrow's electricity demand from past demand and weather data	**Regression**	**Supervised**
2. Filter spam using emails that humans labeled as spam / not spam	**Classification**	**Supervised**
3. Flag a credit-card purchase that looks very unlike the customer's normal spending (no fraud labels)	**Anomaly detection**	**Unsupervised**
4. Train a language model to predict the next word on a large corpus of raw text	**Sequence modeling**	**Unsupervised / self-supervised**
5. A program learns to play a video game by trial and error, using the game score as reward	**Sequential decision making**	**Reinforcement**

(b) (3 pts) The six steps of the ML pipeline are listed in scrambled order. Write 1 to 6 for the correct order. (0.5 pt per step)

Step	Order (1–6)
Training	**4**
Deployment	**6**
Labeling	**2**
Evaluation	**5**
Choosing the architecture	**3**
Data collection	**1**

(c) (4 pts) Match each description with one type: narrow AI, AGI, human-level AI (HLAI), transformative AI (TAI), superintelligence (ASI). Each type is used at most once, and one type is not used. (1 pt each)

Description	Type
1. A system that can translate text and cannot do anything else	**Narrow AI**
2. A system defined by its impact on the world, at the level of the industrial revolution	**Transformative AI (TAI)**
3. A system capable of doing virtually everything humans can do	**Human-level AI (HLAI)**
4. A system that outclasses humans on virtually all intellectual tasks	**Superintelligence (ASI)**

Grading: AGI is the unused type.

Q4. (12 pts) Chapter 3: Single-Agent Safety

(a) (4 pts) Place each technique in one ML-safety research area: robustness, monitoring, control, or systemic safety. Each area is used once. (1 pt each)

Technique	Research area
1. Anomaly detection for out-of-distribution inputs	**Monitoring**
2. Adversarial training	**Robustness**
3. Machine unlearning of hazardous knowledge	**Control**
4. ML intrusion detection for cyberdefense	**Systemic safety**

(b) (6 pts) An anomaly detector gives each input a score and flags the input as out-of-distribution (OOD) if its score is greater than the threshold τ. OOD is the positive class.

(i) (2 pts) For τ = 0.6, fill in whether each input is flagged and its outcome (TP, FP, FN, or TN).

Input	True class	Score	Flagged at τ = 0.6?	Outcome
A	In-dist	0.12	**No**	**TN**
B	OOD	0.95	**Yes**	**TP**
C	In-dist	0.62	**Yes**	**FP**
D	OOD	0.48	**No**	**FN**
E	In-dist	0.66	**Yes**	**FP**
F	OOD	0.83	**Yes**	**TP**
G	In-dist	0.35	**No**	**TN**
H	OOD	0.70	**Yes**	**TP**

Grading: (i): 2 pts if all 8 correct, 1 pt if 6–7 correct.

(ii) (2 pts) Compute precision = TP / (TP + FP) and recall = TP / (TP + FN) at τ = 0.6.

(iii) (2 pts) Lower the threshold to τ = 0.3. Recompute precision and recall (1 pt), and state the trade-off (1 pt).

(ii) τ = 0.6	**TP = 3, FP = 2, FN = 1: precision = 3/5 = 0.60, recall = 3/4 = 0.75**
(iii) τ = 0.3	**Flagged: B, C, D, E, F, G, H. TP = 4, FP = 3, FN = 0: precision = 4/7 ≈ 0.57, recall = 4/4 = 1.0**
(iii) Trade-off	**A lower threshold catches every anomaly (higher recall) but produces more false alarms (lower precision).**

(c) (2 pts) Write T or F. If it is false, correct it with a few words. (1 pt for T/F, 1 pt for the correction)

Statement	T / F	Correction (if false)
Adversarial training fully solves adversarial robustness at no cost.	**F**	**It can cut clean accuracy (by 10 % or more) and the problem is still unsolved.**

Q5. (12 pts) Chapter 4: Safety Engineering

(a) (4 pts) A system makes a decision each time it must react. Its reliability p is the probability that one decision is correct, its number of nines is $k = -\log_{10}(1 - p)$, and the expected number of decisions until the first mistake is $1/(1 - p)$.

(i) (3 pts) Fill in the table (1 pt per row).

p	k (nines)	Expected decisions to first mistake
0.99	**2**	**100**
0.9999	**4**	**10,000**
0.99999	5	**100,000**

(ii) (1 pt) A trip needs 500 decisions and p = 0.999. What is the probability that the whole trip has no mistake?

(ii)	**0.999^500 ≈ 0.61, so about 39 % of such trips contain at least one mistake**

(b) (4 pts) Classic risk equation: Risk = Σ P(hazard) × severity(hazard). Three hazards of an AI deployment are listed below (severity in millions of dollars).

(i) (2 pts) Compute the expected annual risk of each hazard and the total (1 pt). Which hazard has the highest risk, and why (1 pt)?

Hazard	P (per year)	Severity (M$)	Risk (M$ / year)
AI-enabled ransomware	0.3	6	**1.8**
Disinformation campaign	0.02	50	**1.0**
Power-grid control failure	0.001	4000	**4.0**
Total			**6.8**

Grading: Highest: power-grid failure (a rare tail event whose severity dominates; ranking by probability alone would pick the wrong hazard).

(i) Highest-risk hazard and why	**Power-grid control failure (4.0 M$/year): a low-probability, high-severity tail event**

(ii) (2 pts) Safeguard A cuts the ransomware probability by 50 %. Safeguard B halves the severity of a grid failure. How much does each reduce the total risk (1 pt), and which one reduces it more (1 pt)?

(ii)	**A: 0.15 × 6 = 0.9, reduction 0.9 (total 5.9). B: 0.001 × 2000 = 2.0, reduction 2.0 (total 4.8). Safeguard B reduces the risk more.**

(c) (4 pts) Match each scenario with ONE safe design principle: redundancy, separation of duties, least privilege, fail-safe, antifragility, negative feedback, transparency, defense in depth. (1 pt each; each principle is used at most once)

Scenario	Principle
1. A hospital has two independent backup power generators	**Redundancy**
2. A robot arm stops moving when it loses its sensor signal	**Fail-safe**
3. The engineer who writes a code change cannot be the one who approves it	**Separation of duties**
4. A system is protected by a firewall, authentication, encryption, and monitoring together	**Defense in depth**

Grading: Redundancy = several copies of the same function; defense in depth = several different protective layers.

Q6. (12 pts) Chapter 5: Complex Systems

(a) (4 pts) Name the hallmark of complex systems illustrated by each example: emergence, non-linearity and feedback, self-organization, criticality, distributed functionality, scalable structure and power laws, or adaptive behavior. (1 pt each)

Example	Hallmark
1. Thousands of neurons follow simple local rules, yet the brain as a whole can reason, which no single neuron can do	**Emergence**
2. A post that has been shared a lot becomes more visible, so it gets shared even more	**Non-linearity and feedback**
3. Adding one more grain of rice to a pile occasionally triggers an avalanche of any size	**Criticality**
4. After cars get anti-lock brakes, drivers brake later and follow more closely	**Adaptive behavior**

(b) (4 pts) Kleiber's law: metabolic rate ∝ (body mass)^0.75. A calculator is allowed.

(i) (1 pt) By what factor does the rate grow when the mass is multiplied by 16?	**16^0.75 = 8**
(ii) (1 pt) By what factor does the rate grow when the mass is multiplied by 10,000?	**10,000^0.75 = 1,000**
(iii) (2 pts) A toy scaling law says error ∝ (data)^−0.1. By what factor does the error change when the data grows ×10? ×1,000?	**×10: 10^−0.1 ≈ 0.79 (about −21 %). ×1,000: 1000^−0.1 ≈ 0.50 (error is halved).**

Grading: (iii): 1 pt per factor.

(c) (4 pts) (1) Classify each task as a puzzle (one findable answer), a problem (several approaches, but it is clear when it is solved), or a wicked problem (social element, no flawless solution, unclear when solved). (1 pt each)

Task	Type
1. Diagnose why a web server keeps crashing	**Problem**
2. Reduce political polarization	**Wicked problem**

(2) Write T or F. If it is false, correct it with a few words. (1 pt for T/F, 1 pt for the correction)

Statement	T / F	Correction (if false)
A safe system is guaranteed to remain safe when it is scaled up.	**F**	**Not necessarily: new behaviors can emerge at scale, so scale up gradually from small safe systems.**

— End of exam —