HealthBase — database overview (ERD)

Consolidated entity-relationship views derived from project SQL (`u654420946_Healthbase.sql`, `database_schema_ehr.sql`, `database_schema_doctor_schedules.sql`, `sql/patient_profile_extra.sql`, extensions, and `ml_module/database_schema.sql`). Some tables exist only after migrations are applied.

How to get a PDF: Open this file in Microsoft Edge or Chrome → `Ctrl+P` → choose **Save as PDF** → enable **Background graphics** for diagram shading. A pre-generated `HealthBase_ERD.pdf` may be shipped alongside this HTML in the `docs/` folder when built on a machine with Edge headless.

- **Core hub:** `users` (accounts, roles) · `patients` (clinical identity, usually 1:1 with patient-role user via `user_id`)
- **Scheduling:** `appointments` links `doctor_id` → `users` and `patient_id` → `patients`
- **Optional columns:** application code may add `users.profile_photo`, `patients.date_of_birth`, `appointments.service_id`, etc., per migration scripts.

1. Identity, patients & appointments



2. Extended patient profile & chart (longitudinal)

Syntax error in text

mermaid version 10.9.5

3. EHR — consultations, prescriptions, history, reporting



4. Scheduling infrastructure

5. Authentication & password reset

Password reset rows are keyed by email token expiry; there is typically **no foreign key** to `users` in the schema.

6. ML module (optional deployment)

7. Relationship summary (quick reference)

From	To	Cardinality
`users`	`patients`	1 : 0..1 (unique `user_id` when enforced)
`users`	`appointments`	1 : N as doctor
`patients`	`appointments`	1 : N
`appointments`	`consultations`	1 : N
`consultations`	`prescriptions`	1 : N
`patients`	`patient_profile_extra`	1 : 0..1

From	To	Cardinality
`patients`	`patient_*` chart tables	1 : N
`users`	`doctor_schedules`	1 : N
`support_tickets`	`ticket_replies`	1 : N

Generated for HealthBase · Entity keys (PK/FK) and optional tables may vary by environment. Compare with `SHOW CREATE TABLE` on production.