


Main
- frame: MainFrame
+ Main(args: String[])
+ carregarInicial()



MainFrame <<Abstract>> DetailsPanel - toolBar: MainToolBar - innerDetailsPanel: JPanel - tabs: JTabbedPane - clientesTab: ClientesTab - submit: JButton - funcionariosTab: FuncionariosTab - left: GridBagConstraints - right GridBagConstraints - chocolatesTab: ChocolatesTab - vendasTab: VendasTab + DetailsPanel(titulo: String) + getInnerDetailsPanel(): JPanel + MainFrame(title String) + getSubmit(): JButton + getTabs(): JTabbedPane + getLeft(): GridBagConstraints + getClientesTab(): ClientesTab + getRight(): GridBagConstraints + getFuncionariosTab(): FuncionariosTab + getChocolatesTab(): ChocolatesTab + getVendasTab(): VendasTab ClientesTab <<Abstract>> PessoaDetails listaClientes: ListaPanel details: ClienteDetails - id: JTextField - idade: JTextField MainToolBar - ClientesTab() - nome: JTextField getListaClientes(): ListaPanel cpf: JTextField adicionarCliente: JButton getDetails(): ClienteDetails telefone: JTextField - adicionarChocolate: JButton resetListSelectionController() - email: JTextField - adicionarFuncionario: JButton - bairro: JTextField - adicionarVenda: JButton rua: JTextField - remover: JButton numero: JTextField - pesquisaLabel: JLabel FuncionariosTab cep: JTextField pesquisar: JTextField listaFuncionarios: ListaPanel + PessoaDetails(titulo: String) + MainToolBar() details: FuncionarioDetails + popularDados(pessoa: Pessoa) getAdicionarCliente(): JButton + popularDados() + getAdicionarFuncionario(): JButton + setAllEnabled(bool: boolean) + FuncionariosTab + getAdicionarChocolate(): JButton + getId(): JTextField getListaFuncionarios(): ListaPanel + getAdicionarVenda(): JButton getIdade(): JTextField getDetails(): FuncionarioDetails + getRemover(): JButton + getNome(): JTextField resetListSelectionController() + getPesquisar(): JTextField + getCpf(): JTextField + getTelefone(): JTextField + getEmail(): JTextField + getBairro(): JTextField ChocolatesTab + getRua(): JTextField + getNumero(): JTextField listaChocolates: ListaPanel + getCpf(): JTextField details: ChocolateDetails - ChocolatesTab() ClienteDetails getListaChocolates(): ListaPanel getDetails(): ChocolateDetails resetListSelectionController() categoria: JTextField - labelCategoria: JLabel VendasTab + ClienteDetails() + popularDados(pessoa: Pessoa) listaVendas: ListaPanel + popularDados() details: VendaDetails + getCategoria(): JTextField VendasTab() **FuncionarioDetails** resetListSelectionController() getListaVendas(): ListaPanel categoria: JTextField getDetails(): VendaDetails - labelCategoria: JLabel + FuncionarioDetails() + popularDados(pessoa: Pessoa) + popularDados() + getSalario(): JTextField + getCargo(): JTextField ClienteDialog details: ClienteDetails ChocolateDetails - id: JTextField - ClienteDialog(parent: JFrame) - peso: JTextField getDetails(): ClienteDetails - nome: JTextField - descricao: JTextField tipo: JTextField FuncionarioDialog precoCompra: JTextField precoVenda: JTextField details: FuncionarioDetails porcentagemCacau: JTextField dataCompra: JTextField - contemGlutem: JCheckBox FuncionarioDialog(parent: JFrame) contemLactose: JCheckBox getDetails(): FuncionarioDetails - artesanal: JCheckBox sabor: JTextField nibs: JTextField ChocolateDialog - recheio: JTextField frutas: JTextField details: ChocolateDetails - alcoolico: JCheckBox seletor: JComboBox<String> saborLabel: JLabel quantidade: JSpinner - recheioLabel: JLabel - nibsLabel: JLabel - frutasLabel: JLabel - ChocolateDialog(parent: JFrame) - alcoolicoLabel: JLabel getDetails(): ChocolateDetails - getSeletor(): JComboBox<String> getQuantidade(): JSpinner + ChocolateDetails() setAllInvisible() - setAllEditable(bool: boolean) + popularDados(selection: int, chocolate: VendaDialog Chocolate) + popularDados() cliente: JComboBox<Cliente> + showBarra() funcionario: JComboBox<Funcionario> + showChocotone() + showTrufa() + getQuantidade(): JSpinner VendaDialog(parent: JFrame) + getQuantidadeLabel(): JLabel + getId(): JTextField + getPeso(): JTextField AdicionarChocolateVendaDialog + getNome(): JTextField + getDescricao(): JTextField chocolate: JComboBox<Chocolate> + getTipo(): JTextField quantidade: JSpinner + getPrecoCompra(): JTextField submit: JButton + getPrecoVenda(): JTextField + getPorcentagemCacau(): JTextField + getContemGlutem(): JCheckBox + AdicionarChocolateVendaDialog + getContemLactose(): JCheckBox + getChocolate(): JComboBox<Chocolate> + getArtesanal(): JCheckBox + getSubmit(): Jbutton + getSabor(): JTextField + getNibs(): JTextField + getRecheio(): JTextField + getFrutas(): JTextField + getAlcoolico(): JCheckBox + getDataCompra(): JTextField VendaDetails - valor - data - cliente: JComboBox<Cliente> - funcionario: JComboBox<Funcionario> - listaChocolates: ArrayList<JComboBox<Chocolate>> - listaQuantidades: ArrayList<JSpinner> + VendaDetails + popularDados(venda: Venda) + getId(): JTextField

+ getCliente(): JComboBox<Cliente>

+ getListaQuantidades(): List<JSpinner>

+ getFuncionario(): JComboBox<Funcionario>

+ getListaChocolates(): List<JComboBox<Chocolate>>

ListaPanel

listaScroller: JScrollPane

+ ListaPanel(selection: int)

+ updateLista(text: String)

selection: int

- lista: JList<?>

+ updateLista()

+ getLista(): Jlist<?>