

ADS - Equipment SPN

SPN: Supplier Part Number

Table of Content

- 1 [Us Story:](#)
 - 1.1 [Creation of SPN objects shall be permitted only within the dedicated CS/organization: Eurodrone_Equipments/ADS_Eurodrone.](#)
Additionally, the BL updated to prevent the creation of any New Branch, New Revision, Duplicate & Advance Duplicate by users who do not possess at least the "Author" role within Eurodrone_Equipments.
- 2 [Connection:](#)
- 3 [Creation:](#)
- 4 [Creation of Equipment:](#)
- 5 [Layout:](#)
- 6 [Creation of Equipment:](#)
- 7 [Modification of Equipment:](#)
- 8 [Revision of Equipment:](#)
- 9 [QSD document attachment to SPN](#)
 - 9.1 [Forbid OOTB function for QSD Document Attachment:](#)
- 10 [Documents attachment KAC improvements](#)
- 11 [Quality Checks before promoting SPN \(Hardware/Software\) to Frozen:](#)
- 12 [Block edition/Modification of SPN \(Hardware/Software \) reference attribute](#)
- 13 [User Interface](#)
- 14 [Video](#)
- 15 [US DESCRIPTION :](#)
 - 15.1 [N2H-16871 :](#)
 - 15.2 [N2H-24529 :](#)
 - 15.3 [N2H-27263 :](#)
- 16 [SPN Data Model and Layout update](#)
- 17 [Modify SPN Layout during SPN creation and modification \(HW\)](#)
- 18 [Data Model Update](#)

Us Story:

N2H-16871 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-16872 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-17937 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-22043 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-22045 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-22044 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-22046 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-23003 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-23987 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-24529 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-25461 - Détails de la demande en cours d'obtention...	ÉTAT

N2H-27254 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-27279 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-27457 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-27405 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-27304 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-28241 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-28242 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-27263 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-28174 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-29381 - Détails de la demande en cours d'obtention...	ÉTAT
N2H-30024 - Détails de la demande en cours d'obtention...	ÉTAT

Creation of SPN objects shall be permitted only within the dedicated CS/organization: Eurodrone_Equipments /ADS_Eurodrone. Additionally, the BL updated to prevent the creation of any New Branch, New Revision, Duplicate & Advance Duplicate by users who do not possess at least the "Author" role within Eurodrone_Equipments.

Connection:

BP : Eurodrone Equipments Engineer EU

Credentials

Collaborative Space
Eurodrone_Equipments


Organization
ADS_Eurodrone

Responsibility
Leader

OK Cancel

Creation:

+ >> New content >> Equipment SPN



Creation of Equipment:

To create the SPN you must fill out the 4 mandatory attributes

- ◆ Title
- ◆ Part Number Type
- ◆ FSCM
- ◆ Management state

Layout:

Equipement SPN Management State - property panel layout

On property tab, depending on Management State Value, some attribute shall be read only (grey)

Attribute Name	If Management State = MS1	If Management State = MS2	If Management State = MS3	If Management State = MS4
Title	✓	✓	×	×
FSCM	✓	×	×	×
Supplier	✓	×	×	×
Supplier Equipment Designation	✓	✓	×	×
Equipment Type	✓	×	×	×
Management State	✓	✓	✓	✓
Optional Management State 2+	✓	✓	×	×
Model Required	✓	✓	×	×
Contract Package Reference and Issue	✓	×	×	✓ additional update in addition of attribute split
Supplier Final Offer Reference and Issue	✓	×	×	✓
PTS Reference and Issue	✓	×	×	✓
PTS Reference	✓	×	×	×
PTS Issue	✓	✓	✓	✓
DAL	✓	✓	×	×
SAL	✓	✓	×	×
EDES Reference and Issue	✓	✓	×	×
EDES Reference	✓	✓	×	×
EDES Issue	✓	✓	✓	✓
Pre-DDP Reference and Issue	✓	✓	✓	✓
Pre-DDP Reference	✓	✓	✓	×
Pre-DDP Issue	✓	✓	✓	×
DDP Reference and Issue	✓	✓	✓	✓
DDP Reference	✓	✓	✓	✓
DDP Issue	✓	✓	✓	✓
TSO	✓	✓	✓	✓
Multicore usage	✓	✓	×	×
Complex Electronic Hardware	✓	✓	×	×
Serialization	✓	×	×	×

Sal should not be a part of this list anymore since PI34

Old layout (before PI28)

Attribute Name	If Management State = MS1	If Management State = MS2	If Management State = MS3	If Management State = MS4
Name	✓	✓	×	×
FSCM	✓	×	×	×
Supplier	✓	×	×	×
Supplier Equipment Designation	✓	✓	×	×
Equipment Type	✓	×	×	×
Management State	✓	✓	✓	✓
Optional Management State 2.1	✓	✓	×	×
Model Required	✓	✓	×	×
Contract Package Reference and Issue	✓	×	×	✓
Supplier Final Offer Reference and Issue	✓	×	×	✓
PTS Reference and Issue	✓	×	×	✓
DAL	✓	✓	×	×
SAL	✓	✓	×	×
EDES Reference and Issue	✓	✓	✓	✓
Pre-DDP Reference and Issue	✓	✓	✓	✓
DDP Reference and Issue	✓	✓	✓	✓
TSO	✓	✓	✓	✓
Multicore usage	✓	✓	×	×
Complex Electronic Hardware	✓	✓	×	×

Before Hoth : For update datamodel, refer to this feature: [T3DEXPOP-22478] [N2H] Equipment SPN management - Factory JIRA (airbus.corp)

Properties page :

Properties

Current selection: 00050009-Series

Equipment SPN Reference Unused Ref Attribute - do not fill Part Graphic Mechanical Behavior Revisions Change Configuration

Type Equipment SPN

Title 00050009

Manufacturable/Procureable ☒ True ☐ False

Part Number Type Series

Serialization ☐ True ☒ False

Equipment Supplier

Supplier Equipment Designation

Equipment Type

Management State MS1

Multicore usage ☐ True ☒ False

Model Required ☒ True ☐ False

Complex Electronic Hardware

TSO

PTS Issue

PTS Reference

Equipment DAL Level

SAL

EDES Issue

Pre-DOP Issue

DOP Issue

EDES Reference

Pre-DOP Reference

DOP Reference

FSCM FSCM

From [Hoth](#) : New datamodel : [DATAMODEL-SPN02102024.pdf](#)

Properties page :

Properties

Current selection: 111311111-Development

Equipment SPN Reference Unused Ref Attribute - do not fill Part Graphic Mechanical Behavior Revisions Change Configuration

Type Equipment SPN

Title 111311111

Part Number Type Development

FSCM FSCM

Airbus Part Number 111311111-FSCM-Development

Management State MS2

Equipment Supplier

Supplier Equipment Designation

Equipment Type

Complex Electronic Hardware

Equipment DAL Level

TSO

Serialization

Multicore Usage

For Ground Use Only

Military

Model Required

PTS Reference

PTS Issue

EDES Reference

From [Lusitania](#), for Attribute Equipment DAL, drop down list of values: ('blank/empty', A, B, C, D, E, N/A')

Properties

Current selection: 111311111-Development

Equipment SPN Reference Unused Ref Attribute - do not fill Part Graphic Mechanical Behavior Revisions Change Configuration

Type Equipment SPN

Title 111311111

Part Number Type Development

FSCM FSCM

Airbus Part Number 111311111-FSCM-Development

Management State MS2

Equipment Supplier

Supplier Equipment Designation

Equipment Type

Complex Electronic Hardware

Equipment DAL Level

TSO

Serialization

Multicore Usage

For Ground Use Only

Military

Model Required

PTS Reference

PTS Issue

EDES Reference

More...

OK Apply Close

Creation of Equipment:

To create the SPN you must fill out the 4 mandatory attributes

- ◆ Title
- ◆ Part Number Type
- ◆ FSCM
- ◆ Management state

- Title (OOTB attribute)
 - Naming rule for Title allows:
 - Capital letter ,
 - Digits/numbers,
 - Special characters allowed only (dot, dash and slash),
 - Up to total 24 characters length max
 - Blank spaces not allowed.

On Equipment Creation panel window

- Enter Part Number Type
- Enter FSCM (Value of FSCM limited to 5 letters)
- Management state

 Equipment SPN creation is successful
(Provided all other checks are in place.)

Else -

Equipment SPN creation is not possible because the title is not satisfying the checks
(Lower case, Special chars, space - Not Allowed)

 Title is Empty or not correct. Please use a correct pattern

- Part Number Type (AIRBUS_E_SPNCHARACTERISTICS_PNType) shall be set with value different to empty during creation

On Equipment Creation panel window
Go to Equipment SPN tab
Scroll down for AIRBUS_E_SPNCHARACTERISTICS_PNType attribute
Select any value from drop down say, Series

 Equipment SPN creation is successful
(Provided all other checks are in place.)

Else -

Equipment SPN creation is not possible because the title is not satisfying the checks

 Error detected on attribute AIRBUS_E_SPNCHARACTERISTICS_PNType: Attribute AIRBUS_E SONCHARACTERISTICS_PNType is empty. Please select appropriate value from dropdown list.

- Airbus Part Number attribute (AIRBUS_E_Identification_AirbusPartNumber) shall be filled automatically with value containing in attribute:
 - Title, FSCM, Part Number Type
 - separator shall be a dash (-)

 Airbus Part Number attribute (AIRBUS_E_Identification_AirbusPartNumber) shall be filled automatically
<Title>-< FSCM>-<AIRBUS_E_SPNCHARACTERISTICS_PNType>

- Attribute Management State (AIRBUS_E_SPNCHARACTERISTICS_ManagementState)

On Equipment Creation panel window
Go to Equipment SPN tab
Scroll down for attribute Management State (AIRBUS_E_SPNCHARACTERISTICS_ManagementState)
Click on Drop down arrow

(Drop down values should be available as per below logic)

- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Series, all value in Drop down list is selectable
- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Laboratory, only value MS1 & MS2 are selectable
- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Development, only value MS1, MS2 & MS3 are selectable

 Drop down list should be visible for Attribute Management State (AIRBUS_E_SPNCHARACTERISTICS_ManagementState)

On Equipment Creation panel window
Go to Equipment SPN tab
Scroll down for AIRBUS_E_EQ_SPNCharacteristics_military and AIRBUS_E_EQ_SPNCharacteristics_ForGroudUseOnly attributes
Select any value (True of False)

(Values should be available as per below logic)

- If AIRBUS_E_SPNCHARACTERISTICS_ManagementState=MS1 or MS2 :
 - Value of AIRBUS_E_EQ_SPNCharacteristics_military attribute can be editable
 - Value of AIRBUS_E_EQ_SPNCharacteristics_ForGroudUseOnly attribute can be editable
- If AIRBUS_E_SPNCHARACTERISTICS_ManagementState=MS3 or MS4 :
 - Value of AIRBUS_E_EQ_SPNCharacteristics_military attribute can be editable
 - Value of AIRBUS_E_EQ_SPNCharacteristics_ForGroudUseOnly attribute can't be editable (it should be grayed)

Modification of Equipment:

- Title (OOTB attribute) shall be limited to

Capital letter ,

Digits/numbers,

Special characters allowed only (dot, dash and slash),

Up to total 24 characters length max

Blank spaces not allowed.

On 3DExperience

Global Search >> Type and Search for any existing data >> Open >> Right click >> Properties

- After revising of item (revision different to revision A), art Number Type (AIRBUS_E_SPNCHARACTERISTICS_PNType) shall not be modifiable

Open existing object with later Revision (Revision other than Rev A) Right click >> Properties >>
Part Number Type (AIRBUS_E_SPNCHARACTERISTICS_PNType)



After revising of item (revision different to revision A), Part Number Type (AIRBUS_E_SPNCHARACTERISTICS_PNType) should not be modifiable

- For attribute Management State (AIRBUS_E_SPNCHARACTERISTICS_ManagementState), and during edition of properties with function edit properties, spreadsheet, sheet editor, right clic properties

Open existing object edit properties with spreadsheet, sheet editor or right click Properties >>
Attribute Management State (AIRBUS_E_SPNCHARACTERISTICS_ManagementState) is editable



During edition, Airbus Part Number attribute (AIRBUS_E_Identification_AirbusPartNumber) should not be modifiable (edit properties, spreadsheet, sheet editor or right click properties) is editable on below rule only-

- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Series, all value in Drop down list is selectable
- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Laboratory, only value MS1 & MS2 are selectable
- If AIRBUS_E_SPNCHARACTERISTICS_PNType=Development, only value MS1, MS2 & MS3 are selectable

Revision of Equipment:

In Collaborative Lifecycle app, maturity stage of Equipment can be changed.

In tab Equipment SPN Management State = MS1 (example) **##Management state should not be empty.**

Pre-requisites:

If someone of this attributes are not filled when the management state is MS1

Promote the SPN to frozen is **impossible.**

Attributes needs to be filled:

- Name= Title
- FSCM
- Supplier
- Supplier Equipment Designation
- Equipment type
- Model required (ticked true or false no matter)
- Contract Package Reference and Issue
- Supplier Final Offer Reference and issue
- PTS reference and issue
- model required = True/ False (no matter)

*New revision creation is blocked when the Maturity stage of equipment is in "Work" and in "Frozen".

Warning Message: "Please, release current SPN Management State before creating next one".

*New revision of Equipment is created successfully only when the Maturity stage of Equipment is promoted to "Released".

QSD document attachment to SPN

{*}Section: "{*}Equipment Management" + icon for Know how

Function name: "Equipment doc attachment"

The command dialog box looks like this: QSD documents Attachment

QSD documents attachment to SPN

SPN selection

Selected Object: SPN-HW-MS2-001-Development MS1 B

QSD Documents Selection

PTS - Document selection

Attached Document: MALE-PTS-2560001 Selected Document: No selection

PRE-DDP - Document selection

Attached Document: MALE-PREDDP-256 Selected Document: No selection

DDP - Document selection

Attached Document: MALE-FDDP-25600 Selected Document: No selection

OK Cancel

The matching between SPN (SW or HW) attributes and attached Documents type are as follows:

- The document type will be identify following its name according to the following rules:

MALE-<acronym>-xx6xxxx

with acronym

for PTS Document : acronym = PTS e.g MALE-PTS-XX6XXXX

for Pre-DDP Document: acronym = PREDDP e.g MALE-PREDDP-XX6XXXX

for DDP Document: acronym = FDDP e.g MALE-DDP-XX6XXXX

From *Lusitania*, No naming rule will be applied for QSD

if Document name contain "PTS" after "MALE" then

- feed the SPN **PTS Reference** = Document Name
- feed The SPN **PTS Issue** = Document revision

if Document name contain "PREDDP" after "MALE" then

- feed the SPN **Pre-DDP Reference** = Document Name
- feed The SPN **Pre-DDP Issue** = Document revision

if Document name contain "DDP" after "MALE" then

- feed the SPN **DDP Reference** = Document Name
- feed The SPN **DDP Issue** = Document revision


Only non superseded documents can be attached to SPN-(Attached Document should not be in superseded state)

Forbid OOTB function for QSD Document Attachment:

Not able to attach Manually a QSD documents (PTS, PREDDP, DDP)

Only using the Dedicated tool (Know how application) in order to synchronize the dedicated attributes. Nevertheless for all other QSD documents or documents it should remain possible.

If user use the OoTB function in rich client to attach the document Pre DDP, DDP or PTS, an error shall inform him he has to use the Know how application to ensure attribute synchronization




Documents attachment KAC improvements

As a Eurodrone equipment, I want to be able to synchronize manually the attributes (PTS, Pre DDP and DDP) with the corresponding attached documents in case of issue on the attach document tool

A new button "Synchronization" will be added closed to "OK" button to allows the user to synchronize all attributes (PTS, Pre DDP and DDP: reference and revision) with the attached documents

The tool will verify if PTS, Pre DDP and PDD attributes are synchronized or not with the corresponding attached documents:

- If yes a message inform him that all attributes are synchronized (reference and revision) and there is nothing to be performed
- if not a message inform him about the Gap and will synchronize the attributes with the attached documents. if a document has been detached manually, then the corresponding attribute will becomes empty



Quality Checks before promoting SPN (Hardware/Software) to Frozen:

1. Check about mandatory attributes per MS# should be as per Boom file

<https://docs.google.com/spreadsheets/d/1J54iPO5VQaJBcPnDfKhKAKg6nLixB1ahJcKwoRYqcsg/edit?gid=1771167851#gid=1771167851>

For PTS for MS1,MS2,MS3,MS4

PREDDP for MS3 & MS4

DDP for MS3 & MS4

Block edition/Modification of SPN (Hardware/Software) reference attribute

Edition/modification of the following SPN attributes should be possible only through the QSD Documents attachment, whatever the SPN reference status is.

- **PTS Reference** = Document Name
- **PTS Issue** = Document revision
- **Pre-DDP Reference** = Document Name
- **Pre-DDP Issue** = Document revision
- **DDP Reference** = Document Name
- **DDP Issue** = Document revision

User Interface

Video



Equipment SPN MS2-In...ork & Released-1.mp4



Equipment SPN MS2-In...ork & Released-2.mp4



Equipment SPN MS2-Sperseded.mp4



Equipment SPN MS4-I...work & Released.mp4



N2H_25461_INT14_OK.mp4

US DESCRIPTION :

N2H-16871 :

according to already BL implemented through feature T3DEXPOP-17480

BL to update

remove the existing checks related to the attribute Optionnal Management State 2.1 :

Functional Architecture Description

UC_05 : Equipment Development Impact on existing BL - new behaviour

[Airbus Amber]

Removal of check related to MS2.1 on BL

✓ = Should be fill to promote to Frozen

Attribute Name	If Management State = MS1	If Management State = MS2	If Management State = MS3	If Management State = MS4
Title	✓	✓	✓	✓
FSCM	✓	✓	✓	✓
Supplier	✓	✓	✓	✓
Supplier Equipment Designation	✓	✓	✓	✓
Equipment Type	✓	✓	✓	✓
Management State	✓	✓	✓	✓
Optional Management State-2.1		✗	✗	✗
Model Required	✓	✓	✓	✓
Contract Package Reference and Issue	✗	✗	✗	✗
Supplier Final Offer Reference and Issue	✗	✗	✗	✗
PTS Reference	✓	✓	✓	✓
PTS Issue	✓	✓	✓	✓
DAL	✓	✓	✓	✓
SAL	✓	✓	✓	✓
EDS Reference and Issue	✗	✗	✗	✗
EDES Reference	✓	✓	✓	✓
EDES Issue	✓	✓	✓	✓
Pre-DDP Reference and Issue	✗	✗	✗	✗
Pre-DDP Reference	✓	✓	✓	✓
Pre-DDP Issue	✓	✓	✓	✓
DDP Reference and Issue	✗	✗	✗	✗
DDP Reference	✓	✓	✓	✓
DDP Issue	✓	✓	✓	✓
TSO	✓	✓	✓	✓
Part Number	✗	✗	✗	✗
Type	✗	✗	✗	✗

Part Number Type not to be included as it is mandatory at creation and not editable

according to checks already in place through feature implemented T3DEXPOP-17480 <https://jira.factory.eu.airbus.corp:8443/browse/T3DEXPOP-17480>

Property Panel, layout:

on property tab, depending on Management State Value, some attribute shall be read only (grey)

Functional Architecture Description

Lock of some attributes BL behavior updated with new Data Model

MS1 → MS2 → MS3 → MS4

✓ = Editable ✗ = Read Only

Attribute Name	If Management State = MS1	If Management State = MS2	If Management State = MS3	If Management State = MS4
Title	✓	✓	✗	✗
FSCM	✓	✓	✗	✗
Supplier	✓	✓	✗	✗
Supplier Equipment Designation	✓	✓	✗	✗
Equipment Type	✓	✓	✗	✗
Management State	✓	✓	✓	✓
Optional Management State-2.1	✗	✗	✗	✗
Model Required	✓	✓	✗	✗
Contract Package Reference and Issue	✗	✗	✗	✗ additional update in addition of attribute split
Supplier Final Offer Reference and Issue	✗	✗	✗	✗
PTS Reference	✓	✓	✗	✗
PTS Issue	✓	✓	✗	✗
DAL	✓	✓	✗	✗
SAL	✓	✓	✗	✗
EDS Reference and Issue	✗	✗	✗	✗
EDES Reference	✓	✓	✗	✗
EDES Issue	✓	✓	✗	✗
Pre-DDP Reference and Issue	✗	✗	✗	✗
Pre-DDP Reference	✓	✓	✓	✗
Pre-DDP Issue	✓	✓	✓	✗
DDP Reference and Issue	✗	✗	✗	✗
DDP Reference	✓	✓	✓	✓
DDP Issue	✓	✓	✓	✓
TSO	✓	✓	✓	✓
Multicore usage	✓	✓	✗	✗
Complex Electronic Hardware	✓	✓	✗	✗
Serialization	✓	✓	✗	✗

Part Number Type not to be included as it is mandatory at creation and not editable

Note: Check existnece of the deprecated attribute in th eLayout, BL, any command or any knowledge resources.

TEST CASES:

after promote reference to frozen, check if condition is respected.

previous implementation shall be controlled

N2H-24529 :

Attributes Layout Modification

The following Attributes should be located in "Equipment SPN" tab with the rest of the equipment attributes:

'SPN Title' attribute (currently in "Unused Ref Attribute - do not fill" tab).

'FSCM' attribute (currently in "Reference" tab).

Videos:



INT3_IX_DR_SPN_attribu...ecycle_editability.mp4



INT3_IX_DR_SPN_attri...ecycle_mandatory.mp4

[N2H-27263 :](#)

SPN Data Model and Layout update

Modify SPN Layout during SPN creation and modification (HW)

During SPN creation

- the following attributes shall not be displayed:
 - Design Range
 - Collaborative Policy
 - Business Type
 - English Title
 - Manufacturable/procurable
 - **SAL (hidden at creation)**

- The following attributes shall be displayed in this specific order

Title (SPN)
Part Number type
FSCM
Airbus Part Number
Management State
Equipment Supplier
Equipment Supplier Designation
Equipment Type
Complex Electronic Hardware
Equipment DAL Level
SAL (should be hidden)
TSO
Manufacturable/Procurable
Serialization
Multicore usage
For Ground use Only
Military
Model required
PTS Ref
PTS issue
EDES Ref
EDES issue
Pre-DDP ref
Pre-DDP issue
DDP ref
DDP issue

After creation (Equipment SPN tab):

- To have the same layout as the Creation Tab,
- in addition, these attributes shall be Hidden or Added to the specif Tab "Unused Ref Attribute - do not fill"
 - Design Range
 - Collaborative Policy
 - Business Type
 - English Title
 - Manufacturable/procurable
 - SAL (hidden at creation)

Data Model Update

- Serialization Attribute (TRUE/FALSE), to be set to TRUE by default.

- Attribute display should display the attribute name and not the technical ones