

How to create Stacking Table PDFa

Related User Stories

[N2H-20863](#)

 **N2H-24057** - [N2H][ADS] stacking table attachment during creation & update -T3DEXPOP-21108 - PART 2 FINI


The Stacking Table PDFa is used to create and attach a PDFa file to the Data we have in the 3DX. The Data inside the PDF file shows us the information of the Data we have created in 3DX, it shows us their line orientations alongside with the right colourisations and the type of data used in the SA for example.

Connection

Connect to the 3DX using the Eurodrone launcher with the following credentials:

- Organisation: ADS_Eurodrone
- Collab Space: Eurodrone_Design /Eurodrone_Design_Internal
- Role: Leader or Author

If you connect with different credentials and try to launch the command Stacking table PDF an error message appears "**You do not have the correct role for this function**"



Stacking Table PDFa

The way to create the Stacking Table PDFa is by **CAD Authoring App** in 3DX.

- Import data, the data is provided by the business

E.P [Y53S01908-409 A.1 In Work Storable Assembly CPT DFM Master Template StorableAssembly_CPT.3dxml](#)
[Y53S21908-401 A.1.3dxml](#)

- In the **CAD Authoring App**, click on **Document tab** and on this icon

- After we **click** on the **Icon**, a **Pop-up** appears, **select** the **SA** that we have and click on **OK**.

💡 SA with technological code CPT must be contain an Extended Item PLY with core simple group, If not error message appears >>" **Selected Item shall be Composite Storable Assembly**"

and

💡 If this is the first time you run the command, It is necessary to expand the Extended Item PLY in the tree, where the core simple group is visible. if not message appears >> "**Please ensure the PLY composite data is loaded in session and relaunch the function.**"

- The **PDF** has been successfully attached and we can see the **document** attached in **Mode explore**
- If you want to make another PDF after you have already attached one

If a document is already attached to the structure, and the name matches the one being attached by the function, it will automatically be detached. If a document is detached,

the data is saved in rich client an refresh in exploration mode manually by the user. Due to this, two popups have been added to ensure the user has that information:

A new document cannot be attached unless:

If doc was detached -> **Document detached, please save edit mode then collapse and refresh Storable Assembly in exploration mode and launch the function again**

If function is launched again before saving -> **PDF file attachment failed, please ensure the data is up to date in exploration mode and save in edit mode.**

If the document was attached without issue:

PDF file attached successfully

The colorization of PDF corresponds with Table 1. Orientation and ply colors

4.7.2 Graphical Representation of the Plies Orientation

RULE: Define composite DDS complying with following name, value and colour convention on standard plies orientations, as defined in Table 1:

Table 1: Orientation and ply colours

NAME	VALUE	COLOR	RGB CODE
0	0°	GREEN	R = 0 G = 255 B = 0
90	90°	BLUE	R = 0 G = 0 B = 255
45	45°	RED	R = 255 G = 0 B = 0
135	135°	LIGHT GREY	R = 190 G = 190 B = 190
75	75°	PURPLE	R = 150 G = 100 B = 255
105	105°	LIGHT PURPLE	R = 200 G = 150 B = 255
60	60°	GREY	R = 128 G = 128 B = 128
120	120°	WHITE	R = 255 G = 255 B = 255
30	30°	ORANGE	R = 255 G = 150 B = 0
150	150°	LIGHT ORANGE	R = 255 G = 200 B = 100
15	15°	PINK	R = 255 G = 0 B = 128
165	165°	LIGHT PINK	R = 255 G = 150 B = 200
INDIFFERENT	999°	TURQUOISE BLUE	R = 0 G = 255 B = 255

PDF/A- Creation

Before generating the PDF file, the user has to manually tick the PDF/A compliance option in the Excel Setting (see beginning of the video).

Since Excel is deactivated for the implementation team, this setting has to be done manually (only once).

The setting was already set by default since ETNA with a Request raised to Technical Architecture and the help of Sopra Steria Team - It was documented in TMSSB-1123, apparently this Ticket is not available anymore.

See video [Stacking_Table_PDFA_Compliance.mp4](#)

Not possible to test this part in integration platform without excel available. In France we don't have excel licences.

Video

Test Description

- As designer, I want to retrieve Stacking Table PDFA attached to Storable Assembly.

Acceptance criteria:

CS:

Eurodrone_Design
Eurodrone_Design_Internal

BP:

Eurodrone Design Leader EU
Eurodrone Designer EU
Eurodrone Design Leader LND
Eurodrone Designer LND
Eurodrone Design Leader Extended Quality EU

- Document used is the OOTB Document
- Numbering rules of the document container shall be calculated automatically according to the Storable Assembly selected:
 - [Father Airbus Part Number] - PLY01 - [Father Revision letter] (e.g. X1231234520000-PLY01-A)
- The container shall be linked automatically to the Storable Assembly selected.
- Only One file can be linked to the Storable Assembly.
- During an update for the same revision of Item, the file attached to the container shall be Replaced by the new stacking table file.

refer to existing story [N2H-13827](#)

Block the creation of the pdf "Stacking Table" when there are no core samples defined in the PLY

[N2H-29380](#)

Description

The goal of this Feature is to update the "Stacking Table PDF" command in order to accept the csv file generated by the CoreSample OOTB tool with different naming rules.

Update of the Staking Table PDF Command

AS IS:

The process to generate the "Stacking Table PDF" is to manually generate the csv first using the OOTB functionality and then to use the the app "CAD Authoring" and the command "Stacking Table PDF" to select the csv. This will generate the PDF, colorize it and then attach it to the PS.

- STEP 1: The user exports the csv file, which is automatically named like "Yxxxxxxx-xxx-PLY001 A.1" (with the space between the APN and the Rev):

- STEP2: The user has to use the command "Stacking Table PDF" in the app "CAD Authoring" to select the csv file. The problem is that the file cannot be selected if it is not named according to the following rule: "Yxxxxxxx-xxx-PLY001-A.1" (with the "dash"). That means that each user that creates a CPT have to do a manual modification of the name of each csv and add the "dash" to be able to use the functionality and generate the PDF properly. Otherwise, the following error message appears:

TO BE:

To be able to read the file generated by the OOTB tool correctly, we need to:

1. Modify the name check on the "Stacking Table PDF" command in order to allow csv files with both the actual naming rule containing a "dash" but also the one with "space".

Example:

Yxxxxxxx-xxx-PLY001-A.1

Yxxxxxxx-xxx-PLY001 A.1

2. For the naming of the PDF generated by this command check if the imported file name was taken into account.

If not, the the APN-Rev name should be ok.

Otherwise in case the is a blank space on the selected csv file, replace it by a Dash.



This last action can only be tested by the business because Excel isn't available in test environnements.