

APC\_9056\_TS\_loop.vi


C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM

Connector Pane


APC\_9056\_TS\_loop.vi (4806)




This example demonstrates the procedure required to apply different NI-DAQmx Custom Scales to each virtual channel in a task. A DAQmx Task Property Node (Functions >> NI Measurements >> DAQmx - Data Acquisition >> DAQmx Advanced Task Options) is used to obtain the task's virtual channels. A DAQmx Channel Property Node (Functions >> NI Measurements >> DAQmx - Data Acquisition) is then used to set the custom scale for each virtual channel in the task.

The "DAQmx Create Scale" VI creates a custom scale for each channel in the channel list. \*Note, make sure your Minimum and Maximum channel parameters are consistent with the range the scale will create.

Front Panel



Printed on 7/6/2026 at 4:00 PM






APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM




APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM







APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM






APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM








APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM







APC\_9056\_TS\_loop.vi

C:\LabVIEW PROJECT\MONARCH\APC\_9056\_TS\_loop.vi

Last modified on 7/6/2026 at 2:46 PM

Printed on 7/6/2026 at 4:00 PM

