

API Manual

Reference of the HTTP routes of the Data Management Portal

Generated on: 23/07/2026

Base: /api

Authentication: JWT HS256 (Bearer)

1. Fundamentals

Every route lives under /api. The portal works in a subfolder: at `http://server/data`, the base is `http://server/data/api`. Bodies and responses are JSON; errors carry the message in `erro`.

```
{ "erro": "Usuario ou senha invalidos." }
```

Authentication

Login returns a JWT token that accompanies the other calls:

```
Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9...
```

Response codes

Code	Meaning
200	Success with a body.
201	Record created.
204	Success, no body.
400	Invalid request.
401	Missing or invalid token.
403	Not allowed.
404	Not found.
422	Data rejected.
429	Attempt limit.

Roles

Role	Can do
leitura	Read the allowed modules.
escrita	Read and maintain records.
admin	Plus users, lists and configuration.
master	Plus audit and actions on another master.

2. Session and account

POST /auth/login

Access: public

Authenticates and returns the token. With two-step verification, e-mails a code and returns a temporary token.

Request

```
{ "usuario": "admin", "senha": "SenhaForte1" }
```

Response

```
{
  "token": "eyJ0...",
  "usuario": { "id": 1, "username": "admin", "role": "master" }
}
```

GET /auth/me

Access: authenticated

Data of the current account, including whether it has a photo.

Response

```
{ "id": 1, "username": "admin", "role": "master", "tem_foto": true }
```

POST /auth/change-password

Access: authenticated

Changes the password and invalidates previous tokens.

Request

```
{ "senha_atual": "X", "senha_nova": "Y" }
```

Response

```
{ "ok": true }
```

3. Databases and governance modules

The modules share the same set of routes, only the name in the path changes. Available: acessos, bancos, mudancas, backup, restore, dicionario, integracoes, jobs.

Route	Does
GET /{modulo}	Lists, with search and pagination.
POST /{modulo}	Creates a record.
PUT /{modulo}/{id}	Updates a record.
DELETE /{modulo}/{id}	Removes a record.

Route	Does
DELETE /{modulo}/lote	Removes several at once.

POST /bancos

Access: write access to the module

Registers a database. It is the central registry reused by Access, Backup, Restore, Dictionary and Jobs. A database is unique by the pair server (hostname) + name.

Request

```
{
  "nome": "SOMA",
  "servidor": "SRV-SOMADB",
  "motor": "SQL Server",
  "ambiente": "Produção",
  "host": "10.0.0.5",
  "porta": "1433",
  "ipv6": "2001:db8::5",
  "porta_ipv6": "1433"
}
```

Response

```
{ "id": 3 }
```

Servidor stores only the hostname (without the database). host/porta are the IPv4 address; ipv6/porta_ipv6 the IPv6.

POST /acessos

Access: write access to the module

Creates an access. Natureza distinguishes a user account from a service account; the database is picked from the registry and fills the server.

Request

```
{
  "data": "2026-07-23",
  "usuario": "APP_BUSCA_CADASTRO",
  "tipo": "Login SQL",
  "natureza": "Serviço",
  "objeto": "SOMA",
  "servidor": "SRV-SOMADB",
  "status": "Ativo"
}
```

Response

```
{ "id": 42 }
```

POST /mudancas

Access: write access to the module

Creates a change. The bancos field accepts several affected databases, comma separated.

Request

```
{
  "codigo": "CHG-001",
  "ambiente": "Produção",
  "tipo": "DDL",
  "bancos": "SOMA – SRV-SOMADB, RH – SRV-RH",
  "descricao": "Nova coluna",
  "status": "Aprovada"
}
```

Response

```
{ "id": 7, "objetos": [] }
```

4. Configuration and support

Route	Access	Does
GET /dashboard/stats	authenticated	Home screen figures.
GET /tipos	authenticated	Cadastro lists.
POST /tipos	admin	Creates a list option.
GET /config/projeto	authenticated	Name, logo and session.
PUT /config/email	admin	Saves the SMTP.
GET /auditoria	master	Audit trail.
GET /documentacao/api	authenticated	This manual as PDF.

The documentation routes have an English version with the -en suffix.