

API Manual

Reference of the HTTP routes of the Data Management Portal

Generated on: 03/08/2026

Base: /api

Authentication: JWT HS256 (Bearer)

1. Fundamentals

Every route lives under /api. Bodies and responses are JSON; errors carry the message in erro. Login returns a JWT token sent in the Authorization header.

```
Authorization: Bearer eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9...
```

Roles

Role	Can do
leitura	Read allowed modules.
escrita	Read and maintain records.
admin	Plus users, lists, configuration and certifications.
master	Plus audit, actions on another master and deleting certifications.

2. Session, users and modules

POST /auth/login

Access: public

Authenticates and returns the token (or e-mail code, if MFA).

Request

```
{ "usuario": "admin", "senha": "SenhaForte1" }
```

Response

```
{ "token": "...", "usuario": { "id": 1, "role": "master" } }
```

POST /usuarios

Access: admin

Creates a user; accepts network login, department and position. Blank password generates a temporary one.

Request

```
{
  "username": "bdias",
  "login_rede": "CORP\\bdias",
  "departamento": "TI",
  "funcao": "DBA",
  "role": "leitura",
  "modulos": ["acessos"]
}
```

Response

```
{ "id": 7 }
```

Governance modules share the same routes (GET/POST/PUT/DELETE /{module}). Available: acessos, bancos, mudancas, backup, restore, dicionario, integracoes, jobs.

3. Access Certification

Access certification history. The cross-check itself runs in the browser (real CSV x registered Access); these routes store and query the summary. The portal never connects to the database.

GET /certificacoes

Access: admin

Lists the history, newest first.

Response

```
[
  {
    "id": 4, "banco": "XYZ", "servidor": "SRV-XYZ", "motor": "SQL Server 2017",
    "periodo": "2o semestre 2026", "executor": "guilherme",
    "usuarios_banco": 12, "conformidade": 30, "nao_documentados": 1, "defasados": 2,
    "excecoes": "{...}", "criado_em": "2026-08-03 10:00:00"
  }
]
```

POST /certificacoes

Access: admin

Saves a cycle summary. The executor is always the logged-in user (not accepted from the client). Does not store the raw permissions CSV.

Request

```
{
  "banco": "XYZ", "servidor": "SRV-XYZ", "motor": "SQL Server 2017",
  "periodo": "2o semestre 2026",
  "usuarios_banco": 12, "conformidade": 30,
  "nao_documentados": 1, "defasados": 2,
  "excecoes": { "nao_documentados": [{"u":"joao","p":"db_owner"}], "defasados": [] }
}
```

Response

```
{ "id": 4 }
```

DELETE /certificacoes/{id}

Access: master

Removes a certification from history. Master only: an admin registers but cannot delete -- preserves the trail, like Audit.

Response

204 no body

4. Configuration and support

Route	Access	Does
GET /dashboard/stats	authenticated	Home figures.
GET /config/projeto	authenticated	Name, logo, session.
GET /auditoria	master	Audit trail.
GET /documentacao/api	authenticated	This manual as PDF.

The documentation routes have an English version with the -en suffix.