

Data Management Portal

User Manual

Complete guide to portal navigation and features

Version updated with the Jobs & Routines module

Internal document — valid for the current version of the portal

Table of Contents

Table of Contents	2
1. Introduction	4
2. Accessing the portal	4
2.1 Two-step verification (MFA)	4
2.2 Forgot my password	4
3. General navigation	4
3.1 Sidebar (menu)	4
3.2 Top bar	4
3.3 User menu	4
4. Access roles	5
5. Dashboard (Overview)	5
6. Data modules	5
6.1 Table toolbar	5
6.2 Access — access matrix	6
6.3 Changes — change register	6
6.4 Backup & Restore	7
6.5 Data Dictionary	7
6.5.1 Bulk import (CSV)	7
6.6 System integrations	8
6.6.1 Discovery panel	8
6.7 Jobs & Routines	8
7. Reports	9
7.1 Date range filter	9
7.2 Per-module export	9
7.3 Full export	9
8. Administration	9
8.1 Register	9

8.2 Users	10
8.3 Roles (permissions)	10
8.4 E-mail	10
8.5 Settings	10
9. Audit	10
9.1 Filters	10
9.2 Event detail	10
10. My profile	10
11. Security and session	11

1. Introduction

The Data Management Portal is the system used to centralise control of database access, record production changes, track backup policies and restore tests, maintain the data dictionary (column catalogue), document system integrations, manage scheduled jobs and routines, and generate reports — all in one place, without relying on scattered spreadsheets.

The portal is divided into data modules (Access, Changes, Backup, Restore, Data Dictionary, System Integrations and **Jobs & Routines**), a Reports area, an Administration area (visible only to Administrator and Master profiles), and the Audit area (visible only to the Master profile).

This manual describes what each screen does. Administration and Audit actions only appear in the sidebar for users with the corresponding role — it is normal for regular users not to see those options.

2. Accessing the portal

The login screen asks for a username and password. There is no self-registration: accounts are created by an Administrator under Administration > Users (section 8.2).

2.1 Two-step verification (MFA)

If your account has two-step verification enabled, after entering your username and password the portal sends a 6-digit code by e-mail, valid for 10 minutes. Enter the code on the next screen to complete login. If the code does not arrive, use the Resend code button.

MFA is enabled under My Profile (section 11) and only works if the portal e-mail server is configured and tested — otherwise the system blocks activation to prevent the user from locking themselves out.

2.2 Forgot my password

There is no automatic password recovery by e-mail. Anyone who forgets their password should contact the portal administrator, who can reset it under Administration > Users. After a reset, the user must change the password on first login, and previous sessions are ended.

3. General navigation

3.1 Sidebar (menu)

The main menu is on the left, with the data modules at the top and, further down, the Administration group (Admin/Master only). The menu can be collapsed by the button at the top of the sidebar, and on smaller screens it hides behind the menu button.

3.2 Top bar

- **Search:** filters the records of the current screen by text (data module screens only).
- **Light/dark theme:** switches the portal appearance between light and dark.
- **Language (PT/EN):** switches the interface text between Portuguese and English.
- **Add:** opens the new-record form for the current module (hidden on screens without direct entry, such as Reports and Audit).

3.3 User menu

At the bottom of the sidebar is your name/avatar (opens My Profile), the Change password button and the Sign out button.

4. Access roles

Each user has a role that defines what they can see and do in the portal:

Role	What it allows
Read	Views the modules allowed to the user, without creating, editing or deleting records.
Write	Creates, edits and deletes records in the modules allowed to the user.
Administrator	Full access: all modules, Users, Roles, Register, E-mail and project Settings.
Master	Everything the Administrator can do, plus being the only profile with access to the Audit trail.

For the Read and Write roles, the allowed modules are set individually under Administration > Roles (section 8.3). Administrator and Master always have access to all modules.

5. Dashboard (Overview)

This is the first screen after login. It gathers key environment figures into cards:

Card	What it shows
Active access	Number of access records with "Active" status, out of the total.
Access to review	Access records whose planned review date is approaching.
Changes (30 days)	Changes recorded in the last 30 days and how many are still pending.
Last restore test	How many days ago the last restore test was recorded.
Dictionary items	Total columns catalogued in the Data Dictionary.
Mapped integrations	Total system-to-system connections recorded in Integrations.
Registered jobs	Total jobs and routines recorded and how many are active.

Below, the Attention signals section highlights points to check: databases without a recent restore test, columns classified as sensitive/PII, databases already covered by a backup policy, critical integrations / with personal data (LGPD) / without an owner / with an overdue review, and the number of **disabled jobs ("Disabled" status)**.

6. Data modules

Data modules share the same screen logic: a table of records, a toolbar above it and a form (modal) to create/edit.

6.1 Table toolbar

- **Filters:** filters the table by a status/category column (when the module has one).
- **Columns:** shows/hides which columns appear in the table (preference is saved).
- **Sort:** sets the sort column and direction.

- **Bulk selection:** tick several rows to delete them all at once.
- **Delete all:** removes all currently visible records — Administrator and Master only.
- **Export CSV:** downloads the screen records as a .csv file.

Create, edit, delete and export require write permission on the module. Read-only users see the table without these buttons.

6.2 Access — access matrix

Records who has access to what, with justification and approver.

Field	Description
Grant date	When access was granted.
User / login	Account that received the access.
Account type	SQL Login, Windows Login or AD Group.
Server / Database / object	Server and database or specific object granted.
Access level	One or more levels (e.g. db_owner), chosen by search with chips.
Justification	Reason for the grant.
Requester / Approver	Who requested and who approved.
Planned review	Planned date to review whether the access is still needed.
Status	Active, Revoked or Suspended.
Notes	Free notes.

6.3 Changes — change register

Controls production changes, with approval and rollback plan.

Field	Description
Ticket	Change code (auto-suggested as CHG-00X).
Date / Environment	When it happened and in which environment (Production, Staging, Development).
Type	Change category (list configurable under Register).
Description	What was changed.
Objects	List of affected objects (multiple rows).
Rollback plan	How to undo the change, if needed.
Requester / Approver	Who requested and approved.
Status	Planned, Approved, Executed, Reverted or Cancelled.
Result / notes	How the execution went.

6.4 Backup & Restore

This screen holds two tables: the backup policy per database and the history of restore tests.

Field (Backup policy)	Description
Database / Criticality	Covered database and its criticality (High, Medium, Low).
Backup type	Full, Full + Diff, Full + Log, Full + Diff + Log.
Frequency / Time	Routine periodicity and run time.
Retention	How long backups are kept.
Storage location	Where the backup is stored.
Target RPO / RTO	Acceptable data-loss and recovery-time goals.
Owner	Who is responsible for the routine.

Field (Restore)	Description
Test date / Database	When the test was done and on which database.
Backup tested	Whether a backup was available for the test.
Restore time	How long recovery took.
Result	OK, Failure or OK with caveats.
Tested by / Notes	Who tested and extra notes.

6.5 Data Dictionary

Column catalogue: meaning, origin and classification of each column of each table in the environment.

Field	Description
Server / Database / Schema / Table / Column	Exact location of the catalogued column.
Data type	Column type in the database (e.g. varchar(11)).
Nullable?	Yes or No.
Description / meaning	What the column represents.
Classification	Public, Internal, Confidential, Confidential (PII) or Restricted.
Origin / system	Where the data originates.
Notes	Free notes.

6.5.1 Bulk import (CSV)

To register many columns at once, use the two buttons at the bottom of the Dictionary table: the help icon (?) downloads the CSV template (with the correct header and a sample row), and Import sends a filled .csv file, row by row. During upload, a progress bar shows the status and, at the end, a summary

lists imported and not-imported rows (with per-row errors).

The CSV uses ";" as separator, same as "Export CSV". Table and Column are the only required fields on import.

6.6 System integrations

Maps the connections, data flows and dependencies between systems — who talks to whom, how data travels and the risk level of each connection.

Field	Description
Integration / Source / Target system	Connection name and the systems involved.
Source / Target IP	IP address of each end of the connection.
Type	Integration category (list configurable under Register).
Direction	Inbound, Outbound or Bidirectional.
Mechanism	How the integration happens (e.g. REST API, ETL, link, replication).
Frequency	Real time, Hourly, Daily, Weekly, Monthly, On demand etc.
Data transferred	Free description of what is transmitted.
Data classification	Public, Internal, Confidential or Personal / Sensitive (LGPD).
Criticality	Integration risk level (list configurable under Register).
Technical / Business owner	Who is responsible on each side.
Environment / Status	Situation and environment (lists configurable under Register).
Last review / Notes	Date of the last review and free notes.

6.6.1 Discovery panel

At the bottom of the Integrations table, the Discover integrations in the database panel gathers ready-made SQL queries to locate cross-database connections, scheduled jobs/ETL, replication and connected applications, adjusted automatically to the configured database engine. Each block has a Copy button. The panel only suggests read-only queries; registration remains manual, via the form.

6.7 Jobs & Routines

Registers the environment's jobs, ETLs and scheduled routines — what runs automatically, with schedule, execution and owner. It sits right below Backup in the menu.

Field	Description
Job	Name of the job or routine.
Type	Category: SQL Server Agent, ETL/SSIS, Cron, Windows Task Scheduler, Application, Other (list configurable under Register).
Server / instance	Where the job runs.
Database	Related database, if any.
Description / purpose	What the job does and why.

Field	Description
Command / Step	Job steps — each row has the step name and what it runs (both free text; add as many rows as needed).
Frequency	Continuous, Hourly, Daily, Weekly, Monthly or On demand (list configurable under Register).
Frequency time	Frequency cadence, free text (e.g. 1h, 10s, weekly).
Schedules	One or more Start -> End time windows. Add as many schedules as the job has (+ Add schedule).
Criticality	High, Medium or Low (list configurable under Register).
Status	Active, Inactive, Disabled or Failing (list configurable under Register).
Owner	Who is responsible for the job.
Notes	Free notes.

The Command / Step field is a list: click "+ Add step" to include each stage, entering the step name (e.g. "Step 1 - Extract") and what it runs (e.g. a command or procedure). It appears summarised in the table and in full in the form.

7. Reports

A dedicated screen to export the data of each module (including Jobs), without opening each table individually.

7.1 Date range filter

At the top you can set a From / To date and click Filter. This range applies to every export (CSV, PDF and e-mail) until removed by Clear. A notice shows whether a range is active.

7.2 Per-module export

- **CSV:** downloads a .csv file with the records (respecting the filtered range).
- **PDF:** generates a formatted report using the highlight colour chosen in My Profile.
- **E-mail:** sends the report (PDF) to a given address, via the SMTP configured under Administration > E-mail.

7.3 Full export

The Export all (JSON) button, at the top, downloads a single .json file with all modules together — useful for backups of the register itself or external integrations.

8. Administration

A group of screens visible only to the Administrator and Master roles.

8.1 Register

Manages the option lists used in the Changes, Backup, Restore, Access, Integrations and **Jobs** forms — for example: Environment, Type and Status of change; Criticality and Backup type; Access level;

Type, Environment, Criticality and Status of integration; and **Type, Frequency, Criticality and Status of job**. Clicking a category opens a side drawer to search, add, edit (pencil) and delete — including in bulk.

8.2 Users

Lists the accounts with portal access. The Add button opens the new-user form (login, full name, e-mail, initial password, role and, if the role is not Administrator, the allowed modules). The trash icon removes a user. A panel at the top explains what each role can do.

8.3 Roles (permissions)

Lists each user with their role and allowed modules. The edit icon opens a form to change the role and toggle the allowed modules (only meaningful for Read and Write — Administrator and Master always have full access). The Jobs module appears here like any other, to grant per user.

8.4 E-mail

Configures the SMTP server used to send portal e-mails (MFA code and reports): server, port, security type, user, password, sender name and e-mail. The Send test button fires a test e-mail. Two-step verification can only be enabled by users after the e-mail is configured and tested here.

8.5 Settings

- **Project identity:** name and logo, shown on the login screen and in the menu (PNG, JPG or WEBP, up to ~2MB).
- **Session:** inactivity timeout (5 to 480 min) before the portal ends the session automatically.

9. Audit

Visible only to the Master role. Shows the trail of who did what, when and from which IP, covering creations, updates and deletions in all modules (including Jobs), plus login, logout, password change, permission change and MFA events.

9.1 Filters

You can filter by user (login), table/module, action type and date range (From/To). The list is paginated (50 records per page).

9.2 Event detail

Clicking a record expands the detail, showing the data before and after the change (when applicable) as key/value — passwords and hashes are never shown.

10. My profile

Reached via the name/avatar at the bottom of the sidebar. Gathers the logged-in user's personal preferences.

- **Personal data:** full name and e-mail.
- **Change password:** asks for the current and new password.
- **Two-step verification:** enables/disables MFA (requires configured and tested e-mail).
- **Colour theme:** Default, Blue, Green or Violet.

- **Sidebar style:** Light, Soft or Graphite.

These preferences are saved to your user and applied automatically on any device where you log in.

11. Security and session

- **Inactivity timeout:** the portal ends the session after the configured time with no interaction.
- **Two-step verification (MFA):** code sent by e-mail on each login, configurable per user.
- **Temporary password:** after an admin reset, the portal requires a password change before releasing the rest of the system, and old sessions stop working.
- **Warning banner:** users without MFA see a notice at the top suggesting activation; it disappears once enabled.