

User Manual

Complete guide to portal navigation and features

Generated on 2026-07-02

Internal document — valid for the current version of the portal

Table of Contents

1. Introduction	4
2. Accessing the portal	4
2.1 Two-step verification (MFA)	4
2.2 Forgot my password	4
3. General navigation	4
3.1 Sidebar (menu)	4
3.2 Top bar	4
3.3 User menu	4
4. Access roles	5
5. Dashboard (Overview)	5
6. Data modules	5
6.1 Table toolbar	5
6.2 Access — access matrix	6
6.3 Changes — change register	6
6.4 Backup & Restore	7
6.5 Data Dictionary	7
6.5.1 Bulk import (CSV)	7
6.6 System integrations	8
6.6.1 Discovery panel	8
7. Reports	8
7.1 Date range filter	9
7.2 Per-module export	9
7.3 Full export	9
8. Administration	9
8.1 Register	9
8.2 Users	9
8.3 Roles (permissions)	9
8.4 E-mail	9
8.5 Settings	10
9. Audit	10
9.1 Filters	10

9.2 Event detail 10

10. My profile 10

11. Security and session 10

1. Introduction

The **Data Management Portal** is the system used to centralise control of database access, record production changes, track backup policies and restore tests, maintain the data dictionary (column catalogue), and generate reports — all in one place, without relying on scattered spreadsheets.

The portal is divided into **data modules** (Access, Changes, Backup, Restore, Data Dictionary, and System Integrations), a **Reports** area, an **Administration** area (visible only to Administrator and Master profiles), and the **Audit** area (visible only to the Master profile).

This manual describes what each screen does. Administration and Audit actions only appear in the sidebar for users with the corresponding role — it is normal for regular users not to see those options.

2. Accessing the portal

The login screen asks for a **username** and **password**. There is no self-registration: accounts are created by an Administrator under *Administration* → *Users* (see section 8.2).

2.1 Two-step verification (MFA)

If your account has two-step verification enabled, after entering your username and password the portal sends a **6-digit code by e-mail**, valid for 10 minutes. Enter the code on the next screen to complete the login. If the code does not arrive, use the **Resend code** button.

MFA is activated in *My Profile* (section 10) and only works if the portal's mail server is configured and tested — without that, the system blocks activation to prevent the user from being locked out.

2.2 Forgot my password

There is no automatic password recovery by e-mail. Anyone who forgets their password must contact the portal administrator, who can reset it under *Administration* → *Users*.

3. General navigation

3.1 Sidebar (menu)

On the left is the main menu, with data modules at the top and, further down, the **Administration** group (Admin/Master only). The menu can be collapsed using the button at the top of the sidebar, and on smaller screens it hides behind the hamburger button (≡) at the top.

3.2 Top bar

- **Search:** filters records on the current screen by text (appears only on data module screens).
- **Toggle light/dark theme:** switches the portal appearance between light and dark mode.
- **Language (PT/EN):** toggles the interface between Portuguese and English.
- **Add:** opens the new-record form for the current module (hidden on screens without direct entry, such as Reports and Audit).

3.3 User menu

At the bottom of the sidebar is your name/avatar (opens *My Profile* when clicked), the **Change password** button, and the **Sign out** button (ends the session).

4. Access roles

Each user has a role that defines what they can see and do in the portal:

Role	What they can do
Read	Views the modules allowed for them, without creating, editing, or deleting records.
Write	Creates, edits, and deletes records in the modules allowed for the user.
Administrator	Full access: all modules, Users, Roles, Register, E-mail, and Project Settings.
Master	Everything the Administrator can do, plus exclusive access to the Audit trail.

For the **Read** and **Write** roles, the allowed modules are defined individually under *Administration* → *Roles* (section 8.3). Administrator and Master always have access to all modules.

5. Dashboard (Overview)

The first screen after login. Displays key environment metrics in cards (tiles):

Card	What it shows
Active access	Number of access records with status "Active", out of the total registered.
Access due for review	Access records whose scheduled review date is approaching.
Changes (30 days)	Changes registered in the last 30 days and how many are still pending.
Last restore test	How many days ago the last restore test was registered.
Dictionary items	Total columns catalogued in the Data Dictionary.
Mapped integrations	Total system-to-system connections registered in the Integrations module.

Below, the **Attention signals** section highlights points that deserve a check: databases without a recent restore test, the count of columns classified as sensitive/PII data, how many databases already have a backup policy registered, and — for Integrations — how many connections are critical, involve personal/sensitive data (LGPD/GDPR), have no technical owner defined, or have an overdue/missing review (no review in over 1 year).

6. Data modules

All data modules share the same screen logic: a table of records, a toolbar above it, and a form (modal) for creating/editing.

6.1 Table toolbar

- **Filters:** filters the table by a status/category column (when the module has one).
- **Columns:** toggles which columns appear in the table (preference is saved).
- **Sort:** sets which column to sort by and the direction (ascending/descending).

- **Bulk selection:** check multiple rows via checkbox to delete them all at once (*Delete selected*).
- **Delete all:** removes all currently visible records at once — visible only to Administrator and Master, as it is a high-risk action.
- **Export CSV:** downloads the current screen records as a .csv file.

Create, edit, delete, and export actions require write permission on the module (Write, Administrator, or Master role). Users with Read-only access see the table without those buttons.

6.2 Access — access matrix

Records who has access to what, with justification and approver.

Field	Description
Grant date	When access was granted.
User / login	Account that received the access.
Account type	SQL Login, Windows Login, or AD Group.
Server	Server where the access was granted.
Database / object	Database or specific object that was granted.
Access level	One or more levels (e.g. db_owner), selected via chip-search.
Justification	Reason for granting.
Requester / Approver	Who requested and who approved the access.
Scheduled review	Date planned to review whether the access is still needed.
Status	Active, Revoked, or Suspended.
Notes	Free-form notes.

6.3 Changes — change register

Controls production changes, with approval and rollback plan.

Field	Description
Ticket	Change code (auto-suggested as CHG-00X on new records).
Date / Environment	When it occurred and in which environment (Production, Staging, Development).
Type	Change category (configurable list in Register).
Description	What was changed.
Objects	List of affected objects (multiple lines can be added).
Rollback plan	How to undo the change, if needed.
Requester / Approver	Who requested and who approved.
Status	Planned, Approved, Executed, Reverted, or Cancelled.
Result / notes	How the execution went.

6.4 Backup & Restore

This screen combines two tables: the **backup policy per database** and the **restore test history**, one below the other.

Field (Backup policy)	Description
Database / Criticality	Database covered and its criticality level (High, Medium, Low).
Backup type	Full, Full + Diff, Full + Log, Full + Diff + Log.
Frequency / Schedule	How often and at what time the routine runs.
Retention	How long backups are kept.
Storage location	Where the backup is stored.
RPO / RTO target	Recovery point and recovery time objectives.
Responsible	Person/team responsible for the routine.

Field (Restore)	Description
Test date / Database	When the test was performed and on which database.
Backup tested	Whether a backup was available for the test.
Restore time	How long the recovery took.
Result	OK, Failure, or OK with caveats.
Tested by / Notes	Person responsible for the test and additional notes.

6.5 Data Dictionary

Column catalogue: the meaning, origin, and classification of each column in each table of the environment.

Field	Description
Server / Database / Schema / Table / Column	Exact location of the catalogued column.
Data type	Column type in the database (e.g. varchar(11)).
Nullable?	Yes or No.
Description / meaning	What the column represents.
Classification	Public, Internal, Confidential, Confidential (PII), or Restricted.
Origin / system	Where the data comes from.
Notes	Free-form notes.

6.5.1 Bulk import (CSV)

To register multiple columns at once, use the two buttons at the bottom of the Dictionary table:

- **Help icon (?)**: downloads the CSV *template*, already with the correct header and a sample row.

- **Import:** selects a filled .csv file (same columns as the template) and submits it row by row.

During upload a progress bar shows how many records have been processed. At the end, a summary appears with the total **imported** and **not imported** — when there are errors (e.g. a row missing "Table" or "Column", or an invalid value in "Nullable?"/"Classification"), the error list is shown in detail by line.

The CSV uses ";" as a separator, the same as the "Export CSV" output. Table and Column are the only mandatory fields on import.

6.6 System integrations

Maps connections, data flows, and dependencies between systems — who talks to whom, how data travels, and the risk level of each connection.

Field	Description
Integration / Source system / Target system	Connection name and the systems involved.
Source IP / Target IP	IP address of each end of the connection.
Type	Integration category (configurable list in Register).
Direction	Inbound, Outbound, or Bidirectional.
Mechanism	How the integration works (e.g. REST API, ETL, database link, replication).
Frequency	Real-time, Every minute, Hourly, Daily, Weekly, Monthly, On demand, or Occasional.
Data transmitted	Free-text description of what is sent between systems.
Data classification	Public, Internal, Confidential, or Personal/Sensitive (LGPD).
Criticality	Risk level of the integration (configurable list in Register).
Technical / Business owner	Who is responsible for the integration on each side.
Environment	Production, Staging, Development, etc. (configurable list in Register).
Status	Current status (configurable list in Register).
Last review	Date the integration was last reviewed.
Notes	Free-form notes.

6.6.1 Discovery panel

At the bottom of the Integrations table, the **Discover integrations in the database** panel provides ready-to-run SQL queries to locate connections between databases, scheduled jobs/ETL, replication, and connected applications. The queries shown automatically adjust to the database engine configured in this portal (MySQL, PostgreSQL, SQL Server, or SQLite). Each block has a **Copy** button to paste the query directly into the database administration tool.

This panel only suggests read-only queries to help locate existing integrations in the environment — it does not register anything automatically; entries must still be added manually through the module form.

7. Reports

A dedicated screen for exporting data from each module without having to open each table individually.

7.1 Date range filter

At the top of the screen you can set a **From / To** date and click **Filter**. That range then applies to all exports (CSV, PDF, and e-mail) made from the cards below, until cleared with the **Clear** button. A notice always shows whether a date range is active.

7.2 Per-module export

Each module has a card with three options:

- **CSV**: downloads a .csv file with the records (respecting the active date range, if any).
- **PDF**: generates a formatted PDF report with header, footer, and the accent colour of the theme chosen in My Profile.
- **E-mail**: sends the report (PDF) to a given address, using the SMTP server configured under Administration → E-mail.

7.3 Full export

The **Export all (JSON)** button at the top of the screen downloads a single .json file containing all modules — useful as a registry backup or for external integrations.

8. Administration

Group of screens visible only to the **Administrator** and **Master** roles.

8.1 Register

Manages the option lists used in the forms for Changes, Backup, Restore, Access, and Integrations (for example: Environment, Type, and Status for changes; Criticality and Type for backup; Restore result; Access level; Type, Environment, Criticality, and Status for integrations). Clicking a category opens a side drawer with the registered values, where you can search, add, edit (pencil icon), and delete — including in bulk by checking multiple items.

8.2 Users

Lists the accounts with portal access. The **Add** button opens the new-user form (login, full name, e-mail, initial password, role, and — if the role is not Administrator — the allowed modules). The trash icon removes a user. At the top of the screen a panel explains what each role can do.

8.3 Roles (permissions)

Lists each user with their role and allowed modules. The edit icon opens a form to change the role and check/uncheck the permitted modules (this control only applies to Read and Write roles — Administrator and Master always have full access).

8.4 E-mail

Configures the SMTP server used to send portal e-mails (MFA verification codes and report delivery): server, port, security type (TLS/SSL/None), username, password, sender name, and sender address. The **Send test**

button fires a test e-mail to the given address to confirm the configuration is working before depending on it.

Two-step verification (MFA) can only be activated by users after the mail server has been configured and successfully tested here.

8.5 Settings

- **Project identity:** project name and logo, shown on the login screen and in the sidebar (PNG, JPG, SVG, or WEBP, up to ~2 MB).
- **Session:** inactivity timeout (in minutes, 5–480) before the portal automatically signs the user out.

Changes on this screen reload the page automatically to reflect the new name/logo.

9. Audit

Visible only to the **Master** role. Shows a trail of who did what, when, and from which IP, covering creations, updates, and deletions in all modules, as well as login, logout, password changes, permission changes, and MFA events.

9.1 Filters

You can filter by user (login), table/module, action type, and date range (From/To). The list is paginated (50 records per page).

9.2 Event detail

Clicking a record expands the detail, showing the data **before** and **after** the change (when applicable), in key/value format — passwords and hashes are never displayed.

10. My profile

Accessible by clicking your name/avatar at the bottom of the sidebar. Contains the logged-in user's personal preferences.

- **Personal data:** full name and e-mail (Save button).
- **Change password:** requires the current password and the new password.
- **Two-step verification:** enables/disables MFA (requires the current password to confirm). Requires e-mail and a tested mail server configured by the administrator.
- **Colour theme:** selects the portal accent palette — Default, Blue, Green, or Violet.
- **Sidebar style:** selects the sidebar appearance — Light, Soft, or Graphite.

Theme and sidebar preferences are saved to your account and applied automatically on any device you log into.

11. Security and session

- **Inactivity timeout:** the portal automatically ends the session after the time configured under Administration → Settings with no interaction (mouse, keyboard, scroll, or touch).

- **Two-step verification (MFA):** an extra protection layer via an e-mail code at each login, configurable per user in My Profile.
- **Warning banner:** users without MFA enabled see a notice at the top of the portal suggesting activation.

A banner at the top of the portal appears for anyone who has not yet enabled two-step verification, with a direct shortcut to the activation screen in My Profile. It disappears automatically once MFA is activated.