



Access Module

Web Service API Specification

Version 1.6

Notice

Techniques contained in this document are considered proprietary to Jury Systems Incorporated. They may not be revealed or released to any party without the express written consent of Jury Systems Incorporated.

This material may not be copied or reproduced in any form without the express written permission of Jury Systems Incorporated.

Table of Contents

INTRODUCTION	5
API SPECIFICATION.....	7
Get Juror Information	7
Update Juror Information	9
Retrieve Affidavit Form Data	11
Update Affidavit Form Data.....	11
Retrieve Service End Type/Reason Codes	12
Retrieve Service End Reason Codes for a Particular Type Code	12
Perform Service End Update.....	13
Deny Service End Request	13
Qualify Juror in 2-Step Court.....	14
Retrieve Schedule Change Type/Reason Codes Valid for a Juror	15
Retrieve Reporting Dates for a Juror.....	16
Grant Schedule Change.....	17
Change Juror Group Number.....	17
Retrieve Court Locations.....	18
Lookup Juror	18
Pool Attendance.....	19
Work Certificate	19
Juror Reporting Instructions	20
Enumerate Access Module Controls	22
Juror Reporting Instructions (V2)	23
Login Juror By Badge Number	27
Get Personal Contact Information	29
Update Personal Contact Information	30
Describe Court Location	31

Grant Long Term Postponement.....	33
STATUS CODES.....	34
Standard Status Codes.....	34
Extended Status Codes	34
WEB SERVICE / LEGACY API CALL CROSS-REFERENCE.....	38

This page intentionally left blank

INTRODUCTION

This document describes the various published services. The standard format of a service URL is:

http://{domain_name}:{port}/ws/jury/{service_name}

In the case of security web services:

http://{domain_name}:{port}/ws/jury/{service_name}?api_key={api_key}

where

domain_name is the domain of service provider.

service_name is the name of service.

api_key is the key provided by the service provider to allow the clients to access web services.

The service provider supports two types of services, GET and POST.

The format of return is in JSON format.

There are two types of data, String and Number.

String: alphanumeric type.

Number: numeric type.

String[n]: an array of n alphanumeric.

Number [n]: an array of n numeric.

Size: the maximum number of characters/digits of String/Number.

The following is an example of the return data in JSON format of the web service "***Get Next Gen user information***":

6

API SPECIFICATION

This section describes a list of supported services in detail.

Get Juror Information

URL	http://{domain_name}:{port}/ws/jury/get_juror/{id}					
Description	Get juror information.					
Method	GET					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See more details here
	message		String			
	content	personId	String	10		
		badgeNumber	Number	9		
		lastName	String	20		
		firstName	String	15		
		middleName	String	15		
		nameSuffix	String	3		
		mailAddress1	String	30		
		mailAddress2	String	30		
		mailCity	String	20		
		mailState	String	2		
		mailZip	String	9		
		resiAddress1	String	30		
		resiAddress2	String	30		
		resiCity	String	20		
		resiState	String	2		
		resiZip	String	9		
		driverSid	String	14		
		dob	Number	8	yyyyMMdd	
		ssn	Number	9		
		jurorStatusInd	String	1		
		statusDesc	String	20		
		reportingGroup	Number	4		
		reportingDate	Number	8	yyyyMMdd	
		reportingLocationId	String	6		
		reportingLocation	String	30		

		schgcnt	Number	2		
		scheduleChange	String	1		
		serviceEnd	String	1		
		attendance	String	1		
		informationChg	String	1		
		qualification	String	1		
		firstPossibleDate	Number	8	yyyyMMdd	
		lastPossibleDate	Number	8	yyyyMMdd	
		payDate	Number	8	yyyyMMdd	
		payAmt	Number	7	#####.##	
		summonsDate	Number	8	yyyyMMdd	
		dola	Number	8		
		caseld	String	14		
		panelId	Number	2		
		lactEvent	String	1		
		lactType	String	2		
		lactReason	String	2		
		lactNoticeType	String	2		
		lactNoticeStatus	String	1		
		lastAffRtnDate	String	8	yyyyMMdd	
		juryTermId	String	2		
		locTodayDate	Number	8	yyyyMMdd	
		confirmInd	String	1		
		tstepqualify	String	1		
		ftacount	Number	2		
		delinqsts	Number	1		
		lastActivityDate	Number	8	yyyyMMdd	
		jurorType	Number	1		
		formClasses	Number	3		
		filler1	String	31		
		pendingUpdate	String[2]	1		
	extlInfos	pin	Number	6		

Update Juror Information

URL	http://{domain_name}:{port}/ws/jury/update_juror/{id}					
Description	Update juror information.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	lastName	String	20			
	firstName	String	15			
	middleName	String	15			
	nameSuffix	String	3			
	mailAddress1	String	30			
	mailAddress2	String	30			
	mailCity	String	20			
	mailState	String	2			
	mailZip	String	9			
	resiAddress1	String	30			
	resiAddress2	String	30			
	resiCity	String	20			
	resiState	String	2			
	resiZip	String	9			
	driverSid	String	14			
	dob	Number	8	yyyyMMdd		
	ssn	Number	9			
Return	Field	Sub-Field	Type	Size	Format	Description
	The same return as the return of web service "Get juror information"					

Get Next Gen User Information

URL	http://{domain_name}:{port}/ws/jury/get_nextgen_user					
Description	Get the user information in Next Gen system.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	username	String	80			
	password	String	18			
	filler	String	30			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See here
	message		String			
	content	rtnCd	Number	2		
		firstName	String	15		
		middleName	String	15		
		lastName	String	20		
		userType	String	1		
		tranxCd	String[20]	4		
		execRight	Number[20]	1		
		screenTitle	String[20]	30		

Retrieve Affidavit Form Data

URL	http://{domain_name}:{port}/ws/jury/get_nextgen/{id}					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	fieldIds*	Number	3		(*) The name of parameters are field identifiers. And the values of these parameters may leave empty.	
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See here
	message		String			
	content	fieldId	Number[75]	3		
		screenLiteral	String[75]	35		
		fieldType	String[75]	1		
		fieldData	String[75]	40		
		actionIndicator	String[75]	1		

Update Affidavit Form Data

URL	http://{domain_name}:{port}/ws/jury/update_nextgen/{id}					
Description	Update form data in Next Gen system.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	fieldIds*	Number	3		(*) The names of parameters are field identifiers.	
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See here
	message		String			
	content					Nothing

Retrieve Service End Type/Reason Codes

URL	http://{domain_name}:{port}/ws/jury/get_send/{id}					
Description	Retrieve all Service End Type/Reason Codes valid of the juror.					
Method	GET					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	typeReasonCode	String[15]	4		
		descReason	String[15]	35		
		denyFlag	String[15]	1		
		descType	String[15]	35		
		workflowId	Number[15]	3		

Retrieve Service End Reason Codes for a Particular Type Code

URL	http://{domain_name}:{port}/ws/jury/get_send_by_typecode/{id}/{typeCode}					
Description	Retrieve all Type/Reason Codes corresponding to the Type Code.					
Method	GET					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	typeCode	String	2			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	typeReasonCode	String[15]	4		
		descReason	String[15]	35		
		denyFlag	String[15]	1		
		descType	String[15]	35		
		workflowId	Number[15]	3		

Perform Service End Update

URL	http://{domain_name}:{port}/ws/jury/update_send/{id}				
Description	Perform Service End Updates.				
Method	POST				
Parameter	Name	Type	Size	Format	Description
	id	Number	9		Badge number
	typeReasonCode	String	4		NOTE: The first two characters are Type Code, and the last two characters are Reason Code.
	noticeSendInd	String	1		
Return	Field	Sub-Field	Type	Size	Format
	<i>The same return as the return of web service "Get juror information"</i>				

Deny Service End Request

URL	http://{domain_name}:{port}/ws/jury/deny_send/{id}				
Description	Deny Service End Request.				
Method	POST				
Parameter	Name	Type	Size	Format	Description
	id	Number	9		Badge number
	typeReasonCode	String	4		NOTE: The first two characters are Type Code, and the last two characters are Reason Code.
	noticeSendInd	String	1		
Return	Field	Sub-Field	Type	Size	Format
	code		Number		See details here
	message		String		
	content				Nothing

Qualify Juror in 2-Step Court

URL	http://{domain_name}:{port}/ws/jury/update_2step_qualication/{id}				
Description	Qualify juror in 2-step court.				
Method	POST				
Parameter	Name	Type	Size	Format	Description
	id	Number	9		Badge number
	qualCd	String	2		
Return	Field	Sub-Field	Type	Size	Format
	<i>The same return as the return of web service "Get juror information"</i>				

Retrieve Schedule Change Type/Reason Codes Valid for a Juror

URL	http://{domain_name}:{port}/ws/jury/get_schg/{id}					
Description	Retrieve all Schedule Change Type/Reason Codes valid of the juror, or retrieve all Schedule Change Type/Reason Code corresponding to the Type Code.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	typeCode	String	2		NOTE: This field is optional. If it is available, the web service will retrieve all Type/Reason Codes corresponding to this Type Code.	
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	noticeType	String	2		
		sendNoticeDefault	String	1		
		typeReasonCode	String[15]	4		
		descReason	String[15]	35		
		location	String[15]	6		
		availableDate	Number[30]	8		
		denyFlag	String[15]	1		
		descType	String[15]	35		
		workflowId	Number[15]	3		

Retrieve Reporting Dates for a Juror

URL	http://{domain_name}:{port}/ws/jury/get_schg_reporting_date/{id}					
Description	Retrieve valid reporting dates.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	typeCode	String	2			
	newLocation	String	6			
	lowDate	Number	8			
	numberDatesToGet	Number	2			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	noticeType	String	2		
		sendNoticeDefault	String	1		
		typeReasonCode	String[15]	4		
		descReason	String[15]	35		
		location	String[15]	6		
		availableDate	Number[30]	8		
		denyFlag	String[15]	1		
		descType	String[15]	35		
		workflowId	Number[15]	3		

Grant Schedule Change

URL	http://{domain_name}:{port}/ws/jury/update_schg/{id}					
Description	Grant Schedule Change.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	typeCode	String	2			
	reasonCode	String	2			
	newLocation	String	6			
	newDate	Number	8			
	noticeSendInd	String	1			
	noticeType	String	2			
	sendNoticeDefault	String	1			
	newGroupInd	String	1			
	newGroupNumber	Number	4			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content					Nothing

Change Juror Group Number

URL	http://{domain_name}:{port}/ws/jury/change_grpnbr_schg/{id}					
Description	Change Juror Group Number.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	newGroupNumber	Number	4			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content					Nothing

Retrieve Court Locations

URL	http://{domain_name}:{port}/ws/jury/get_lloc/{id}					
Description	Retrieve court locations.					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	startLocationId	String	6			
	startDistrictCd	String	6			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	locationId	String[30]	6		
		locationName	String[30]	35		
		locationMailCity	String[30]	30		
		locationDistrictCd	String[30]	6		
		locationDistrictName	String[30]	35		
		locationAbbrevName	String[30]	12		

Lookup Juror

URL	http://{domain_name}:{port}/ws/jury/get_lkup					
Description	Search for juror by last name, first name, and date of birth					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	lastName	String	20			
	firstName	String	15			
	dob	Number	8	yyyymmdd		
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	jid	Number[15]	9		Badge Number
		mailAddress1	String[15]	40		

Pool Attendance

URL	http://{domain_name}:{port}/ws/jury/update_patt/{id}					
Description	Perform Pool Attendance Updates.					
Method	POST					
Parameter	Name		Type	Size	Format	Description
	id		Number	9		Badge number
	locationId		String[25]	6		Court Location Id
	reserved		String	150		
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content					Nothing

Work Certificate

URL	http://{domain_name}:{port}/ws/jury/get_wcer/{id}/{startDate}					
Description	Retrieve Attendance Dates and Pay Information					
Method	GET					
Parameter	Name		Type	Size	Format	Description
	id		Number	9		Badge number
	startDate		Number	8	yyyyMMdd	Start Service Date. On the initial call to the service, this value should be set to a value of zero (0).
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See details here
	message		String			
	content	ttMileage	Number [..]	4		Total Mileage
		ttSrvCredit	String[..]	5	###.#	Total Service Credit
		srvcDate	Number[..]	8	yyyyMMdd	Service Date
		fees	String[..]	6	###.##	Fees
		mileage	Number[..]	6	###.##	Mileage
		supplPay	String[..]	7	####.##	Supplemental Pay

Juror Reporting Instructions

URL	http://{domain_name}:{port}/ws/jury/get_jrin_{id}						
Description	Retrieve Juror Reporting Instructions						
Method	GET						
Parameter	Name	Type	Size	Format	Description		
	id	Number	9		Badge number		
Return	Field	Sub-Field	Type	Size	Format	Description	
	code		Number			See details	
	message		String				
	content	grinCom	instructionId	String	6		
			description	String	35		
			shortDesc	String	20		
			actionInd	Number	2	##	See Note 2
			actionDesc	String	35		
			newTimeInd	Number	1	#	See Note 3
			newLocInd	Number	1	#	See Note 4
			startHh	Number	2	##	See Note 5
			startMm	Number	2	##	See Note 5
			endHh	Number	23	##	See Note 6
			endMm	Number	2	##	See Note 6
			newLocId	String	6		See Note 7
			externalRef	Number	5	#####	
			info1	String	50		
			info2	String	100		
			reportingDate	Number	8	yyyymmdd	
			reportingLoc	String	6		
			filler		200		
		sessionId		String	6		
		reportAtText		String	35		
		reportToText		String	35		
		locationId		String	6		
		callinStatus		String	2		See Note 8
		jurorReportDate		Number	8	yyyymmdd	
		jurorReportTime		Number	4	hhmm	



	dayBeforeCallAfterTime
	dayOfCallBeforeTime
	prevServiceDate
	nextServiceDate

Number	4	hhmm	
Number	4	hhmm	
Number	8	yyyymmdd	
Number	8	yyyymmdd	

Enumerate Access Module Controls

URL	http://{domain_name}:{port}/ws/jury/get_eamc_basic					
Description	Fetch basic controls					
Method	GET					
Parameter	Name	Type	Size	Form		
Return	Field	Sub-Field	Type	Size	Form	
	code		Number			See more
	message		String			
	content	globMasterSwitch	Number	1		
		globPinRequired	Number	1		
		globCqFirstName	Number	1		
		globCqLastName	Number	1		
		globCqDob	Number	1		
		globCqZip	Number	1		
		globCqDmvlId	Number	1		
		schgMasterSwitch	Number	1		
		schgPreSvcOnly	Number	1		
		schgMaxChgs	Number	2		
		schgMinDays	Number	3		
		schgXferMinDays	Number	3		
		schgMaxDays	Number	3		
		schgCaseJrAllowed	Number	1		
		schgRptDtCtl	Number	1		
		schgMaxLateDays	Number	3		
		schgMinNoticeDays	Number	3		
		schgCalendarType	Number	1		
		schgMinDaysToday	Number	1		
		schgFtaLimit	Number	2		
		sendMasterSwitch	Number	1		
		sendPreSvcOnly	Number	1		
		pattMasterSwitch	Number	1		
		pattPreSvcOnly	Number	1		
		updtMasterSwitch	Number	1		
		updtPreSvcOnly	Number	1		

Juror Reporting Instructions (V2)

URL	http://{domain_name}:{port}/ws/jury/get_jrin_v2/{id}						
Description	Retrieve Juror Reporting Instructions						
Method	GET						
Parameter	Name	Type	Size	Format	Description		
	id	Number	9		Badge number		
Return	Field	Sub-Field	Type	Size	Format	Description	
	code		Number			See details	
	message		String				
	content	grinCom	instructionId	String	6		
			description	String	35		
			shortDesc	String	20		
			actionInd	Number	2	##	See Note 2
			actionDesc	String	35		
			newTimeInd	Number	1	#	See Note 3
			newLocInd	Number	1	#	See Note 4
			startHh	Number	2	##	See Note 5
			startMm	Number	2	##	See Note 5
			endHh	Number	23	##	See Note 6
			endMm	Number	2	##	See Note 6
			newLocId	String	6		See Note 7
			externalRef	Number	5	#####	
			info1	String	50		
			info2	String	100		
			reportingDate	Number	8	yyyymmdd	
			reportingLoc	String	6		
			filler		200		
		sessionId		String	6		
		reportAtText		String	35		
		reportToText		String	35		
		locationId		String	6		
		callinStatus		String	2		See Note 8
		jurorReportDate		Number	8	yyyymmdd	
		jurorReportTime		Number	4	hhmm	



	dayBeforeCallAfterTime	Number	4	hhmm	
	dayOfCallBeforeTime	Number	4	hhmm	
	prevServiceDate	Number	8	yyyymmdd	
	nextServiceDate	Number	8	yyyymmdd	
	jurorStatusInd	String	1		
	statusDesc	String	20		
	reportingGroup	Number	4		
	reportingDate	Number	8	yyyymmdd	
	reportingLocationId	String	6		
	reportingLocation	String	30		

Notes:

1. There are no input parameters, but a get_juror call must be made prior to calling this service.
2. Indicates the nature of the Group Action:
 - “01” – Report for Service
 - “02” – Call-in for Instructions
 - “03” – Service Cancelled/Completed
1. If the Action Indicator specifies to “report for service”, then this field indicates whether the original reporting time has been changed:
 - “0” – The report time has not changed
 - “1” – The report time has changed
2. If the Action Indicator specifies to “report for service”, then this field indicates whether the original reporting location has been changed:
 - “0” – The reporting location has not changed
 - “1” – The reporting location has changed
5. If the Action Indicator specifies to “report for service”, then this field indicates the time of day to report. If the Action Indicator specifies to “call-in for instructions”, then this field indicates the time jurors may start calling in for instructions.
6. If the Action Indicator specifies to “call-in for instructions”, then this field specifies the latest time jurors may call in for reporting instructions.
7. If the Action Indicator specifies to “report for service” and the New Location Indicator specifies that the reporting location has changed, then this field contains the new reporting location.

8. The call-in status field can assume the following values:
- "00" – Undetermined; an internal error has occurred
 - "01" – On Case (Juror is serving on a case, reporting instructions do not apply)
 - "02" – In Pool (Juror is in the assembly room, instructions to not apply)
 - "03" – Finished (Jurors service has been completed, instructions do not apply)
 - "11" – Called at least one day too soon
 - "12" – Called on correct day, but too early
 - "13" – Missing GRIN, call back later
 - "21" – Called too late, service date has past and juror is FTA
 - "22" – Called too late on scheduled service day
 - "30" – Proper call for a "call-in" juror; inform juror of their JurorReportDate and JurorReportTime
 - "32" – "Date Certain" scheduled juror; inform juror of their JurorReportDate and JurorReportTime
 - "40" – Use Group Reporting Instructions (GRIN)

Login Juror By Badge Number

URL	http://{domain_name}:{port}/ws/jury/login_juror/{id}					
Description	Login juror by badge number					
Method	POST					
Parameter	Name		Type	Size	Format	Description
	id		Number	9		Badge number
	cqFname		String	15		
	cqLname		String	20		
	cqDob		Number	8	yyyyMMdd	
	cqZip		Number	5		
	cqDmvlId		String	14		
	pin		Number	6		
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See more details here
	message		String			
	content	personId	String	10		
		badgeNumber	Number	9		
		lastName	String	20		
		firstName	String	15		
		middleName	String	15		
		nameSuffix	String	3		
		mailAddress1	String	30		
		mailAddress2	String	30		
		mailCity	String	20		
		mailState	String	2		
		mailZip	String	9		
		resiAddress1	String	30		
		resiAddress2	String	30		
		resiCity	String	20		
		resiState	String	2		
		resiZip	String	9		
		driverSid	String	14		
		dob	Number	8	yyyyMMdd	
		ssn	Number	9		
		jurorStatusInd	String	1		
		statusDesc	String	20		
		reportingGroup	Number	4		
		reportingDate	Number	8	yyyyMMdd	
		reportingLocationId	String	6		

		reportingLocation	String	30		
		schgcnt	Number	2		
		scheduleChange	String	1		
		serviceEnd	String	1		
		attendance	String	1		
		informationChg	String	1		
		qualification	String	1		
		firstPossibleDate	Number	8	yyyyMMdd	
		lastPossibleDate	Number	8	yyyyMMdd	
		payDate	Number	8	yyyyMMdd	
		payAmt	Number	7	####.##	
		summonsDate	Number	8	yyyyMMdd	
		dola	Number	8		
		caselId	String	14		
		panelId	Number	2		
		lactEvent	String	1		
		lactType	String	2		
		lactReason	String	2		
		lactNoticeType	String	2		
		lactNoticeStatus	String	1		
		lastAffRtnDate	String	8	yyyyMMdd	
		juryTermId	String	2		
		locTodayDate	Number	8	yyyyMMdd	
		confirmInd	String	1		
		tstepqualify	String	1		
		ftacount	Number	2		
		delinqsts	Number	1		
		lastActivityDate	Number	8	yyyyMMdd	
		jurorType	Number	1		
		formClasses	Number	3		
		jrInInd	String	1		
		enotifyStatus	Number	1		
		filler1	String	29		
		pendingUpdate	String[2]	1		
	extlInfos	pin	Number	6		

Get Personal Contact Information

URL	http://{domain_name}:{port}/ws/jury/get_mpci/{id}					
Description	Get MPCl					
Method	GET					
Parameter	Name		Type	Size	Format	Description
	id		Number	9		Badge number
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See more details here
	message		String			
	content	rtnCd	Number	1		
		enotifyStatus	Number	1		
		cellph1Nbr	String	10		
		cellph1Provider	Number	5		
		cellph1OptIn	Number	1		
		cellph2Nbr	String	10		
		cellph2Provider	Number	5		
		cellph2OptIn	Number	1		
		email1Addr	String	255		
		email2Addr	String	255		
		filler	String	50		

Update Personal Contact Information

URL	http://{domain_name}:{port}/ws/jury/update_mpci/{id}					
Description	Update MPCl					
Method	POST					
Parameter	Name	Type	Size	Format	Description	
	id	Number	9		Badge number	
	eNotifyStatus	Number	1			
	cellph1Nbr	String	10			
	cellph1Provider	Number	5			
	cellph1OptIn	Number	1			
	cellph2Nbr	String	10			
	cellph2Provider	Number	5			
	cellph2OptIn	Number	1			
	email1Addr	String	255			
	email2Addr	String	255			
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See more details here
	message		String			
	content					Nothing

Describe Court Location

URL	http://{domain_name}:{port}/ws/jury/get_court_location_detail/{locationid}				
Description	Describe Court Location				
Method	POST				
Parameter	Name	Type	Size	Format	Description
	id	String	6		Court Location Id
Return	Field	Sub-Field	Type	Size	Format
	Code		Number		See more details here
	message		String		
	content	LocId	String	6	Court Location Id
		LocName	String	35	
		LocAddr1	String	40	
		LocAddr2	String	40	
		LocZipCode	String	9	
		LocPhone1	String	10	
		LocPhone1ext	String	4	
		LocPhone2	String	10	
		LocPhone2ext	String	4	
		LocDay1From	String	9	
		LocDay1Thru	String	9	
		LocDay1Hr1	String	14	
		LocDay1Hr2	String	14	
		LocDay2From	String	9	
		LocDay2Thru	String	9	
		LocDay2Hr1	String	14	
		LocDay2Hr2	String	14	
		LocOrientDays	String	7	1
		LocOrientWeekType	String	1	2
		LocOrientWeekNbr	Number	2	3
		LocContinuanceLimit	Number	4	
		LocCityName	String	20	
		Reserved		200	

Notes:

1. This 7-byte field represents the days of the week. The first byte represents Monday, the second Tuesday, etc. The character “1” in any position indicates the day corresponding to that position is an orientation day. A “0” (zero) character indicates that day is not an orientation day. The right-most byte (representing Sunday) is not used and should be ignored.
2. A value of “1” in the Orientation Week Type field indicates orientation is performed every n th week where n is specified by the Orientation Week Number field. For example, if the Week Type field equals “1” and the Week Number equals “2”, then orientation is performed every other week.

When the Orientation Week Type is set to “2”, then orientation is performed during the n th week of the month where n is specified by the Orientation Week Number. In this case, a value of “3” in the Week Number field is interpreted as “orientation takes places during the third week of the month”.

3. The Orientation Week Number field specifies either the cycle or specific week of the month that orientation is scheduled, depending on the value of the Orientation Week Type field (see Note 2).

Grant Long Term Postponement

URL	http://{domain_name}:{port}/ws/jury/grant_schg/{id}					
Description	Grant Long Term Postponement					
Method	POST					
Parameter	Name		Type	Size	Format	Description
	Type Code		String	2		Schedule Change Type Cd
	Reason code		String	2		Schedule Change Reason Cd
Return	Field	Sub-Field	Type	Size	Format	Description
	code		Number			See more details here
	message		String			
	content	New Date	Number	8	yyyymmdd	

The calling application does not specify a New (reporting) Date. Rather the Access Module will assign a new reporting date and return it to the caller. This new reporting date is assigned partially based on the number of days specified in the Long Term P/P field defined on the Schedule Change 2 Access Module controls.

STATUS CODES

Standard Status Codes

- 200:** Successful
- 404:** Not found
- 401:** Unauthorized
- 403:** Forbidden
- 405:** Invalid parameters
- 406:** Existed
- 500:** Internal server error
- 503:** Service unavailable

Extended Status Codes

- 0001:** Successful, more data,
- 0033:** SCHG Denied-Report Date Passed,
- 0034:** SCHG Denied-Report Date is Today,
- 0035:** SCHG Denied-Report Date Coming Due,
- 0047:** SCHG Denied-Report Date Transpired Too Long,
- 0048:** SCHG Denied-Report Date is Today,
- 0049:** SCHG Denied-Report Date Too Soon,
- 1001:** Invalid Transaction Code
- 1004:** Invalid Function Code
- 1007:** Missing Request Information
- 1011:** Function Not Allowed

1012: Access Module Not Available

1015: Invalid Challenge Question Response-First Name

1016: Invalid Challenge Question Response-Last Name

1017: Invalid Challenge Question Response-Date of Birth

1018: Invalid Challenge Question Response-Zip Code

1019: Invalid Challenge Question Response-Driver's ID

1054: IDNT Required

1055: Court Location Id Required

2002: Logon Failed

2005: Already Connected

2008: Disconnect Failed

3003: Not Found

3006: Duplicate

3009: SQL error

3010: Update Error

4020: Invalid Person ID

4021: Invalid Juror ID / Badge Number

4022: Invalid Name

4023: Invalid Address

4024: Invalid Zip Code

4025: Invalid Date

4026: Invalid SSN

- 4027:** Invalid Juror Status
- 4028:** Invalid Type Code
- 4029:** Invalid Numeric Date
- 4030:** Invalid Field ID
- 4031:** Invalid Action Indicator
- 4032:** Invalid Juror Class
- 4036:** New Report Date Too Soon
- 4037:** New Report Date Too Far in Future
- 4038:** Invalid Reason Code
- 4039:** Invalid Group Change
- 4040:** Invalid Form Id
- 4041:** Invalid Location Id
- 4042:** Invalid Log File Specification
- 4043:** Invalid Confirm Flag
- 4044:** Invalid Classify Flag
- 4045:** Juror Classification Not Found
- 4046:** Invalid User Id
- 4050:** Undeniable Schedule Change
- 4051:** Invalid Qualification Code
- 4052:** Juror is Already Qualified
- 4053:** Juror is Already Unqualified
- 4054:** IDNT Transaction Required
- 4055:** Location Id Required

4056: Missing Long Term Postponement Reschedule Days

4057: No Available Reporting Dates

4200 - 4300: for Extended Errors

9001: Access Module Control Parameters Not Found

9002: Unknown AFFU Field Id

9003: JP1000 Lookup Failed

9004: JP1010 Lookup Failed

9005: JP1020 Lookup Failed

9006: Unknown JP1000 Field

9007: Unknown JP1010 Field

9008: Unknown JP1020 Field

9009: Affidavit Return Date Update Failed

9010: Invalid PIN Edit Code

9011: Classification Utility Error Return

9012: Failed to Create Log File

9013: Missing Imaging Document Classification Type/Code

9014: Error Raised by Qualification Routine (S816)

WEB SERVICE / LEGACY API CALL CROSS-REFERENCE

For a complete description of the Web Service refer to the Access Module Programmer's Reference Guide. The table below provides a cross-reference between the Web Service and the API transaction/function.

<u>Web Service</u>	<u>Legacy API Call (transaction/function)</u>
Get Juror Information	IDNT/R001
Update Juror Information	IDNT/U001
Retrieve Affidavit Form Data	AFFU/R001
Update Affidavit Form Data	AFFU/U001
Retrieve Service End Type/Reason Codes	SEND/R001
Retrieve Service End Reason Codes for a Particular Type Code	SEND/R002
Perform Service End Update	SEND/U001
Deny Service End Request	SEND/U002
Qualify Juror in 2-Step Court	QUAL/U001
Retrieve Schedule Change Type/Reason Codes Valid for a Juror	SCHG/R001
Retrieve Reporting Dates for a Juror	SCHG/R003
Grant Schedule Change	SCHG/U001
Retrieve Court Locations	LLOC/R001
Lookup Juror	LKUP/R001
Pool Attendance	PATT/U001
Enumerate Access Module Controls	EAMC/R001
Juror Reporting Instructions	JRIN/R001
Juror Reporting Instructions V2	JRIN/R001
Describe Court Location	DLOC
Grant Long Term Postponement	SCHG/U003