```
<!DOCTYPE html>
<html lang="en">
 <head>
    <title>Flask + Auth0 Sample App </title>
    <link rel="stylesheet" href="/static/styles.css" />
 </head>
 <body>
    <div>
      {% if request.path != '/' %}
      {% include "nav bar.html" %}
      {% endif %}
      {% block content %}{% endblock %}
    </div>
 </body>
 <script src="/static/scripts.js"></script>
</html>
```

Flask

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <title>Flask + Auth0 Sample App </title>
   <link rel="stylesheet" href="/static/styles.css" />
  </head>
  <body>
   <div>
      {% if request.path != '/' %}
      {% include "nav_bar.html" %}
      {% endif %}
      {% block content %}{% endblock %}
   </div>
 </body>
 <script src="/static/scripts.js"></script>
</html>
```

Flask

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Flask + Auth0 Sample App </title>
    <link rel="stylesheet" href="/static/styles.css" />
  </head>
  <body>
    <div>
      {% if request.path != '/' %}
      {% include "nav_bar.html" %}
      {% endif %}
      {% block content %}{% endblock %}
    </div>
  </body>
  <script src="/static/scripts.js"></script>
</html>
```

Using Flask() or Blueprint()

Can be directly linked on any template