


ME-R

BOOKING(id, date, time, status, customer_id, vehicle, pickup, drop, vtat, ctat, cancelled_by_customer, reason_cancelled_by_customer, cancelled_by_driver, reason_cancelled_by_driver, incomplete, reason_incomplete, value, distance, driver_rating, customer_rating, payment, pickup_zone, pickup_region, drop_zone, drop_region, distance_category, value_per_km)

DE-R



DLD

BOOKING

 **id:** VARCHAR(50)

time: TIME

date: DATE

status: VARCHAR(50)

pickup: VARCHAR(100)

drop: VARCHAR(100)

vtat: DECIMAL(10,2)

ctat: DECIMAL(10,2)

cancelled_by_customer: BOOLEAN

reason_cancelled_by_customer: VARCHAR(255)

cancelled_by_driver: BOOLEAN

reason_cancelled_by_driver: VARCHAR(255)

incomplete: BOOLEAN

reason_incomplete: VARCHAR(255)

value: DECIMAL(10,2)

payment: VARCHAR(50)

distance: DECIMAL(10,2)

customer_rating: DECIMAL(3,2)

driver_rating: DECIMAL(3,2)

pickup_zone: VARCHAR(50)

pickup_region: VARCHAR(50)

drop_zone: VARCHAR(50)

drop_region: VARCHAR(50)

distance_category: VARCHAR(20)

value_per_km: DECIMAL(10,2)

