

Dashboard × Properties × SQL × Statistics × hafta2.sql × postgres/postgres@odev2*

postgres/postgres@odev2

Query Query History

```
1 SELECT COUNT(*)
2 FROM "invoice"
3 WHERE "invoice_id" IS NULL
4 AND "customer_id" IS NULL
5 AND "invoice_date" IS NULL
6 AND "billing_address" IS NULL
7 AND "billing_city" IS NULL
8 AND "billing_state" IS NULL
9 AND "billing_country" IS NULL
10 AND "billingpostal_code" IS NULL
11 AND "total" IS NULL; -- ROW sayısı 0
12
```

Data Output Messages Notifications

Showing rows: 1 to 1

	count bigint
1	0

Dashboard × Properties × SQL × Statistics × hafta2.sql × postgres/postgres... × postgres/pc

postgres/postgres@odev2

Query Query History

```
1 SELECT
2 "invoice_id","customer_id","invoice_date","billing_address","billing_city",
3 "billing_state","billing_country","billingpostal_code",
4
5 "total" AS "eski_total",
6 "total" * 2 AS "yeni_total"
7 FROM "invoice"
8 ORDER BY "yeni_total" DESC;
9
```

postgres/postgres@odev2

Query Query History

```
1 SELECT "invoice_id","customer_id","invoice_date","billing_address",
2 "billing_city","billing_state","billing_country","billingpostal_code",
3 CONCAT(SUBSTRING("billing_address" FROM 1 FOR 3),
4 SUBSTRING("billing_address" FROM LENGTH("billing_address") - 3 FOR 4)) AS "Açık Adres"
5 FROM "invoice"
6 WHERE "invoice_date" >= '2013-08-01' AND "invoice_date" < '2013-09-01';
7
```