

Part 1: Strings, Slicing & Loops (MCQs 1-50)

1. Python mein string kis type ka data hota hai?

A) Mutable B) Immutable C) Dynamic only D) Numeric

Answer: B

2. Output kya hoga?

```
s = "Python"  
print(s[0])
```

A) P B) y C) n D) Error

Answer: A

3. Output kya hoga?

```
s = "Python"  
print(s[-1])
```

A) P B) n C) o D) Error

Answer: B

4. String ka length check karne ke liye konsa function use hota hai?

A) size() B) count() C) len() D) length()

Answer: C

5. Output kya hoga?

```
s = "Python"  
print(s[0:3])
```

A) Pyt B) Pyth C) yth D) Python

Answer: A

6. Slicing mein last index include hota hai?

A) Yes B) No C) Depends D) Error

Answer: B

7. Output?

```
s = "Programming"  
print(s[::2])
```

A) Pormig B) rgamn C) Pormig D) Error

Answer: A

8. String ko uppercase mein convert karne ka method?

A) upper() B) uppercase() C) capitalize_all() D) up()

Answer: A

9. Output?

```
print("hello".upper())
```

A) hello B) Hello C) HELLO D) Error

Answer: C

10. String ke end se spaces remove karne ke liye?

A) remove() B) strip() C) delete() D) trim()

Answer: B

11. Python mein `for` loop kis cheez par chalta hai?

A) Sirf numbers B) Iterable objects C) Sirf strings D) Sirf lists

Answer: B

12. Output?

```
for i in range(3):  
    print(i)
```

A)

```
1  
2
```

3

B)

0

1

2

C)

0

1

2

3

D) Error

Answer: B

13. `range(5)` kya generate karta hai?

A) 1 to 5 B) 0 to 5 C) 0 to 4 D) 5 values starting from 1

Answer: C

14. Infinite loop kis wajah se ban sakta hai?

A) Wrong indentation B) Condition kabhi False na ho C) print use karna
D) Variable banana

Answer: B

15. Loop ko turant stop karne ke liye?

A) stop B) break C) exit D) terminate

Answer: B

16. `continue` statement kya karta hai?

A) Loop khatam karta hai B) Current iteration skip karta hai C) Program close karta hai D) Error deta hai

Answer: B

17. Output?

```
for i in range(1,4):  
    print(i)
```

A)

```
0  
1  
2
```

B)

```
1  
2  
3
```

C)

```
1  
2  
4
```

D) Error

Answer: B

18. Nested loop ka matlab?

A) Loop ke andar loop B) Loop ke baad loop C) Infinite loop D) Empty loop

Answer: A

19. Python mein indentation kis liye important hai?

A) Speed ke liye B) Code blocks define karne ke liye C) Memory ke liye D) Output ke liye

Answer: B

20. Output?

```
x = "abc"

for i in x:
    print(i)
```

A)

```
abc
```

B)

```
a
b
```

C

C)

0
1
2

D) Error

Answer: B

Python MCQs (21-50)

21. Python string ko reverse karne ka sahi tareeqa kya hai?

```
s = "Python"  
print(s[::-1])
```

Output?

A) nohtyP B) Python C) Pytho D) Error

✓ **Answer: A**

22. Output kya hoga?

```
s = "Hello"  
print(s[1:4])
```

A) Hel B) ell C) Hell D) ello

✓ Answer: B

23. String ka specific character change kar sakte hain?

```
s = "cat"  
s[0] = "b"
```

A) Yes B) No C) Sirf numbers mein D) Depends

✓ Answer: B

24. `find()` method kya return karta hai?

A) Character B) Index position C) Boolean D) String length

✓ Answer: B

25. Output kya hoga?

```
print("python".find("t"))
```

A) 1 B) 2 C) 3 D) -1

✓ Answer: B

26. Agar substring na mile to `find()` kya return karta hai?

A) 0 B) None C) -1 D) Error

✓ Answer: C

27. `replace()` method ka use kis liye hota hai?

A) Delete karne ke liye B) Text replace karne ke liye C) Print karne ke liye D) Split karne ke liye

✓ **Answer: B**

28. Output?

```
s = "I like Python"
print(s.replace("Python", "Java"))
```

A) I like Python B) I like Java C) Java like Python D) Error

✓ **Answer: B**

29. `split()` method kya karta hai?

A) String ko list mein convert karta hai B) List ko string banata hai C) String delete karta hai D) Reverse karta hai

✓ **Answer: A**

30. Output?

```
s="a,b,c"
print(s.split(", "))
```

A) "abc" B) ['a','b','c'] C) ('a','b','c') D) Error

✓ **Answer: B**

Loops

31. `while` loop kab tak chalta hai?

A) Jab tak condition True ho B) Sirf 10 baar C) Sirf ek baar D) Kabhi nahi

✓ **Answer: A**

32. Output?

```
i=1

while i<=3:
    print(i)
    i+=1
```

A)

```
1
2
3
```

B)

```
0
1
2
```

C)

- 1
- 2
- 3
- 4

D) Infinite loop

✓ **Answer: A**

33. Agar while loop mein increment na ho to?

A) Error B) Infinite loop ho sakta hai C) Loop skip hoga D) Program close hoga

✓ **Answer: B**

34. range () ka default start kya hota hai?

A) 0 B) 1 C) -1 D) None

✓ **Answer: A**

35. Output?

```
for i in range(2,6):  
    print(i)
```

A)

- 2
- 3
- 4
- 5

B)

2
3
4
5
6

C)

1
2
3
4
5

D) Error

✓ **Answer: A**

36. range (2 , 10 , 2) ka output kya hoga?

A) 2,4,6,8 B) 2,4,6,8,10 C) 1,3,5,7,9 D) 0,2,4,6

✓ **Answer: A**

37. Loop se bahar nikalne ke liye?

A) skip B) break C) continue D) pass

✓ **Answer: B**

38. continue kya karta hai?

A) Loop terminate B) Current iteration skip C) Program stop D) Error

✓ **Answer: B**

39. `pass` ka use kis liye hota hai?

A) Loop delete karne ke liye B) Empty block ke liye C) Loop break karne ke liye D) Output ke liye

✓ **Answer: B**

40. Output?

```
for i in range(5):  
    if i==3:  
        break  
    print(i)
```

A)

```
0  
1  
2
```

B)

```
0  
1  
2  
3
```

C)

```
1
```

2
3

D) Error

✓ **Answer: A**

41. Nested loop mein kitne loops ho sakte hain?

A) Sirf 2 B) Sirf 3 C) Koi fixed limit nahi D) Sirf 1

✓ **Answer: C**

42. Output?

```
for i in range(3):  
    for j in range(2):  
        print(i,j)
```

Total kitni baar print chalega?

A) 3 B) 5 C) 6 D) 9

✓ **Answer: C**

43. `enumerate()` ka use kis liye hota hai?

A) Index + value lene ke liye B) Sorting ke liye C) Delete ke liye D) Reverse ke liye

✓ **Answer: A**

44. Output?

```
for i,char in enumerate("abc"):  
    print(i,char)
```

A)

```
0 a  
1 b  
2 c
```

B)

```
a b c
```

C)

```
1 a  
2 b  
3 c
```

D) Error

✓ **Answer: A**

45. Loop mein `else` kab execute hota hai?

A) Hamesha B) Jab loop normally complete ho C) Jab break aaye D) Kabhi nahi

✓ **Answer: B**

46. Output?

```
for i in range(3):  
    print(i)  
else:  
    print("Done")
```

A)

```
0  
1  
2  
Done
```

B)

```
Done
```

C)

```
0  
1  
2
```

D) Error

✓ **Answer: A**

47. Python mein loop variable automatically create hota hai?

A) Yes B) No C) Sirf while mein D) Sirf function mein

✓ **Answer: A**

48. String iterable hoti hai?

A) Yes B) No C) Sirf empty string D) Depends

✓ **Answer: A**

49. Output?

```
for x in "Hi":  
    print(x)
```

A)

```
Hi
```

B)

```
H  
i
```

C)

```
0  
1
```

D) Error

✓ **Answer: B**

50. Infinite loop rokne ka best tareeqa?

A) Condition update karna B) print hatana C) Variable delete karna D) Import karna

✓ **Answer: A**

Python Functions & Recursion MCQs (51-80)

51. Python mein function define karne ke liye konsa keyword use hota hai?

A) function B) define C) def D) fun

✓ **Answer: C**

52. Function call ka matlab kya hota hai?

A) Function delete karna B) Function ko execute karna C) Function banana D) Function rename karna

✓ **Answer: B**

53. Output kya hoga?

```
def hello():  
    print("Hello")  
  
hello()
```

A) hello B) Hello C) Error D) Kuch nahi

✓ **Answer: B**

54. Function mein value receive karne wale variables ko kya kehte hain?

A) Arguments B) Parameters C) Return D) Variables

✓ **Answer: B**

55. Function call ke waqt di gayi values ko kya kehte hain?

A) Parameters B) Arguments C) Loops D) Objects

✓ **Answer: B**

56. Output?

```
def add(a,b):  
    return a+b  
  
print(add(2,3))
```

A) 23 B) 5 C) Error D) None

✓ **Answer: B**

57. `return` statement ka kaam kya hai?

A) Loop stop karna B) Value wapas bhejna C) Print karna D) Function banana

✓ **Answer: B**

58. Agar function mein return na ho to default kya return hota hai?

A) 0 B) False C) None D) Error

✓ **Answer: C**

59. Output?

```
def test():  
    x = 10  
  
test()  
print(x)
```

A) 10 B) Error C) None D) 0

✓ **Answer: B**

60. Function ke andar banne wala variable kya kehlata hai?

A) Global variable B) Local variable C) Static variable D) External variable

✓ **Answer: B**

61. Global variable kahan access ho sakta hai?

A) Sirf function ke andar B) Program ke andar generally kahin bhi C) Sirf loop mein D) Kahin nahi

✓ **Answer: B**

62. Default argument kya hota hai?

A) Jiski value pehle se set ho B) Jo delete ho jaye C) Jo loop mein aaye
D) Jo error de

✓ **Answer: A**

63. Output?

```
def greet (name="Ali") :  
    print (name)  
  
greet ()
```

A) Error B) Ali C) None D) name

✓ **Answer: B**

64. Keyword arguments mein value kis base par pass hoti hai?

A) Position B) Name C) Random D) Index

✓ **Answer: B**

65. Output?

```
def student (name, age) :  
    print (name, age)  
  
student (age=20, name="Ali")
```

A) Error B) Ali 20 C) 20 Ali D) None

✓ **Answer: B**

66. *args ka use kis liye hota hai?

A) Multiple positional arguments B) Error handling C) File open D) Loop

✓ **Answer: A**

67. **kwargs kis liye use hota hai?

A) Multiple keyword arguments B) Numbers store karne ke liye C) Strings reverse karne ke liye D) Recursion ke liye

✓ **Answer: A**

68. Lambda function kya hota hai?

A) Anonymous function B) Loop C) Class D) Module

✓ **Answer: A**

69. Lambda ka syntax kya hai?

A)

```
lambda arguments: expression
```

B)

```
def lambda()
```

C)

```
function lambda
```

D)

```
lambda()
```

✓ **Answer: A**

70. Output?

```
square = lambda x:x*x  
print(square(4))
```

A) 8 B) 16 C) 4 D) Error

✓ **Answer: B**

Recursion MCQs

71. Recursion kya hota hai?

A) Function ka khud ko call karna B) Loop ka naam C) Variable banana
D) File open karna

✓ **Answer: A**

72. Recursive function mein kya zaroori hota hai?

A) Loop B) Base condition C) Class D) Import

✓ **Answer: B**

73. Agar recursion mein base condition na ho to?

A) Function fast chalega B) Infinite recursion ho sakti hai C) Error nahi ayega D) Output 0 hoga

✓ **Answer: B**

74. Factorial ka formula kya hai?

A) $n+n$ B) $n*n$ C) $n \times \text{factorial}(n-1)$ D) $n-1$

✓ **Answer: C**

75. `factorial(0)` ki value kya hoti hai?

A) 0 B) 1 C) -1 D) Error

✓ **Answer: B**

76. Output?

```
def fun(n):  
    if n==0:  
        return  
    print(n)  
    fun(n-1)  
  
fun(3)
```

Output?

A)

1
2
3

B)

3
2
1

C)

3
2
1
0

D) Error

✓ **Answer: B**

77. Recursion memory mein kis structure ka use karti hai?

A) Queue B) Stack C) List D) Dictionary

✓ **Answer: B**

78. Recursive calls kab stop hoti hain?

A) Jab RAM khatam ho B) Jab base condition true ho C) Jab print ho D) Jab loop chale

✓ Answer: B

79. Recursion aur loop dono kis kaam ke liye use ho sakte hain?

A) Repetition B) Import C) File handling D) Variable deletion

✓ Answer: A

80. Python ki default recursion limit lagbhag kitni hoti hai?

A) 100 B) 500 C) 1000 D) 10000

✓ Answer: C

Python os Module & File Handling MCQs (81-110)

81. `os` module ka use kis liye hota hai?

A) Web development B) Operating system ke saath interact karne ke liye C) Games banane ke liye D) Database banane ke liye

✓ Answer: B

82. `os` module use karne ke liye kya likhte hain?

A)

```
include os
```

B)

```
import os
```

C)

```
use os
```

D)

```
os import
```

✓ **Answer: B**

83. Current working directory check karne ke liye konsa function hai?

A) `os.current()` B) `os.getcwd()` C) `os.path()` D) `os.dir()`

✓ **Answer: B**

84. `os.getcwd()` kya return karta hai?

A) Current file B) Current folder ka path C) Folder ki list D) File size

✓ **Answer: B**

85. New directory banane ke liye?

A) `os.create()` B) `os.mkdir()` C) `os.newdir()` D) `os.folder()`

✓ **Answer: B**

86. Directory remove karne ke liye?

A) `os.delete()` B) `os.remove()` C) `os.rmdir()` D) `os.del()`

✓ **Answer: C**

87. File delete karne ke liye konsa function use hota hai?

A) `os.remove()` B) `os.deletefile()` C) `os.erase()` D) `os.clear()`

✓ **Answer: A**

88. `os.listdir()` kya karta hai?

A) File delete karta hai B) Folder ke andar ki items ki list deta hai C) Folder banata hai D) File open karta hai

✓ **Answer: B**

89. Output kya hoga?

```
import os

print(os.path.exists("data.txt"))
```

A) File delete karega B) Check karega file exist karti hai ya nahi C) File banayega D) Error

✓ Answer: B

90. `os.path.isfile()` kya check karta hai?

A) Path folder hai B) Path file hai C) File delete hai D) File size

✓ Answer: B

91. `os.path.isdir()` kya check karta hai?

A) Path directory hai B) Path file hai C) File open hai D) File empty hai

✓ Answer: A

92. Path join karne ke liye?

A) `os.path.merge()` B) `os.path.join()` C) `os.joinpath()` D) `path.join()`

✓ Answer: B

93. `os.path.splitext()` ka use?

A) File delete karna B) Extension separate karna C) Folder banana D) Path rename karna

✓ Answer: B

94. Output?

```
import os

print(os.path.splitext("test.pdf"))
```

A)

```
test pdf
```

B)

```
('test', '.pdf')
```

C)

```
.pdf
```

D) Error

✓ **Answer: B**

95. `os.rename()` ka use?

A) File rename karna B) File read karna C) File delete karna D) Folder create karna

✓ **Answer: A**

File Handling

96. File open karne ke liye konsa function hai?

A) file() B) open() C) read() D) load()

✓ **Answer: B**

97. File open karne ka correct syntax?

A)

```
open(file, mode)
```

B)

```
file.open(mode)
```

C)

```
open.mode(file)
```

D)

```
file(mode)
```

✓ **Answer: A**

98. File read mode kya hota hai?

A) r B) w C) a D) x

✓ **Answer: A**

99. File write mode kya hota hai?

A) r B) w C) a D) read

✓ **Answer: B**

100. Append mode kya hota hai?

A) r B) w C) a D) x

✓ **Answer: C**

101. w mode ka problem kya hai?

A) File read nahi hoti B) Existing content overwrite kar deta hai C) File delete nahi hoti D) Kuch nahi karta

✓ **Answer: B**

102. File ka complete content read karne ke liye?

A) `read()` B) `write()` C) `open()` D) `close()`

✓ **Answer: A**

103. File ki ek line read karne ke liye?

A) `readline()` B) `line()` C) `readone()` D) `getline()`

✓ **Answer: A**

104. Saari lines list ki form mein lene ke liye?

A) `readlines()` B) `readall()` C) `lines()` D) `listread()`

✓ **Answer: A**

105. File close karne ke liye?

A) `exit()` B) `stop()` C) `close()` D) `end()`

✓ **Answer: C**

106. `with open()` ka faida kya hai?

A) File automatically close ho jati hai B) File delete ho jati hai C) Speed double ho jati hai D) Error remove hota hai

✓ **Answer: A**

107. Output?

```
f = open("test.txt", "w")
f.write("Hello")
f.close()
```

Kya hoga?

A) File mein Hello likh jayega B) File delete hogi C) Error D) Kuch nahi

✓ **Answer: A**

108. Binary file ke liye konsa mode use hota hai?

A) t B) b C) x D) n

✓ Answer: B

109. "rb" mode ka matlab?

A) Read binary B) Remove binary C) Rewrite binary D) Random binary

✓ Answer: A

110. File pointer ki current position check karne ke liye?

A) `seek()` B) `tell()` C) `position()` D) `locate()`

✓ Answer: B

Python MCQs (111-140)

111. `seek()` method ka use kis liye hota hai?

A) File delete karne ke liye B) File pointer ki position change karne ke liye C) File close karne ke liye D) File rename karne ke liye

✓ Answer: B

112. `tell()` method kya return karta hai?

A) File ka naam B) File size C) Current file pointer position D) File extension

✓ Answer: C

113. Output kya hoga?

```
f = open("data.txt", "r")  
print(f.mode)  
f.close()
```

A) r B) read C) data.txt D) Error

✓ **Answer: A**

114. Agar file exist nahi karti aur `r` mode mein open karein to?

A) File create ho jayegi B) Error ayega C) Empty file banegi D) Kuch nahi hoga

✓ **Answer: B**

115. Agar file exist nahi karti aur `w` mode mein open karein to?

A) Error B) File create ho jayegi C) Program band ho jayega D) File read hogi

✓ **Answer: B**

116. `"a"` mode ka matlab kya hai?

A) Add/Append data B) All data delete C) Automatic close D) Array mode

✓ Answer: A

117. File handling mein exception handle karne ke liye kya use karte hain?

A) if-else B) try-except C) loop D) class

✓ Answer: B

118. Correct syntax kya hai?

A)

```
try:
    code
except:
    code
```

B)

```
try()
except()
```

C)

```
error try
```

D) None

✓ Answer: A

119. with open() ke andar file close karni padti hai?

A) Yes B) No, automatically close hoti hai C) Sirf Windows mein D) Sirf Linux mein

✓ **Answer: B**

120. Output?

```
with open("a.txt", "w") as f:  
    f.write("Python")
```

Kya hoga?

A) Python file mein save hoga B) Error C) File delete hogi D) Kuch nahi

✓ **Answer: A**

os Module Practical

121. Folder ka size directly nikalne ke liye os mein konsa simple function hai?

A) os.size() B) os.path.getsize() C) os.folder_size() D) os.length()

✓ **Answer: B**

122. os.path.basename() kya deta hai?

A) Folder ka naam B) Path ka last part C) Extension D) File size

✓ **Answer: B**

123. Example:

```
import os

path = "/home/user/test.txt"
print(os.path.basename(path))
```

Output?

A) /home/user B) test.txt C) .txt D) Error

✓ **Answer: B**

124. `os.path.dirname()` kya return karta hai?

A) File extension B) Directory part of path C) File name D) File size

✓ **Answer: B**

125. Output?

```
import os

print(os.path.dirname("/home/user/a.txt"))
```

A) a.txt B) /home/user C) .txt D) Error

✓ **Answer: B**

126. File extension check karne ke liye kya use kar sakte hain?

A) splitext() B) mkdir() C) remove() D) rename()

✓ **Answer: A**

127. `os.walk()` ka use?

A) Folder tree traverse karne ke liye B) File delete karne ke liye C) File open karne ke liye D) Folder rename karne ke liye

✓ **Answer: A**

128. `os.walk()` kya return karta hai?

A) Integer B) Tuple of root, directories, files C) String D) Boolean

✓ **Answer: B**

129. `os.environ` kya contain karta hai?

A) Environment variables B) Files C) Images D) Loops

✓ **Answer: A**

130. Current operating system ka naam check karne ke liye?

A) `os.name` B) `os.systemname()` C) `os.platform()` D) `os.type()`

✓ **Answer: A**

Mixed Python Concepts

131. Function ke andar function define kar sakte hain?

A) Yes B) No C) Sirf class mein D) Error

✓ **Answer: A**

132. Recursive function ka disadvantage kya ho sakta hai?

A) Zyada memory use B) Fast always C) No output D) File delete

✓ **Answer: A**

133. Python mein strings kis brackets mein likhte hain?

A) [] B) {} C) "" ya " D) <>

✓ **Answer: C**

134. Output?

```
x = "Python"
print(x[-2:])
```

A) Py B) on C) ho D) th

✓ **Answer: B**

135. Output?

```
print("abc" * 3)
```

A) abc3 B) abcabcab C) Error D) abc abc abc

✓ **Answer: B**

136. List comprehension ka use kis liye hota hai?

A) Short way mein list create karna B) File delete karna C) Function stop karna D) Module import karna

✓ **Answer: A**

137. Python mein comments ke liye?

A) // B) # C) D) **

✓ **Answer: B**

138. len () function kis cheez par kaam karta hai?

A) Iterable objects B) Sirf numbers C) Sirf files D) Sirf functions

✓ **Answer: A**

139. type () function kya batata hai?

A) Value change karta hai B) Data type batata hai C) File open karta hai D) Loop chalata hai

✓ **Answer: B**

140. Python code execute hota hai?

A) Compiler only B) Interpreter C) Browser D) Database

✓ **Answer: B**

Python Final MCQs (141-150)

141. Output kya hoga?

```
s = "Python"  
print(s[1:-1])
```

A) Pytho B) ytho C) ython D) Error

✓ **Answer: B**

Explanation: Index 1 se start aur last index (-1) se pehle tak.

142. Output kya hoga?

```
text = "Hello World"  
print(text.lower())
```

A) Hello World B) HELLO WORLD C) hello world D) Error

✓ **Answer: C**

143. Output kya hoga?

```
for i in range(3):  
    pass  
  
print("Done")
```

A)

```
0  
1  
2  
Done
```

B)

```
Done
```

C) Error

D) Kuch nahi

✓ **Answer: B**

Explanation: `pass` kuch nahi karta, loop complete hota hai.

144. Output kya hoga?

```
def add(a,b=5):  
    return a+b  
  
print(add(3))
```

A) 3 B) 5 C) 8 D) Error

✓ Answer: C

145. Is code ka result kya hoga?

```
def test():  
    return 10  
    print(20)  
  
print(test())
```

A)

```
10  
20
```

B)

```
10
```

C)

```
20
```

D) Error

✓ Answer: B

Explanation: `return` ke baad function ka code execute nahi hota.

146. Output kya hoga?

```
def fun(n):  
    if n == 0:
```

```
        return 0
    return n + fun(n-1)

print(fun(3))
```

A) 3 B) 6 C) 9 D) Error

✓ **Answer: B**

Explanation:

```
fun(3)
= 3 + fun(2)
= 3 + 2 + fun(1)
= 3 + 2 + 1 + fun(0)
= 6
```

147. Agar file ko "a" mode mein open karein to kya hoga?

```
open("data.txt", "a")
```

A) Purana data delete hoga B) Naya data end mein add hoga C) Sirf read hogi D) Error ayega

✓ **Answer: B**

148. Output kya hoga?

```
import os

print(os.path.splitext("image.jpeg")[1])
```

A) image B) jpeg C) .jpeg D) Error

✓ **Answer: C**

149. Ye code kya karega?

```
import os

for file in os.listdir():
    print(file)
```

- A) Current folder ki files/folders print karega B) Sab files delete karega
C) New folder banayega D) Error

✓ **Answer: A**

150. File handling ka safest tareeqa konsa hai?

A)

```
open()
```

B)

```
with open()
```

C)

```
file.open()
```

D)

```
read.file()
```

✓ ***Answer: B**