
# Anatomy of an Ethereum client


Andrei Maiboroda *github.com/gumb0* Devcon3

### Ethereum client




# Network communication

- Discovery protocol
- devp2p & RLPx
- eth protocol
- Fast sync protocol
- Warp protocol
- etc.




# Databases

- Blockchain database
- State database
- Indices
- Caching
- Pruning




# Synchronization

- Full (Archive) sync
  Downloads all blocks and executes all txs
- Fast sync
  Downloads all blocks and the state trie
- Snapshot (Warp) sync
  Downloads compressed blocks and the state
- Light client
  Doesn't have the full blockchain and state




#### Blockchain

- Blocks
- Transactions
- Difficulty calculation
- Signing transactions
- RLP-encoding
- Validation
- etc.




### State

- Accounts
- Contracts code & storage
- Merkle Patricia Trie
- Higher level interface to key-value storage of State DB




#### **Ethereum Virtual Machine**

- Instruction execution
- Gas calculation
- Updating the State
- Optimizations
- Interpreter vs JIT



#### Proof of Work

- Ethash
- Block seal validation
- Sealing new blocks
- Other seal engines (Rinkeby, Kovan)



## RPC API

- Backend for web3.js
- JSON-RPC
- Can be used remotely
- https://github.com/ethereum/wiki/wiki/JSON-RPC



# Wallet

- Needed to send the transactions
- Managing accounts
- Import/export
- Signing the transactions



# **Optional stuff**

- Import/export blockchain
- Console
- Debugging tools
- Compilers
- Mining
- Optimizations
- etc.

### Consensus Tests

- Parse JSON tests
- Execute operations
- Compare with expected state
- Pass all the tests

```
"callcall_00" : {
"_info" : {
    "comment": "",
    "filledwith": "cpp-1.3.0+commit.b90fb307.Linux.g++",
    "source": "/src/GeneralStateTestsFiller/stCallCodes/callcall_00Filler.json"
"env" : {
    "currentCoinbase": "0x2adc25665018aa1fe0e6bc666dac8fc2697ff9ba",
    "currentDifficulty": "0x20000",
    "currentGasLimit": "0x01c9c380",
    "currentNumber": "0x01",
    "currentTimestamp" : "0x03e8",
    "previousHash": "0x5e20a0453cecd065ea59c37ac63e079ee08998b6045136a8ce6635c7912ec0b6"
 "post" : {
    "Byzantium" : [
            "hash": "0x7ebd8fdaaeb5e96fd2ad3b11c675e3b16e5902ae4fe100710f39925e59ccd914",
            "indexes" : {
                "data": 0.
                "gas": 0,
                "value": 0
            "logs": "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
```

### Ethereum client

