



# SPANEX

A Division of Meem International Pty Ltd

4 Cabrini Street, Point Cook, Victoria 3030, Australia

ABN: 56 602 689 001 | Phone: +61 452 199 786 | Email: [info@spanex.com.au](mailto:info@spanex.com.au) | Web: [www.spanex.com.au](http://www.spanex.com.au)

---

## Maize — Crop Application Schedule

---

**Product range:** SPANEX Bio-Capsules **Application basis:** All capsule dosages are for **2 hectares** of land **Source:** SRT Agro Science authoritative crop schedules **Date:** April 2026

---

### SRT General Notes

---

- All capsule dosage is for **2-hectare land**.
  - Apply in soil (drip / drench / irrigation / soil spray).
  - Maintain a minimum **3–4 days gap** from chemical fertilisers.
  - Select products based on crop requirement.
  - Schedule prepared on average soil moisture and temperature conditions.
  - Dosage and timing of application may vary depending on farmer's practices, weather, soil health, and crop condition.
-

MAIZE / CORN (2 Hectare)

| Stage    | Week 0 | Week 1 | Week 4 | Week 6 | Week 9 | Week 12 | Week 15 | TOTAL   |
|----------|--------|--------|--------|--------|--------|---------|---------|---------|
| NPK Grow | —      | —      | 5 caps | —      | 5 caps | —       | —       | 10 Caps |
| Azoss    | 5 caps | —      | —      | —      | —      | —       | —       | 5 Caps  |
| PSB Plus | 5 caps | —      | —      | —      | —      | —       | —       | 5 Caps  |

**Notes:** Azospirillum particularly effective on maize — colonises maize root system.

## Important Notes

---

1. All schedules per **2 hectares** — scale proportionally for your treated area.
2. **Strain matching for legumes:** Rhizo Caps must be strain-matched — confirm with SPANEX before order.
3. **Soil moisture required:** All biological products require adequate soil moisture for activation.
4. **Compatibility:** Do NOT mix with chlorinated water, copper-based fungicides, or bactericides.
5. **Storage:** Store capsules in cool, dry conditions — shelf life 16+ months at ambient.
6. **Validation:** Schedules to be validated against Australian field conditions.