



SPANEX

A Division of Meem International Pty Ltd

4 Cabrini Street, Point Cook, Victoria 3030, Australia

ABN: 56 602 689 001 | Phone: +61 452 199 786 | Email: info@spanex.com.au | Web: www.spanex.com.au

Raspberry — Crop Application Schedule

Product range: SPANEX Bio-Capsules **Application basis:** All capsule dosages are for **2 hectares** of land **Source:** SRT Agro Science authoritative crop schedules **Date:** April 2026

SRT General Notes

- All capsule dosage is for **2-hectare land**.
 - Apply in soil (drip / drench / irrigation / soil spray).
 - Maintain a minimum **3–4 days gap** from chemical fertilisers.
 - Select products based on crop requirement.
 - Schedule prepared on average soil moisture and temperature conditions.
 - Dosage and timing of application may vary depending on farmer's practices, weather, soil health, and crop condition.
-

HORTICULTURE — FRUIT PLANTS (2 Hectare)

Costa Group (Citrus, Avocado, Banana, Strawberry, Blueberry, Raspberry), Warakirri (Almonds)

Generic schedule per SRT — applies to all tree fruits, nuts and berry crops.

Stage	Month 0	Month 1	Month 3	Month 5	TOTAL
NPK Grow	—	5 caps	—	5 caps	10 Caps
Azoto Caps	5 caps	—	—	—	5 Caps
PSB Plus	5 caps	—	—	5 caps	10 Caps
Potash Grow	—	—	5 caps	—	5 Caps
Zinc Grow	—	5 caps	—	—	5 Caps

Improves flowering, fruit set & long-term soil health.

Horticulture & Vegetables additional note: Schedule prepared based on average crop life cycle. Application dosage and frequency can be increased or decreased depending on specific crop duration, growth stage and field conditions.

Important Notes

1. All schedules per **2 hectares** — scale proportionally for your treated area.
2. **Strain matching for legumes:** Rhizo Caps must be strain-matched — confirm with SPANEX before order.
3. **Soil moisture required:** All biological products require adequate soil moisture for activation.
4. **Compatibility:** Do NOT mix with chlorinated water, copper-based fungicides, or bactericides.
5. **Storage:** Store capsules in cool, dry conditions — shelf life 16+ months at ambient.
6. **Validation:** Schedules to be validated against Australian field conditions.