



SPANEX

A Division of Meem International Pty Ltd

4 Cabrini Street, Point Cook, Victoria 3030, Australia

ABN: 56 602 689 001 | Phone: +61 452 199 786 | Email: info@spanex.com.au | Web: www.spanex.com.au

Tomato — Crop Application Schedule

Product range: SPANEX Bio-Capsules **Application basis:** All capsule dosages are for **2 hectares** of land **Source:** SRT Agro Science authoritative crop schedules **Date:** April 2026

SRT General Notes

- All capsule dosage is for **2-hectare land**.
 - Apply in soil (drip / drench / irrigation / soil spray).
 - Maintain a minimum **3–4 days gap** from chemical fertilisers.
 - Select products based on crop requirement.
 - Schedule prepared on average soil moisture and temperature conditions.
 - Dosage and timing of application may vary depending on farmer's practices, weather, soil health, and crop condition.
-

VEGETABLES (2 Hectare)

Costa Group (Tomato + others)

Generic schedule per SRT — applies to all vegetable crops.

Stage	Week 0	Week 2	Week 4	Week 6	Week 10	TOTAL
NPK Grow	—	5 caps	—	10 caps	—	15 Caps
Azoss Caps	5 caps	—	—	—	5 caps	10 Caps
PSB Plus	5 caps	—	—	—	5 caps	10 Caps
Potash Grow	—	—	5 caps	—	5 caps	10 Caps
Zinc Grow	—	—	—	5 caps	—	5 Caps

Supports vegetative growth, flowering & fruit development.

Important Notes

1. All schedules per **2 hectares** — scale proportionally for your treated area.
2. **Strain matching for legumes:** Rhizo Caps must be strain-matched — confirm with SPANEX before order.
3. **Soil moisture required:** All biological products require adequate soil moisture for activation.
4. **Compatibility:** Do NOT mix with chlorinated water, copper-based fungicides, or bactericides.
5. **Storage:** Store capsules in cool, dry conditions — shelf life 16+ months at ambient.
6. **Validation:** Schedules to be validated against Australian field conditions.