

BLUD.ID API Documentation

{{SERVER}} = IP Address or Domian Server, exp. http://blud.id

HTTP Response Code :

- 200 = OK
- 201 = Created
- 204 = No Content
- 401 = Unauthorized
- 403 = Forbidden
- 404 = Not Found
- 405 = Method Not Allowed
- 424 = Failed Dependency
- 500 = Internal Server Error

I. API

1. Generate Token

- URL : **{{SERVER}}**/gettoken
- Tabels : officers, agencies
- Method : POST
- Header Params :
- Body Params :

```
{  
    "username" : "root",  
    "password" : "admin"  
    "secretkey" : "12345"  
}
```
- Response :

```
{  
    "status" : "OK",  
    "results" : {  
        "token" : "12345"  
    }  
}
```

II. Globals

2. Agencies

- a. Get Agencies
 - URL : **{{SERVER}}**/globals/agencies
 - Tabels : agencies
 - Method : GET

- Header Params :
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}

b. Update Agencies

- URL : **{{SERVER}}**/globals/agencies
- Tabela : agencies
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}

3. Officers

a. Get Officers

- URL : **{{SERVER}}**/globals/officers
- Tabela : officers
- Method : GET
- Header Params :
- {
 "token" : "12345"
}
- Body Params :
- Response :

```
{
  "status" : "OK",
  "results" : {
    "id" : "12345"
  }
}
```

b. Insert Officers

- URL : **{{SERVER}}**/globals/officers
- Tabela : officers
- Method : POST
- Header Params :
- Body Params :

```
{
  "token" : "12345"
}
```

- Response :

```
{
  "status" : "OK",
  "results" : {
    "id" : "12345"
  }
}
```

c. Update Officers

- URL : **{{SERVER}}**/globals/officers
- Tabela : officers
- Method : PUT
- Header Params :
- Body Params :

```
{
  "token" : "12345"
}
```

- Response :

```
{
  "status" : "OK",
  "results" : {
    "id" : "12345"
  }
}
```

d. Delete Officers

- URL : **{{SERVER}}**/globals/officers
- Tabela : officers
- Method : DELETE
- Header Params :
- Body Params :

```
{
  "token" : "12345"
}
```
- Response :

```
{
  "status" : "OK",
  "results" : {
    "id" : "12345"
  }
}
```

e. Set Officer Accesses

- URL : **{{SERVER}}**/globals/officers/accesses
- Tabela : officeraccesses
- Method : POST
- Header Params :
- Body Params :

```
{
  "token" : "12345"
}
```
- Response :

```
{
  "status" : "OK",
  "results" : {
    "id" : "12345"
  }
}
```

f. Officer Logs

- URL : **{{SERVER}}**/globals/officers/logs
- Tabela : officerlogs
- Method : POST
- Header Params :
- Body Params :

```
    {
      "token" : "12345"
    }
-   Response      :
    {
      "status" : "OK",
      "results" : {
        "id" : "12345"
      }
    }
  }
```

4. Configs

- URL : **{{SERVER}}**/globals/configs
- Tabela : config
- Method : PUT
- Header Params :
- Body Params :

```
{
  "token" : "12345"
}
-   Response      :
    {
      "status" : "OK",
      "results" : {
        "id" : "12345"
      }
    }
  }
```

5. Chart Of Accounts

a. Get Chart Of Accounts

- URL : **{{SERVER}}**/globals/chartofaccounts
 - Tabela : chartofaccounts
 - Method : GET
 - Header Params :
- ```
{
 "token" : "12345"
}
```
- Body Params :
  - Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Chart Of Accounts

- URL : **{{SERVER}}**/globals/chartofaccounts
- Tabela : chartofaccounts
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Chart Of Accounts

- URL : **{{SERVER}}**/globals/chartofaccounts
- Tabela : chartofaccounts
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Chart Of Accounts

- URL : **{{SERVER}}**/globals/chartofaccounts
- Tabela : chartofaccounts
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

6. Chart Of Budgets

a. Get Chart Of Budgets

- URL : **{{SERVER}}**/globals/chartofbudgets
- Tabela : chartofbudgets, chartofaccounts
- Method : GET
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Chart Of Budgets

- URL : **{{SERVER}}**/globals/chartofbudgets
- Tabela : chartofbudgets
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Chart Of Budgets

```
- URL : {{SERVER}}/globals/chartofbudgets
- Tabela : chartofbudgets
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Chart Of Budgets

```
- URL : {{SERVER}}/globals/chartofbudgets
- Tabela : chartofbudgets
- Method : DELETE
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```



```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

## 7. Program Groups

### a. Get Program Groups

- URL : **{{SERVER}}**/globals/programgroups
- Tabela : programgroups
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
```

- Body Params :
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

### b. Insert Program Groups

- URL : **{{SERVER}}**/globals/programgroups
- Tabela : programgroups
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Program Groups

- URL : **{{SERVER}}**/globals/programgroups
- Tabela : programgroups
- Method : PUT
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

d. Delete Program Groups

- URL : **{{SERVER}}**/globals/programgroups
- Tabela : programgroups
- Method : DELETE
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

**8. Programs**

a. Get Programs

- URL : **{{SERVER}}**/globals/programs
- Tabela : programs, programgroups
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Programs

```
- URL : {{SERVER}}/globals/programs
- Tabela : programs
- Method : POST
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Programs

```
- URL : {{SERVER}}/globals/programs
- Tabela : programs
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Programs

- URL : **{{SERVER}}**/globals/programs
- Tabels : programs
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

9. Placemans

a. Get Placemans

- URL : **{{SERVER}}**/globals/placemans
- Tabels : placemans
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
```

- Body Params :
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Placemans

- URL : **{{SERVER}}**/globals/placemans
- Tabela : placemans
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Placemans

- URL : **{{SERVER}}**/globals/placemans
- Tabela : placemans
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Placemans

- URL : **{{SERVER}}**/globals/placemans
- Tabela : placemans
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

## 10. Performance Indicators

### a. Get Performance Indicators

```
- URL : {{SERVER}}/globals/performanceIndicators
- Tabels : performanceIndicators
- Method : GET
- Header Params :
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

### b. Insert Performance Indicators

```
- URL : {{SERVER}}/globals/performanceIndicators
- Tabels : performanceIndicators
- Method : POST
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Performance Indicators

- URL : **{{SERVER}}**/globals/performanceIndicators
- Tabela : performanceIndicators
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Performance Indicators

- URL : **{{SERVER}}**/globals/performanceIndicators
- Tabela : performanceIndicators
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

11. Regionals

- URL : {{SERVER}}/globals/regionals
- Tabela : regionals
- Method : GET
- Header Params :  
{  
    "token" : "12345"  
}
- Body Params :
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

12. Modules

- URL : {{SERVER}}/globals/modules
- Tabela : modules
- Method : GET
- Header Params :  
{  
    "token" : "12345"  
}
- Body Params :
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

13. System Config

- URL : {{SERVER}}/globals/systemconfig
- Tabela : systemconfig
- Method : GET
- Header Params :



```
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

### III. Budgeting

#### 1. Budgets

##### a. Get Budgets

```
- URL : {{SERVER}}/budgeting/budgets
- Tabela : budgets
- Method : GET
- Header Params :
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

##### b. Insert Budgets

```
- URL : {{SERVER}}/budgeting/budgets
- Tabela : budgets
- Method : POST
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Budgets

- URL : **{{SERVER}}**/budgeting/budgets
- Tabela : budgets
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Budgets

- URL : **{{SERVER}}**/budgeting/budgets
- Tabela : budgets
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

e. Validation Budgets

- URL : **{{SERVER}}**/budgeting/budgets/validation
- Tabela : budgets
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

**2. Budget Plans**

a. Get Budget Plans

- URL : **{{SERVER}}**/budgeting/budgetplans
- Tabela : budgetplans
- Method : GET
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Budget Plans

- URL : **{{SERVER}}**/budgeting/budgetplans
- Tabela : budgetplans
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Budget Plans

```
- URL : {{SERVER}}/budgeting/budgetplans
- Tabela : budgetplans
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Budget Plans

```
- URL : {{SERVER}}/budgeting/budgetplans
- Tabela : budgetplans
- Method : DELETE
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

### 3. Budget Funders

#### a. Get Budget Funders

- URL : **{{SERVER}}**/budgeting/budgetfunders
- Tabela : budgetfunders
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
```

- Body Params :
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

#### b. Insert Budget Funders

- URL : **{{SERVER}}**/budgeting/budgetfunders
- Tabela : budgetfunders
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Budget Funders

- URL : **{{SERVER}}**/budgeting/budgetfunders
- Tabela : budgetfunders
- Method : PUT
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

d. Delete Budget Funders

- URL : **{{SERVER}}**/budgeting/budgetfunders
- Tabela : budgetfunders
- Method : DELETE
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

**4. Budget Performances**

a. Get Budget Performances

- URL : **{{SERVER}}**/budgeting/budgetperformances
- Tabela : budgetperformances
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Budget Performances

```
- URL : {{SERVER}}/budgeting/budgetperformances
- Tabels : budgetperformances
- Method : POST
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Budget Performances

```
- URL : {{SERVER}}/budgeting/budgetperformances
- Tabels : budgetperformances
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Budget Performances

- URL : **{{SERVER}}**/budgeting/budgetperformances
- Tabels : budgetperformances
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

5. Budget Schedules

a. Get Budget Schedules

- URL : **{{SERVER}}**/budgeting/budgetschedules
- Tabels : budgetschedules
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
```

- Body Params :
- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```



b. Insert Budget Schedules

- URL : **{{SERVER}}**/budgeting/budgetschedules
- Tabela : budgetschedules
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Budget Schedules

- URL : **{{SERVER}}**/budgeting/budgetschedules
- Tabela : budgetschedules
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Budget Schedules

- URL : **{{SERVER}}**/budgeting/budgetschedules
- Tabela : budgetschedules
- Method : DELETE
- Header Params :
- Body Params :

```

{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}

```

#### IV. Transactions

##### 1. Transactions

###### a. Get Transactions

```

- URL : {{SERVER}}/transactions/transactions
- Tabela : transactions
- Method : GET
- Header Params :
{
 "token" : "12345"
}
- Body Params :
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}

```

###### b. Insert Transactions

```

- URL : {{SERVER}}/transactions/transactions
- Tabela : transactions
- Method : POST
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :

```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Transactions

- URL : **{{SERVER}}**/transactions/transactions
- Tabela : transactions
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Transactions

- URL : **{{SERVER}}**/transactions/transactions
- Tabela : transactions
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

e. Validation Transactions

- URL : **{{SERVER}}**/transactions/transactions/validation
- Tabela : transactions
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

**2. Transaction Items**

a. Get Transaction Items

- URL : **{{SERVER}}**/transactions/transactionitems
- Tabela : transactionitems
- Method : GET
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "token" : "12345"
 }
}
```

b. Insert Transaction Items

- URL : **{{SERVER}}**/transactions/transactionitems
- Tabela : transactionitems
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Transaction Items

```
- URL : {{SERVER}}/transactions/transactionitems
- Tabela : transactionitems
- Method : PUT
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Transaction Items

```
- URL : {{SERVER}}/transactions/transactionitems
- Tabela : transactionitems
- Method : DELETE
- Header Params :
- Body Params :
{
 "token" : "12345"
}
- Response :
```

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

### 3. Transaction Taxes

#### a. Get Transaction Taxes

- URL : **{{SERVER}}**/transactions/transactiontaxes
- Tabela : transactiontaxes
- Method : GET
- Header Params :

```
{
 "token" : "12345"
}
```

- Body Params :
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

#### b. Insert Transaction Taxes

- URL : **{{SERVER}}**/transactions/transactiontaxes
- Tabela : transactiontaxes
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Transaction Taxes

- URL : **{{SERVER}}**/transactions/transactiontaxes
- Tabela : transactiontaxes
- Method : PUT
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

d. Delete Transaction Taxes

- URL : **{{SERVER}}**/transactions/transactiontaxes
- Tabela : transactiontaxes
- Method : DELETE
- Header Params :
- Body Params :  
{  
    "token" : "12345"  
}
- Response :  
{  
    "status" : "OK",  
    "results" : {  
        "id" : "12345"  
    }  
}

**4. Transaction Tax Paid**

e. Get Transaction Tax Paid

- URL : **{{SERVER}}**/transactions/transactiontaxpaid
- Tabela : transactiontaxpaid
- Method : GET
- Header Params :
- {

```
 "token" : "12345"
 }
- Body Params :
- Response :
 {
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
 }
}
```

f. Insert Transaction Tax Paid

```
- URL : {{SERVER}}/transactions/transactiontaxpays
- Tabela : transactiontaxpays
- Method : POST
- Header Params :
- Body Params :
 {
 "token" : "12345"
 }
- Response :
 {
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
 }
}
```

g. Update Transaction Tax Paid

```
- URL : {{SERVER}}/transactions/transactiontaxpays
- Tabela : transactiontaxpays
- Method : PUT
- Header Params :
- Body Params :
 {
 "token" : "12345"
 }
- Response :
 {
 "status" : "OK",
 "results" : {
```



```
 "id" : "12345"
```

```
 }
```

```
}
```

#### h. Delete Transaction Tax Paid

- URL : **{{SERVER}}**/transactions/transactiontaxpays

- Tabela : transactiontaxpays

- Method : DELETE

- Header Params :

- Body Params :

```
{
```

```
 "token" : "12345"
```

```
}
```

- Response :

```
{
```

```
 "status" : "OK",
```

```
 "results" : {
```

```
 "id" : "12345"
```

```
 }
```

```
}
```

## V. Accounting

### 1. Journals

#### a. Get Journals

- URL : **{{SERVER}}**/accounting/journals

- Tabela : journals

- Method : GET

- Header Params :

```
{
```

```
 "token" : "12345"
```

```
}
```

- Body Params :

- Response :

```
{
```

```
 "status" : "OK",
```

```
 "results" : {
```

```
 "id" : "12345"
```

```
 }
```

```
}
```

b. Insert Journals

- URL : **{{SERVER}}**/accounting/journals
- Tabela : journals
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Journals

- URL : **{{SERVER}}**/accounting/journals
- Tabela : journals
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Journals

- URL : **{{SERVER}}**/accounting/journals
- Tabela : journals
- Method : DELETE
- Header Params :

- Body Params :  

```
{
 "token" : "12345"
}
```
- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

#### e. Validation Journals

- URL : **{{SERVER}}**/accounting/journals/validation
- Tabela : journals
- Method : PUT
- Header Params :
- Body Params :  

```
{
 "token" : "12345"
}
```
- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

## 2. Journal Items

#### a. Get Journal Items

- URL : **{{SERVER}}**/accounting/journalitems
- Tabela : journalitems
- Method : GET
- Header Params :  

```
{
 "token" : "12345"
}
```
- Body Params :
- Response :

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

b. Insert Journal Items

- URL : **{{SERVER}}**/accounting/journalitems
- Tabela : journalitems
- Method : POST
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

c. Update Journal Items

- URL : **{{SERVER}}**/accounting/journalitems
- Tabela : journalitems
- Method : PUT
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

d. Delete Journal Items

- URL : **{{SERVER}}**/accounting/journalitems
- Tabela : journalitems
- Method : DELETE
- Header Params :
- Body Params :

```
{
 "token" : "12345"
}
```

- Response :  

```
{
 "status" : "OK",
 "results" : {
 "id" : "12345"
 }
}
```

## **VI. Reporting**

### **1. Penganggaran**

- a. Rencana Bisnis Anggaran (RBA)
- b. Dokumen Pelaksanaan Anggaran (DPA)

### **2. Penatausahaan**

- a. Surat Tanda Penerimaan (STP)
- b. Surat Tanda Setoran (STS)
- c. Surat Perintah Pembayaran (SPP)
- d. Surat Perintah Membayar (SPM)
- e. Surat Tanda Pengeluaran Kas (STPK)
- f. Surat Pertanggungjawaban (SPJ)
- g. Surat Pemberitahuan Tahunan (SPT) – Pajak
- h. Register Surat

### **3. Buku Kas**

- a. Buku Kas Umum (BKU)
- b. Buku Kas Tunai (BKT)
- c. Buku Kas Bank (BKB)
- d. Buku Kas Pendapatan (BKP)
- e. Buku Kas Setoran Pajak (BKSP)
- f. Buku Kas Pembantu (BKP) Penerimaan
- g. Buku Kas Pembantu (BKP) Penerimaan Tunai
- h. Buku Kas Pembantu (BKP) Penerimaan Bank
- i. Buku Kas Pembantu (BKP) Pengeluaran
- j. Buku Kas Pembantu (BKP) Pengeluaran Tunai
- k. Buku Kas Pembantu (BKP) Pengeluaran Bank

### **4. Laporan Akuntansi**

- a. Laporan Pertanggungjawaban (LPJ)
- b. Laporan Realisasi Anggaran (LRA)
- c. Laporan Operasional (LO)
- d. Laporan Arus Kas (LAK)
- e. Neraca
- f. Catatan Atas Laporan Keuangan (CALK)