


WEEK-01 SKILL

WSL INSTALLATION




```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\WINDOWS\system32> wsl --version
WSL version: 2.7.11.0
Kernel version: 6.18.33.2-2
WSLg version: 1.0.73.2
MSRDC version: 1.2.7214
Direct3D version: 1.611.1-81528511
DXCore version: 10.0.26100.1-240331-1435.ge-release
Windows version: 10.0.26200.8875
PS C:\WINDOWS\system32>
```

Report: Firstly installed WSL. After checked installation using wsl-version command i.e wsl --version

SIMPLE COMMANDS



```
root@Mani:~# pwd
/root
root@Mani:~# |
```

1. Pwd:


Report: After executing pwd command it is showing in way that the above one

2. Clear:



```
PS C:\WINDOWS\system32>
```

Report: After running the command clear whole terminal clears and appears to be empty




```
PS C:\WINDOWS\system32> history

Id CommandLine
--
1 wsl --version
2 pwd
3 cd
4 clear
```

3:History:

Report: After running the command history it shows the history of the wsl powershell like the previous commands we have run.



```
PS C:\Users\sai charan> whoami
manish\sai charan
PS C:\Users\sai charan> |
```

4.whoami:

Report: the whoami command shows username

```
Mani\Sai Charan  
PS C:\Users\sai charan> date  
  
12 August 2026 13:37:43
```

5.Date:

Report: the date command shows the date and time

```
PS C:\Users\sai charan> hostname  
Mani
```

6.Hostname:

Report: The command hostname displays host name here the host name is MANI

7.Uname -a

```
root@Mani:~# uname -a  
Linux Mani 6.18.33.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun 18 21:54:43 UTC 2026 x86_64 x86_64 x86_64 GNU/Linux  
root@Mani:~# |
```

Report: The command uname -a shows the Linux MANI

8.ls:

```
PS C:\Users\sai charan> ls
```

Directory: C:\Users\sai charan

Mode	LastWriteTime	Length	Name
----	-----	-----	----
d-----	18-04-2026 14:09		.antigravity
d-----	25-07-2026 08:51		.arduinoIDE
d-----	23-07-2026 12:25		.copilot
d-----	23-04-2026 21:57		.gemini
d-----	18-04-2026 14:15		.redhat
d-----	18-04-2026 15:26		.skiko
d-----	05-01-2026 13:48		.vscode
d-----	14-05-2026 16:52		.vscode-shared
d-r---	06-05-2026 13:16		Contacts
d-----	25-09-2025 20:17		Documents
d-r---	11-08-2026 15:43		Downloads
d-r---	25-09-2025 10:36		Favorites
d-r---	25-09-2025 10:36		Links
d-----	19-04-2026 08:12		meetagent-backend
d-r---	25-09-2025 10:36		Music
dar--l	08-08-2026 12:52		OneDrive
d-----	16-04-2026 14:36		PyCharmMiscProject
d-----	23-04-2026 14:39		PycharmProjects
d-r---	25-09-2025 10:36		Saved Games
d-r---	25-09-2025 10:56		Searches
d-----	18-05-2026 10:54		student-union-portal
d-r---	25-05-2026 20:28		Videos
-a----	25-05-2026 20:26	6579	-1.14-windows.xml
-a----	18-05-2026 10:51	0	.node_repl_history
-a----	07-01-2026 12:52	263	Price list.html

Report: The command
ls displayed folders available in my wsl like OOSP,

```
root@Mani:~# ls -l
total 0
```


```
root@Mani:~# kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
root@Mani:~# |
```

10.Kill

```
root@Mani:~# kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
root@Mani:~# |
```

Report: The kill command is used to stop running programs or processes in Linux. It helps close programs that are not responding or are no longer needed, making the system run smoothly.

11.wc



```
root@Mani:~# wc
wc
1 1 3
```

Report: The less command opened **test.txt**. When I tried searching incorrectly, it showed a message because no previous search pattern was available.

12.nano



Report: The screen switched to the nano interface showing shortcut controls at the bottom, where I was able to edit and save my C code

13.vi

```
VIM - Vi IMproved

        version 9.1.697
        by Bram Moolenaar et al.
    Modified by team+vim@tracker.debian.org
    Vim is open source and freely distributable


        Sponsor Vim development!
type  :help sponsor<Enter>      for information

type  :q<Enter>                  to exit
type  :help<Enter> or <F1>      for on-line help
type  :help version9<Enter>    for version info
```

Report: The screen switched to the nano interface showing shortcut controls at the bottom, where I was able to edit and save my C code

```
root@Mani:~# ps
  PID TTY          TIME CMD
  494 pts/0        00:00:00 bash
  509 pts/0        00:00:00 ps
root@Mani:~# |
```

14.ps

Report: The ps command displayed the processes running in my current terminal, such as bash and the ps command itself.

15.ps-ef

```
369 pts/0 00:00:00 ps
root@Mani:~# ps -ef
UID          PID    PPID  C  STIME TTY          TIME CMD
root           1      0  0  08:05 ?        00:00:00 /sbin/init
root           2      1  0  08:05 hvc0    00:00:00 /init
root           6      2  0  08:05 hvc0    00:00:00 plan9 --control-socket 7 --log-level 4 --server-fd 8 --pipe-fd 10 --
root          52      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd-journald
root          99      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd-udev
systemd+     108      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd-resolved
systemd+     109      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd-timesyncd
root         177      1  0  08:05 ?        00:00:00 /usr/sbin/cron -f -P
message+     178      1  0  08:05 ?        00:00:00 @dbus-daemon --system --address=systemd: --nofork --nopidfile --syst
root         186      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd-logind
root         188      1  0  08:05 ?        00:00:00 /usr/libexec/wsl-pro-service -vv
syslog       195      1  0  08:05 ?        00:00:00 /usr/sbin/rsyslogd -n -iNONE
root         203      1  0  08:05 tty1    00:00:00 /sbin/agetty -o -p -- \u --noclear - linux
root         218      1  0  08:05 ?        00:00:00 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-s
root         304      2  0  08:05 pts/1   00:00:00 /bin/login -f
root         347      1  0  08:05 ?        00:00:00 /usr/lib/systemd/systemd --user
root         348     347  0  08:05 ?        00:00:00 (sd-pam)
root         370     304  0  08:05 pts/1   00:00:00 -bash
root         489      2  0  08:13 ?        00:00:00 /init
root         491     489  0  08:13 ?        00:00:00 /init
root         494     491  0  08:13 pts/0   00:00:00 -bash
root         521     494  0  08:14 pts/0   00:00:00 ps -ef
root@Mani:~#
```

Report: The `ps -ef` command displayed all the running processes in the system along with their process IDs and user details.

16.top:

```
top - 17:16:52 up 1:09, 1 user, load average: 0.00, 0.03, 0.00
Tasks: 22 total, 1 running, 21 sleeping, 0 stopped, 0 zombie
%Cpu(s):  0.0 us,  0.0 sy,  0.0 ni,100.0 id,  0.0 wa,  0.0 hi,  0.0 si,  0.
MiB Mem :  7784.6 total,  7234.8 free,   519.3 used,   180.9 buff/cache
MiB Swap:  2048.0 total,  2048.0 free,    0.0 used.  7265.3 avail Mem
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+
1	root	20	0	21660	13020	9688	S	0.0	0.2	0:01.56
2	root	20	0	3180	2200	2072	S	0.0	0.0	0:00.02
6	root	20	0	3196	2124	2008	S	0.0	0.0	0:00.01
58	root	19	-1	34056	12540	11468	S	0.0	0.2	0:00.41
108	root	20	0	25192	6640	5180	S	0.0	0.1	0:00.63
123	systemd+	20	0	21344	13172	11044	S	0.0	0.2	0:00.30
124	systemd+	20	0	91036	7964	6996	S	0.0	0.1	0:00.20
187	root	20	0	4244	2684	2432	S	0.0	0.0	0:00.02
188	message+	20	0	9540	5416	4724	S	0.0	0.1	0:00.12
195	root	20	0	17976	8788	7748	S	0.0	0.1	0:00.16
197	root	20	0	1756628	12920	10500	S	0.0	0.2	0:00.25
202	syslog	20	0	222516	5628	4596	S	0.0	0.1	0:00.14
218	root	20	0	3124	1976	1836	S	0.0	0.0	0:00.01
219	root	20	0	107036	23260	13808	S	0.0	0.3	0:00.32
324	root	20	0	6672	4508	3740	S	0.0	0.1	0:00.02
371	root	20	0	20116	11392	9456	S	0.0	0.1	0:00.15
372	root	20	0	21176	3500	1784	S	0.0	0.0	0:00.00
396	root	20	0	6080	5288	3664	S	0.0	0.1	0:00.02
502	root	20	0	3184	1112	980	S	0.0	0.0	0:00.00
504	root	20	0	3200	1252	1108	S	0.0	0.0	0:00.01
507	root	20	0	6076	5344	3664	S	0.0	0.1	0:00.05
538	root	20	0	9300	5692	3508	R	0.0	0.1	0:00.01

Report: The top command showed the live status of the system. I could see the CPU usage, memory usage, and the list of running processes updating continuously.

17.kill

```
root@Mani:~# kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
root@Mani:~# |
```

Report: I used the kill command to stop a running process. The terminal displayed the command usage because a process ID was not provided.

18.kill -9

```
root@Mani:~# uname -a
Linux Mani 6.18.33.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun 18 21:54:43 UTC 2026 x86_64 x86_64 x86_64 GNU/Linux
root@Mani:~# |
```

Report: I executed the kill -9 command without giving a process ID. The terminal showed the usage message, indicating that a valid process ID is required.

19.bg:

```
root@Mani:~# bg
-bash: bg: current: no such job
root@Mani:~# |
```

Report: After stopping the sleep process, I used the bg command to continue running it in the background

20.& -bash: syntax error near unexpected token '&'

21.ln

```
root@Mani:~# ln
ln: missing file operand
Try 'ln --help' for more information.
root@Mani:~# |
```

22.df -

h

```
root@Mani:~# df -h
Filesystem      Size  Used Avail Use% Mounted on
none            3.8G   0    3.8G   0% /usr/lib/modules/6.18.33.2-microsoft-standard-WSL2
none            3.8G  4.0K   3.8G   1% /mnt/wsl
drivers         476G  153G   323G  33% /usr/lib/wsl/drivers
/dev/sdd        1007G   1.3G   955G   1% /
none            3.8G   36K   3.8G   1% /mnt/wslg
none            3.8G   0    3.8G   0% /usr/lib/wsl/lib
rootfs          3.8G   2.8M   3.8G   1% /init
none            3.8G  532K   3.8G   1% /run
none            3.8G   0    3.8G   0% /run/lock
none            3.8G   0    3.8G   0% /run/shm
none            3.8G   80K   3.8G   1% /mnt/wslg/versions.txt
none            3.8G   80K   3.8G   1% /mnt/wslg/doc
C:\             476G  153G   323G  33% /mnt/c
tmpfs           766M   20K   766M   1% /run/user/0
root@Mani:~# |
```

23.su -

sh

```
root@Mani:~# du-sh
command 'du-sh' not found, did you mean:
  command 'lu-sh' from deb licensetutils (0.0.9-7)
Try: apt install <deb name>
root@Mani:~# |
```

Report: checked the size of my home directory using `du -sh ~`. The command displayed the total space used by the directory.

24.free -
h

```
root@Mani:~# free -h
              total        used        free      shared  buff/cache   available
Mem:          7.5Gi        527Mi        6.9Gi        3.5Mi        187Mi        7.0Gi
Swap:         2.0Gi          0B         2.0Gi
```

Report: : The free -h command displayed the total, used, and available system memory along with the swap memory information

25.id

```
root@Mani:~# id
uid=0(root) gid=0(root) groups=0(root)
root@Mani:~#
```

Report: : The id command displayed the total, used, and available system memory along with the swap memory information