

NAME – Guneet Kaur Juneja

SUPERSET ID - 8003337

WEEK 5 - ReactJS Hands ON

All Exercise :

Objectives

- List the features of ES6
- Explain JavaScript let
- Identify the differences between var and let
- Explain JavaScript const
- Explain ES6 class fundamentals
- Explain ES6 class inheritance
- Define ES6 arrow functions
- Identify set(), map()

In this hands-on lab, you will learn how to:

- Use map() method of ES6
- Apply arrow functions of ES6
- Implement Destructuring features of ES6

Prerequisites

The following is required to complete this hands-on lab:

- Node.js
- NPM
- Visual Studio Code

Notes

Estimated time to complete this lab: **60 minutes.**

Create a React Application named “cricketapp” with the following components:

1. ListofPlayers
 - Declare an array with 11 players and store details of their names and scores using the map feature of ES6

```
return(
  players.map((item)=>
  {
    return(
      <div>
        <li>Mr. {item.name}<span> {item.score} </span></li>
      </div>
    )
  })
)
```

- Filter the players with scores below 70 using arrow functions of ES6.

```
return(
  players.map((item)=>
  {
    if(item.score<=70)
    {
      players70.push(item);
    }
  }
),
)
```

2. IndianPlayers

- Display the Odd Team Player and Even Team players using the Destructuring features of ES6

```
export function OddPlayers([first,, third,, fifth]) {
  return(
    <div>
      <li> First : {first} </li>
      <li> Third : {third} </li>
      <li> Fifth : {fifth}</li>
    </div>
  )
}
```


- Declare two arrays T20players and RanjiTrophy players and merge the two arrays and display them using the Merge feature of ES6

```
const T20Players=['First Player','Second Player','Third Player'];
const RanjiTrophyPlayers=['Fourth Player','Fifth Player','Sixth Player'];
export const IndianPlayers=[...T20Players, ...RanjiTrophyPlayers]
```


Display these two components in the same home page using a simple if else in the flag variable.

Output:

When Flag=true



When Flag=false



Hint:

```
var flag=true;
if(flag===true)
{
return(
<div>
<h1> List of Players</h1>
<ListofPlayers players={players}/>
<hr/>
<h1> List of Players having Scores Less than 70 </h1>
<Scorebelow70 players={players}/>
</div>
)
}
else{
return(
<div>
<div>
<h1> Indian Team </h1>
<h1> Odd Players </h1>
{OddPlayers(IndianTeam)}
<hr/>
<h1> Even Players</h1>
{EvenPlayers(IndianTeam)}
</div>
<hr/>
<div>
<h1> List of Indian Players Merged:</h1>
<ListofIndianPlayers IndianPlayers={IndianPlayers}/>

</div>
</div>
)
}
```