

ORGANIZATION
Gunnam Rohith

PROJECT
Project 0

🔍

👤

🔔

⌵

Data Explorer

🔍 My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

🔍

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

🔄

⏪

⏩

⌵

🔍

📄

{

"_id": {}

"customer_id": 101,

"name": "Ravi Kumar",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

{

"_id": {}

"customer_id": 102,

"name": "Priya Sharma",

"city": "Vijayawada",

"account_type": "Current",

"balance": 125000,

"status": "Active"

}

{

"_id": {}

"customer_id": 103,

"name": "Arjun Reddy",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

ORGANIZATION
Gunnam Rohith

PROJECT
Project 0

🔍

👤

🔔

⌵

Data Explorer

🔍 My Queries

🔗 Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

🔍

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

🔍

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 7 of 7

🔄

⏪

⏩

⌵

🔍

📄

_id: ObjectId('6a89140bce9958b31e66b8ee')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a891419ce9958b31e66b8f0')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

_id: ObjectId('6a891424ce9958b31e66b8f2')

customer_id: 103

name: "Arjun Reddy"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

ORGANIZATION: Gunnam Rohit PROJECT: it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "account_type": "Savings" } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89148bce9958...')	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce9958...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece9958...')	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce9958...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce9958...')	108	"Meena Devi"	"Chennai"	"Savings"	320000	

ORGANIZATION: Gunnam Rohit PROJECT: it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "amount": { "\$gt": 20000 } } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9958...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9958...')	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9958...')	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9958...')	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915f9ce9958...')	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a891607ce9958...')	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9958...')	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9958...')	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace9958...')	1015	108	"Withdrawal"	30000	"ATM"	

ORGANIZATION: Gunnam Rohit PROJECT: it0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents | Aggregations | Schema | Indexes | Validation

Generate query: { "type": "Deposit" } [Explain] [Reset] [Find] [Options]

ADD DATA | BULK | EXPORT CODE

25 | 1-8 of 8

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9958...')	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9958...')	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9958...')	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9958...')	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce9958...')	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a891607ce9958...')	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9958...')	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9958...')	1014	108	"Deposit"	150000	"NEFT"	

ORGANIZATION
Gunnam Rohith

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "city": "Hyderabad",
 "balance": {
 "\$gt": 100000
 }
}

ADD DATA BULK EXPORT CODE

{
 "_id": {},
 "customer_id": 106,
 "name": "Anjali Singh",
 "city": "Hyderabad",
 "account_type": "Savings",
 "balance": 175000,
 "status": "Active"
}

ORGANIZATION
Gunnam Rohith

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
- customers
- transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 Sort

1 {
2 "balance": -1
3 }

Output preview after Sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')
customer_id: 108
name: "Meena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"

_id: ObjectId('6a89142ecef')
customer_id: 104
name: "Sneha Rao"
city: "Marangal"
account_type: "Savings"
balance: 210000
status: "Active"

ORGANIZATION
Gunnam Rohit

PROJECT
Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort Customer... **SAVE** **+ CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGES** **TEXT** **WIZARD**

Generate aggregation **+** **Explain** **Run** **Options**

Stage 1 \$sort

```
1 {
2   "balance": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8914cbce9950b31e66b8fe"),
  "customer_id": 108,
  "name": "Meena Devji",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a89142cecf..."),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

ORGANIZATION
Gunnam Rohit

PROJECT
Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Untitled - modified **SAVE** **+ CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGES** **TEXT**

Generate aggregation **+** **Explain**

15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 602000
}
```

ORGANIZATION
Gunnam Rohit

PROJECT
Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Untitled - modified **SAVE** **+ CREATE NEW** **EXPORT CODE** **PREVIEW** **STAGES** **TEXT**

Generate aggregation **+** **Explain**

15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "average_amount": 40133.333333333336
}
```

ORGANIZATION: Gunnam Rohit PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | **Aggregations** | Schema | Indexes 1 | Validation

Generate aggregation | Explain | Run | Options

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

> 15 Documents in the collection

Stage 1 | \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit" total_amount : 485000	_id: "Withdrawal" total_amount : 117000
---	--

ORGANIZATION: Gunnam Rohit PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | **Aggregations** | Schema | Indexes 1 | Validation

Generate aggregation | Explain | Run | Options

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

> 15 Documents in the collection

Stage 1 | \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103 transaction_count : 2	_id: 102 transaction_count : 2
-----------------------------------	-----------------------------------

ORGANIZATION: Gunnam Rohit PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | **Aggregations** | Schema | Indexes 1 | Validation

Generate aggregation | Explain | Run | Options

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 1 | \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a915b8ce9950b31e66b902') transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 25000 mode: "ATM" date: "2026-08-01" status: "Success" customer_details: Array (1)	_id: ObjectId('6a915c2ce9950b31e66b904') transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 mode: "ATM" date: "2026-08-02" status: "Success" customer_details: Array (1)
---	--

Stage 2 | \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a915b8ce9950b31e66b902') transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 25000 mode: "ATM" date: "2026-08-01"	_id: ObjectId('6a915c2ce9950b31e66b904') transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 mode: "ATM" date: "2026-08-02"
---	--

ORGANIZATION: Gunnam Rohit PROJECT: sct 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents: 15 Aggregations Schema Indexes: 1 Validation

Generate aggregation Explain Run

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1: \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success",
  "customer": Array (1)
}
```

Stage 2: \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01"
}
```

ORGANIZATION: Gunnam Rohit PROJECT: 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents: 18 Aggregations Schema Indexes: 1 Validation

Generate aggregation Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

> 18 Documents in the collection

Stage 1: \$group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000
}
```

Stage 2: \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Array (1)
}
```

Stage 3: \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Object (7)
}
```

Stage 4: \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

```
{
  "total_transaction": 65000,
  "customer_id": 102,
  "customer_name": "Priya Sharma"
}
```


ORGANIZATION
Gunnam Rohit

PROJECT
0

My Queries

Data Modeling

CLUSTERS (0)

Search clusters

Cluster0

admin

bankub

customers

transactions

local

oplog.rs

sample_mflix

Cluster0 > bankub > customers

Documents Aggregations Schema Indexes Validation

Smatch

Stoakup

Sunwind

Sgroup

Ssort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 3 Sunwind

1 *\$transactions*

Output preview after Sunwind if stage (Sample of 10 documents)

_id: ObjectId('6a89148bce9958b31e66b8ee')

customer_id: 181

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

_id: ObjectId('6a89148bce9958b31e66b8ee')

customer_id: 181

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

_id: ObjectId('6a89148bce9958b31e66b8ee')

customer_id: 181

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

Stage 4 Sgroup

1 {
2 "_id": "\$customer_id",
3 "\$customer_name": {
4 "\$first": "\$name"
5 },
6 "\$city": {
7 "\$first": "\$city"
8 },
9 "\$balance": {
10 "\$first": "\$balance"
11 },
12 "\$total_transactions": {
13 "\$sum": "\$transactions.amount"
14 },
15 "\$transaction_count": {
16 "\$sum": 1
17 }
18 }

Output preview after Sgroup if stage (Sample of 6 documents)

_id: 184

customer_name: "Sneha Rao"

city: "Marangal"

balance: 210000

total_transactions: 125000

transaction_count: 2

_id: 186

customer_name: "Anjali Singh"

city: "Hyderabad"

balance: 175000

total_transactions: 95000

transaction_count: 2

_id: 187

customer_name: "Priya"

city: "Bengaluru"

balance: 95000

total_transactions: 125000

transaction_count: 2

Alert System Status: All Good

ORGANIZATION
Gunnam Rohit

PROJECT
0

My Queries

Data Modeling

CLUSTERS (0)

Search clusters

Cluster0

admin

bankub

customers

transactions

local

oplog.rs

sample_mflix

Cluster0 > bankub > customers

Documents Aggregations Schema Indexes Validation

Smatch

Stoakup

Sunwind

Sgroup

Ssort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 5 Ssort

1 {
2 "\$total_transactions": -1
3 }

Output preview after Ssort if stage (Sample of 6 documents)

_id: 188

customer_name: "Meena Devi"

city: "Chennai"

balance: 320000

total_transactions: 180000

transaction_count: 2

_id: 184

customer_name: "Sneha Rao"

city: "Marangal"

balance: 210000

total_transactions: 125000

transaction_count: 2

_id: 186

customer_name: "Anjali Singh"

city: "Hyderabad"

balance: 175000

total_transactions: 95000

transaction_count: 2