

PCB Manufacturing & Assembly Capabilities

Know JLCPCB's Capabilities & Get your PCBs Built Fast

- Green
- Purple
- Red
- Yellow
- Blue
- White
- Black

Rigid PCB

Flex PCB

PCB Assembly

SMT Stencil

PCB Assembly Capabilities	
Features	Economic PCBA
Assembly Types	Single sided placement (SMT/Thru-hole)
PCB Layer	2,4,6-layers
Thickness	0.8mm - 1.6mm
Dimension	Single PCB Size: 10×10mm - 470×500mm PCB Panel Size: 10×10mm - 250×250mm
Order Volume	2 - 50 pcs
Surface Finish	Limited by specific options (Refer to the options for Economic PCBA in the table below)

PCB Color	Limited by specific options (Refer to the options for Economic PCBA in the table below)
Delivery Format	Single PCB, Panel with mouse bites
Layer Stackup	Standard stack-up only, special stack-up is not supported
Gold Fingers/Castellated Holes/Edge Plating	Not Support
Edge Rails	Not necessary
Fiducials	Not necessary
Minimum Package	0402
Minimum IC Pin Spacing	0.4mm
Minimum BGA Spacing	0.5mm(center to center)
Reflow temperature	255±1.5 °C (not adjustable)



Products

Capabilities

Support

About Us



Order Now

My Account

AOI	Yes
Visual Inspection	Yes
X-ray Inspection	Yes (only for certain parts, such as BGA)
Build time	1 - 3 days

PCB Specs for Economic PCB Assembly



Layer	Thickness(mm)	Color
2L	0.8	Green
	1	Green/Black
	1.2	Green/Black
	1.6	Green

	1.6	Black
	1.6	Blue/Purple
	1.6	Red/White
4L	1	Green
	1.2	Green
	1.6	Green
6L	1.6	Green



READY TO GET STARTED?

[See PCB Assembly FAQs](#)
[Get Instant Quote](#)

- 
[Online Chat >](#)

Chat with our live agent for fast reply.

Mon-Fri: 24 hours, Sat: 9am-6pm, GMT+8
- 
[Email Us >](#)

Contact us at support@jlcpcb.com


Typically reply within hours.
- 
[Help Center >](#)

Get instant answers.

24/7 Available.

FR-4 PCBs	Help Center	About Us	EasyEDA	JLC3DP
Flexible PCBs	Contact Us	Quality Assurance	JLCPCB	JLCCNC
Metal Core PCBs	Shipping & Delivery	How We Work	JLCCFM	JLCCMC
High-Frequency PCBs	Payment Methods	Certifications	LCSC	
PCBA Service	How to Order	Security	OSHWLAB	
PCB Layout	How to Track	Environment		
SMT Stencil	After-Sales Service	JLCAPI		
Flex Heater	Blog	News		
		Cooperation		

Download JLCONE APP



CONNECT WITH US

