

MCE4101
Robotic Engineering

Chapter 5

Wrists and End Effectors

Narong Aphiratsakun, D.Eng

Assumption University

Faculty of Engineering

Wrists and End Effectors







The joint in the kinematic chain between the arm and end effector are referred to as the waist. ***Wrist center point is the common point where three joints axes intersect***. Wrist can have 1,2 or 3 DOF depending on application.

Example on 1 DOF Wrist orientation



A 1 DOF wrist mechanism is shown as example.

Example on three-link Wrists orientation





A three link wrist mechanism is shown as example. Let first get DH parameters for this mechanism.

DH of three-link Wrist mechanism



Link	a_i	α_i	d_i	θ_i
4	0	-90	0	θ_4^*
5	0	90	0	θ_5^*
6	0	0	d_6	θ_6^*

*: *denote variables*

DH of three-link Wrist mechanism







Link	a_i	α_i	d_i	θ_i
4	0	−90	0	θ_4^*
5	0	90	0	θ_5^*
6	0	0	d_6	θ_6^*

This table is always used

*: *denote variables*

Transformation Matrix for three-link Wrist mechanism



Link	a_i	α_i	d_i	θ_i
4	0	−90	0	θ_4^*
5	0	90	0	θ_5^*
6	0	0	d_6	θ_6^*

$$A_4 = \begin{bmatrix} c_4 & 0 & -s_4 & 0 \\ s_4 & 0 & c_4 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$A_5 = \begin{bmatrix} c_5 & 0 & s_5 & 0 \\ s_5 & 0 & -c_5 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$A_6 = \begin{bmatrix} c_6 & -s_6 & 0 & 0 \\ s_6 & c_6 & 0 & 0 \\ 0 & 0 & 1 & d_6 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$T_6^3 = A_4 A_5 A_6$$

$$= \begin{bmatrix} c_4c_5c_6 - s_4s_6 & -c_4c_5s_6 - s_4c_6 & c_4s_5 & c_4s_5d_6 \\ s_4c_5c_6 + c_4s_6 & -s_4c_5s_6 + c_4c_6 & s_4s_5 & s_4s_5d_6 \\ -s_5c_6 & s_5s_6 & c_5 & c_5d_6 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

RPP with 3 DOF Wrist mechanism



RPP



Wrist Mechanism



RPP with 3 DOF Wrist mechanism



RPP

Link	a_i	α_i	d_i	θ_i
1	0	0	0 (offset)	θ_1^*
2	0	-90°	d_2^*	0
3	0	0	d_3^*	0

$$T_3^0 = A_1 A_2 A_3 = \begin{bmatrix} c_1 & 0 & -s_1 & -s_1 d_3 \\ s_1 & 0 & c_1 & c_1 d_3 \\ 0 & -1 & 0 & d_1 + d_2 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

RPP with 3 DOF Wrist mechanism



RPP

$$T_3^0 = A_1 A_2 A_3 = \begin{bmatrix} c_1 & 0 & -s_1 & -s_1 d_3 \\ s_1 & 0 & c_1 & c_1 d_3 \\ 0 & -1 & 0 & d_1 + d_2 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

Wrist

$$T_6^3 = A_4 A_5 A_6 = \begin{bmatrix} c_4c_5c_6 - s_4s_6 & -c_4c_5s_6 - s_4c_6 & c_4s_5 & c_4s_5d_6 \\ s_4c_5c_6 + c_4s_6 & -s_4c_5s_6 + c_4c_6 & s_4s_5 & s_4s_5d_6 \\ -s_5c_6 & s_5s_6 & c_5 & c_5d_6 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

RPP with 3 DOF Wrist mechanism



Final forward kinematic equations for this mechanism $T_6^0 = T_3^0 T_6^3$

RPP with 3 DOF Wrist mechanism



$$T_6^0 = \begin{bmatrix} r_{11} & r_{12} & r_{13} & d_x \\ r_{21} & r_{22} & r_{23} & d_y \\ r_{31} & r_{32} & r_{33} & d_z \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$\begin{aligned}
r_{11} &= c_1c_4c_5c_6 - c_1s_4s_6 + s_1s_5c_6 \\
r_{21} &= s_1c_4c_5c_6 - s_1s_4s_6 - c_1s_5c_6 \\
r_{31} &= -s_4c_5c_6 - c_4s_6 \\
r_{12} &= -c_1c_4c_5s_6 - c_1s_4c_6 - s_1s_5c_6 \\
r_{22} &= -s_1c_4c_5s_6 - s_1s_4s_6 + c_1s_5c_6 \\
r_{32} &= s_4c_5c_6 - c_4c_6 \\
r_{13} &= c_1c_4s_5 - s_1c_5 \\
r_{23} &= s_1c_4s_5 + c_1c_5 \\
r_{33} &= -s_4s_5 \\
d_x &= c_1c_4s_5d_6 - s_1c_5d_6 - s_1d_3 \\
d_y &= s_1c_4s_5d_6 + c_1c_5d_6 + c_1d_3 \\
d_z &= -s_4s_5d_6 + d_1 + d_2
\end{aligned}$$

RRP (SCARA) with 1 DOF Wrist mechanism

RRP



Link	a_i	α_i	d_i	θ_i
1	a_1	0	0	$\theta^\star$
2	a_2	180	0	$\theta^\star$
3	0	0	$d^\star$	0
4	0	0	d_4	$\theta^\star$



1 DOF Wrist Mechanism

RRP (SCARA) with 1 DOF Wrist mechanism



$$A_1 = \begin{bmatrix} c_1 & -s_1 & 0 & a_1c_1 \\ s_1 & c_1 & 0 & a_1s_1 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$A_2 = \begin{bmatrix} c_2 & s_2 & 0 & a_2c_2 \\ s_2 & -c_2 & 0 & a_2s_2 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$A_3 = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & d_3 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

$$A_4 = \begin{bmatrix} c_4 & -s_4 & 0 & 0 \\ s_4 & c_4 & 0 & 0 \\ 0 & 0 & 1 & d_4 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

RRP (SCARA) with 1 DOF Wrist mechanism



$$
\begin{aligned}
T_4^0 &= A_1 \cdots A_4 \\
&= \begin{bmatrix}
c_{12}c_4 + s_{12}s_4 & -c_{12}s_4 + s_{12}c_4 & 0 & a_1c_1 + a_2c_{12} \\
s_{12}c_4 - c_{12}s_4 & -s_{12}s_4 - c_{12}c_4 & 0 & a_1s_1 + a_2s_{12} \\
0 & 0 & -1 & -d_3 - d_4 \\
0 & 0 & 0 & 1
\end{bmatrix}
\end{aligned}
$$