

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.  
Issue date: 30/01/2024 Revision date: 17/09/2025 Supersedes: 30/01/2024 Version: 2.0

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form: Mixture  
Product name: HOLEMAKER TECHNOLOGY SPEEDLUBE  
Product code: 701010-0002  
Type of product: Lubricating agent  
Vaporizer: Aerosol  
Product group: End product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category: Industrial use, Professional use, Consumer use  
Use of the substance/mixture: Lubricant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Holemaker Technology Limited  
Bridge House  
Pattenden Lane  
Marden  
Kent  
TN12 9QJ  
Tel: 03330 110 382  
Email: sales@holemaker-technology.com

### 1.4. Emergency telephone number

| Country/Area   | Organisation/Company                                                      | Address                              | Emergency number | Comment                           |
|----------------|---------------------------------------------------------------------------|--------------------------------------|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH<br>Birmingham | 0344 892 0111    | Only for healthcare professionals |

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Aerosol, Category 1: H222;H229  
Reproductive toxicity, Additional category, Effects on or via lactation: H362  
Hazardous to the aquatic environment – Acute Hazard, Category 1: H400  
Hazardous to the aquatic environment – Chronic Hazard, Category 1: H410  
Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated.  
Extremely flammable aerosol.  
May cause harm to breast-fed children.  
Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GHS UK)



GHS02



GHS09

Signal word (GHS UK):

Contains:

Hazard statements (GHS UK):

Danger

Alkanes, C14-17, chloro

H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H362 - May cause harm to breast-fed children.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (GHS UK):

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames & other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P263 - Avoid contact during pregnancy and while nursing.

P260 - Do not breathe vapours, spray.

P271 - Use only outdoors or in a well-ventilated area.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves.

P264 - Wash hands, forearms and face thoroughly after handling.

P308+P313 - IF exposed or concerned: Get medical advice or attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/ container in accordance with local regulations.

Child-resistant fastening:

Tactile warning:

Not applicable

Not applicable

## 2.3. Other hazards

### Results of PBT and vPvB assessment

| Component                                                                                        |                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII  | Alkanes, C14-17, chloro (85535-85-9), Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) |
| Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII | Alkanes, C14-17, chloro (85535-85-9), Distillates (petroleum), hydrotreated light naphthenic (64742-53-6), Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) |

## Results of Endocrine Disruptor assessment

| Component                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP | Distillates (petroleum), hydrotreated light naphthenic(64742-53-6), Alkanes, C14-17, chloro(85535-85-9), Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene)(68476-85-7) |

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                                        | Product identifier                                                     | %       | Classification according to GB CLP (SI 2019:720 as amended)               |
|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|---------|---------------------------------------------------------------------------|
| Distillates (petroleum), hydrotreated light naphthenic                                                      | CAS-No.: 64742-53-6<br>EC-No.: 265-156-6<br>UK Index-No.: 649-466-00-2 | ≥ 50    | Asp. Tox. 1, H304                                                         |
| Alkanes, C14-17, chloro                                                                                     | CAS-No.: 85535-85-9<br>EC-No.: 287-477-0<br>UK Index-No.: 602-095-00-X | 10 – 20 | Lact., H362<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>EUH066 |
| Petroleum gases, liquefied<br>(Contains < 0.1% 1,3-butadiene)<br>substance with workplace exposure limit(s) | CAS-No.: 68476-85-7<br>EC-No.: 270-704-2<br>UK Index-No.: 649-202-00-6 | 10 – 20 | Flam. Gas 1A, H220<br>Press. Gas                                          |

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.  
Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general:

First-aid measures after inhalation:

First-aid measures after skin contact:

First-aid measures after eye contact:

First-aid measures after ingestion:

Self protection of the first-aiders:

IF exposed or concerned: Get medical advice/attention.

Remove person to fresh air and keep comfortable for breathing.

Wash skin with plenty of water.

Rinse eyes with water as a precaution.

Call a poison center or a doctor if you feel unwell.

First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:

Symptoms/effects after skin contact:

Symptoms/effects after eye contact:

Symptoms/effects after ingestion:

None under normal conditions.

None under normal conditions.

None under normal conditions.

None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:  
Unsuitable extinguishing media:

Water spray. Dry powder. Foam. Carbon dioxide.  
Do not use a heavy water stream.

### **5.2. Special hazards arising from the substance or mixture**

Fire hazard:  
Explosion hazard:  
Hazardous decomposition products in case of fire:

Extremely flammable aerosol.  
Pressurised container: May burst if heated.  
Toxic fumes may be released.

### **5.3. Advice for firefighters**

Firefighting instructions:  
  
Protection during firefighting:

Fight fire from safe distance and protected location.  
Do not enter fire area without proper protective equipment, including respiratory protection.  
Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.  
Complete protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

General measures:

Stop leak if safe to do so.  
Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

#### **6.1.1. For non-emergency personnel**

Protective equipment:  
Emergency procedures:

Wear recommended personal protective equipment.  
Ventilate spillage area.  
No open flames, no sparks, and no smoking.  
Do not breathe dust/fume/gas/mist/vapours/spray.

#### **6.1.2. For emergency responders**

Protective equipment:  
  
Emergency procedures:

Do not attempt to take action without suitable protective equipment.  
For further information refer to section 8:  
"Exposure controls/personal protection".  
Evacuate unnecessary personnel.  
Stop leak if safe to do so.

### **6.2. Environmental precautions**

Avoid release to the environment.

### **6.3. Methods and material for containment and cleaning up**

For containment:  
  
Methods for cleaning up:  
Other information:

Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Mechanically recover the product.  
Dispose of materials or solid residues at an authorized site.

### **6.4. Reference to other sections**

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional hazards when processed: | Not expected to present a significant hazard under anticipated conditions of normal use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Precautions for safe handling:     | <p>Ensure good ventilation of the work station. Wear personal protective equipment.</p> <p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.</p> <p>No smoking. Do not spray on an open flame or other ignition source.</p> <p>Do not pierce or burn, even after use.</p> <p>Obtain special instructions before use.</p> <p>Avoid contact during pregnancy/while nursing.</p> <p>Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Always wash hands after handling the product.</p> |
| Hygiene measures:                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

### 7.2. Conditions for safe storage, including any incompatibilities

|                      |                                                                           |
|----------------------|---------------------------------------------------------------------------|
| Technical measures:  | Keep in a cool, well-ventilated place away from heat.                     |
| Storage conditions:  | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F |
| Packaging materials: | Store always product in container of same material as original container. |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| <b>Petroleum gases, liquefied (Contains &lt; 0.1% 1,3-butadiene) (68476-85-7)</b> |                                                                                                                                  |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>United Kingdom - Occupational Exposure Limits</b>                              |                                                                                                                                  |
| Local name                                                                        | Liquefied petroleum gas                                                                                                          |
| WEL TWA (OEL TWA)                                                                 | 1750 mg/m <sup>3</sup><br>1000 ppm                                                                                               |
| WEL STEL (OEL STEL)                                                               | 2180 mg/m <sup>3</sup><br>1250 ppm                                                                                               |
| Remark                                                                            | Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene)) |
| Regulatory reference                                                              | EH40/2005 (Fourth edition, 2020). HSE                                                                                            |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

Eye protection:

Safety glasses (Standard EN 166)

##### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing (Standard EN ISO 6530)

Hand protection:

Protective gloves (Standard EN 374-2)

##### 8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                  |                              |
|----------------------------------|------------------------------|
| Physical state:                  | Liquid                       |
| Appearance:                      | Aerosol.                     |
| Colour:                          | Dark brown.                  |
| Odour:                           | Not available                |
| Odour threshold:                 | Not available                |
| pH:                              | Not available                |
| Melting point:                   | Not applicable               |
| Freezing point:                  | Not available                |
| Boiling point:                   | -40 – -2 °C (LPG)            |
| Flash point:                     | < -40 °C                     |
| Flammability:                    | Extremely flammable aerosol. |
| Lower explosion limit:           | 1.4 vol % (LPG)              |
| Upper explosion limit:           | 10.9 vol % (LPG)             |
| Vapour pressure:                 | 590 – 1760 kPa (LPG)         |
| Vapour pressure at 50°C:         | Not available                |
| Relative vapour density at 20°C: | Not available                |

|                                                  |                           |
|--------------------------------------------------|---------------------------|
| Relative density:                                | Not available             |
| Density:                                         | Not available             |
| Solubility:                                      | Not available             |
| Partition coefficient n-octanol/water (Log Kow): | Not available             |
| Auto-ignition temperature:                       | 365 °C (LPG)              |
| Decomposition temperature:                       | Not available             |
| Viscosity, kinematic:                            | > 20.5 mm <sup>2</sup> /s |
| Explosive properties: Pressurised container:     | May burst if heated.      |

## 9.2. Other information

|                           |                |
|---------------------------|----------------|
| Volatility:               | Volatile       |
| Particle characteristics: | Not applicable |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                              |                |
|------------------------------|----------------|
| Acute toxicity (oral):       | Not classified |
| Acute toxicity (dermal):     | Not classified |
| Acute toxicity (inhalation): | Not classified |

#### Alkanes, C14-17, chloro (85535-85-9)

|               |                                                                       |
|---------------|-----------------------------------------------------------------------|
| LD50 oral rat | > 4000 mg/kg bodyweight<br>Animal: rat,<br>Remarks on results: other: |
|---------------|-----------------------------------------------------------------------|

|                                    |                                        |
|------------------------------------|----------------------------------------|
| Skin corrosion/irritation:         | Not classified                         |
| Serious eye damage/irritation:     | Not classified                         |
| Respiratory or skin sensitisation: | Not classified                         |
| Germ cell mutagenicity:            | Not classified                         |
| Carcinogenicity:                   | Not classified                         |
| Reproductive toxicity:             | May cause harm to breast-fed children. |
| STOT-single exposure:              | Not classified                         |
| STOT-repeated exposure:            | Not classified                         |

| Alkanes, C14-17, chloro (85535-85-9) |                                                                                                                                |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (oral, rat, 90 days)           | 100 mg/kg bodyweight<br>Animal: rat,<br>Guideline: OECD Guideline 408<br>(Repeated Dose 90-Day Oral Toxicity Study in Rodents) |

| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) |                                                                                                                                                                                        |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LOAEC (inhalation, rat, gas, 90 days)                                   | 12000 ppm<br>Animal: rat,<br>Guideline: OECD Guideline 422<br>(Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other: |

Aspiration hazard:

Not classified

| Holemaker Technology SpeedLube 500ml |                           |
|--------------------------------------|---------------------------|
| Vaporizer                            | Aerosol                   |
| Viscosity, kinematic                 | > 20.5 mm <sup>2</sup> /s |
| Not able to form a pool              | Yes                       |

### Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general: Very toxic to aquatic life with long lasting effects.  
 Hazardous to the aquatic environment, short-term (acute): Very toxic to aquatic life.  
 Hazardous to the aquatic environment, long-term (chronic): Very toxic to aquatic life with long lasting effects.

| Alkanes, C14-17, chloro (85535-85-9) |                                                                                                                                               |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 - Fish [1]                      | > 5000 mg/L Test organisms (species): Alburnus alburnus                                                                                       |
| EC50 - Crustacea [1]                 | 0.0059 mg/L Test organisms (species): Daphnia magna                                                                                           |
| EC50 96h - Algae [1]                 | > 3.2 mg/L Test organisms (species): Pseudokirchneriella subcapitata<br>(previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| LOEC (chronic)                       | 0.018 mg/L Test organisms (species): Daphnia magna Duration: '21 d'                                                                           |
| NOEC (chronic)                       | 0.01 mg/L Test organisms (species): Daphnia magna Duration: '21 d'                                                                            |
| NOEC chronic fish                    | 4.5 mg/L Test organisms (species): Oncorhynchus mykiss<br>(previous name: Salmo gairdneri)<br>Duration: '60 d'                                |

### 12.2. Persistence and degradability

|                                                                          |                        |
|--------------------------------------------------------------------------|------------------------|
| Holemaker Technology SpeedLube:                                          | Not rapidly degradable |
| Alkanes, C14-17, chloro (85535-85-9):                                    | Not rapidly degradable |
| Distillates (petroleum), hydrotreated light naphthenic (64742-53-6):     | Not rapidly degradable |
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7): | Rapidly degradable     |



## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

| Component                                                               |                                                                                                                                                                       |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alkanes, C14-17, chloro (85535-85-9)                                    | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII<br>This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| Distillates (petroleum), hydrotreated light naphthenic (64742-53-6)     | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII<br>This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| Petroleum gases, liquefied (Contains < 0.1% 1,3-butadiene) (68476-85-7) | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII<br>This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |

## 12.6. Other adverse effects

Ozone:

Not classified

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation:  
Waste treatment methods:

Sewage disposal recommendations:  
Product/Packaging disposal recommendations:  
Additional information:

HP Code:

Disposal must be done according to official regulations.  
Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Disposal must be done according to official regulations.  
Disposal must be done according to official regulations.  
Do not re-use empty containers.

#### HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

#### HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:"

waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

## HP14 - "Ecotoxic:"

waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID ADR IMDG IATA ADN RID

| ADR                                                                                | IMDG                                                                                | IATA                                                                                | ADN                                                                                  | RID                                                                                   |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>14.1. UN number</b>                                                             |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| UN 1950                                                                            | UN 1950                                                                             | UN 1950                                                                             | UN 1950                                                                              | UN 1950                                                                               |
| <b>14.2. UN proper shipping name</b>                                               |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| AEROSOLS                                                                           | AEROSOLS                                                                            | Aerosols, flammable                                                                 | AEROSOLS                                                                             | AEROSOLS                                                                              |
| <b>Transport document description</b>                                              |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| UN 1950 AEROSOLS, 2.1 (D), ENVIRONMENTALLY HAZARDOUS                               | UN 1950 AEROSOLS, 2.1 MARINE POLLUTANT/ ENVIRONMENTALLY HAZARDOUS                   | UN 1950 AEROSOLS FLAMMABLE, 2.1 ENVIRONMENTALLY HAZARDOUS                           | UN 1950 AEROSOLS, 2.1 ENVIRONMENTALLY HAZARDOUS                                      | UN 1950 AEROSOLS, 2.1 ENVIRONMENTALLY HAZARDOUS                                       |
| <b>14.3. Transport hazard class(es)</b>                                            |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| 2.1                                                                                | 2.1                                                                                 | 2.1                                                                                 | 2.1                                                                                  | 2.1                                                                                   |
|  |  |  |  |  |
| <b>14.4. Packing group</b>                                                         |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| Not applicable                                                                     | Not applicable                                                                      | Not applicable                                                                      | Not applicable                                                                       | Not applicable                                                                        |
| <b>14.5. Environmental hazards</b>                                                 |                                                                                     |                                                                                     |                                                                                      |                                                                                       |
| Dangerous for the environment: Yes                                                 | Dangerous for the environment: Yes<br>Marine pollutant: Yes                         | Dangerous for the environment: Yes                                                  | Dangerous for the environment: Yes                                                   | Dangerous for the environment: Yes                                                    |

No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

|                                   |                    |
|-----------------------------------|--------------------|
| Classification code (ADR):        | 5F                 |
| Special provisions (ADR):         | 190, 327, 344, 625 |
| Limited quantities (ADR):         | 1l                 |
| Excepted quantities (ADR):        | E0                 |
| Packing instructions (ADR):       | P207, LP200        |
| Special packing provisions (ADR): | PP87, RR6, L2      |
| Mixed packing provisions (ADR):   | MP9                |
| Transport category (ADR):         | 2                  |

Special provisions for carriage - Packages (ADR):  
 Special provisions for carriage - Loading, unloading and handling (ADR):  
 Special provisions for carriage - Operation (ADR):  
 Tunnel restriction code (ADR):

V14  
 CV9, CV12  
 S2  
 D

## Transport by sea

Special provisions (IMDG):  
 Limited quantities (IMDG):  
 Excepted quantities (IMDG):  
 Packing instructions (IMDG):  
 Special packing provisions (IMDG):  
 EmS-No. (Fire):  
 EmS-No. (Spillage):  
 Stowage category (IMDG):  
 Stowage and handling (IMDG):  
 Segregation (IMDG):

63, 190, 277, 327, 344, 381, 959  
 SP277  
 E0  
 P207, LP200  
 PP87, L2  
 F-D  
 S-U  
 None  
 SW1, SW22  
 SG69

## Air transport

PCA Excepted quantities (IATA):  
 PCA Limited quantities (IATA):  
 PCA limited quantity max net quantity (IATA):  
 PCA packing instructions (IATA):  
 PCA max net quantity (IATA):  
 CAO packing instructions (IATA):  
 CAO max net quantity (IATA):  
 Special provisions (IATA):  
 ERG code (IATA):

E0  
 Y203  
 30kgG  
 203  
 75kg  
 203  
 150kg  
 A145, A167, A802  
 10L

## Inland waterway transport

Classification code (ADN):  
 Special provisions (ADN):  
 Limited quantities (ADN):  
 Excepted quantities (ADN):  
 Equipment required (ADN):  
 Ventilation (ADN):  
 Number of blue cones/lights (ADN):

5F  
 190, 327, 344, 625  
 1 L  
 E0  
 PP, EX, A  
 VE01, VE04  
 1

## Rail transport

Classification code (RID):  
 Special provisions (RID):  
 Limited quantities (RID):  
 Excepted quantities (RID):  
 Packing instructions (RID):  
 Special packing provisions (RID):  
 Mixed packing provisions (RID):  
 Transport category (RID):  
 Special provisions for carriage - Packages (RID):  
 Special provisions for carriage - Loading, unloading and handling (RID):  
 Colis express (express parcels) (RID):  
 Hazard identification number (RID):

5F  
 190, 327, 344, 625  
 1L  
 E0  
 P207, LP200  
 PP87, RR6, L2  
 MP9  
 2  
 W14  
 CW9, CW12  
 CE2  
 23

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

**UK REACH Annex XIV (Authorisation List)**

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

**UK REACH Candidate List (SVHC)**

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

**GB PIC regulation (Prior Informed Consent)**

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

**POP Regulation (Persistent Organic Pollutants)**

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

**Ozone Regulation (S.I. No. 168 of 2015)**

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

**Control of Poisons and Explosives Precursors Act**

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

**Drug Precursors Regulation (EC 273/2004)**

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

**15.1.2. Other Information**

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

**SECTION 16: Other information**

**Abbreviations and acronyms:**

|         |                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate                                                                         |
| BCF     | Bioconcentration factor                                                                         |
| BLV     | Biological limit value                                                                          |
| BOD     | Biochemical oxygen demand (BOD)                                                                 |
| BS EN   | British Standard                                                                                |
| CAS-No. | Chemical Abstract Service number                                                                |
| COD     | Chemical oxygen demand (COD)                                                                    |
| DMEL    | Derived Minimal Effect level                                                                    |
| DNEL    | Derived-No Effect Level                                                                         |
| EC-No.  | European Community number                                                                       |

|        |                                                                              |
|--------|------------------------------------------------------------------------------|
| EC50   | Median effective concentration                                               |
| ED     | Endocrine disruptor                                                          |
| IARC   | International Agency for Research on Cancer                                  |
| IATA   | International Air Transport Association                                      |
| IMDG   | International Maritime Dangerous Goods                                       |
| LC50   | Median lethal concentration                                                  |
| LD50   | Median lethal dose                                                           |
| LOAEL  | Lowest Observed Adverse Effect Level                                         |
| NOAEC  | No-Observed Adverse Effect Concentration                                     |
| NOAEL  | No-Observed Adverse Effect Level                                             |
| NOEC   | No-Observed Effect Concentration                                             |
| N.O.S. | Not Otherwise Specified                                                      |
| OECD   | Organisation for Economic Co-operation and Development                       |
| OEL    | Occupational Exposure Limit                                                  |
| PBT    | Persistent Bioaccumulative Toxic                                             |
| PNEC   | Predicted No-Effect Concentration                                            |
| RID    | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS    | Safety Data Sheet                                                            |
| STP    | Sewage treatment plant                                                       |
| ThOD   | Theoretical oxygen demand (ThOD)                                             |
| TLM    | Median Tolerance Limit                                                       |
| VOC    | Volatile Organic Compounds                                                   |
| vPvB   | Very Persistent and Very Bioaccumulative                                     |

**Full text of H- and EUH-statements:**

|                   |                                                                         |
|-------------------|-------------------------------------------------------------------------|
| Aerosol 1         | Aerosol, Category 1                                                     |
| Aquatic Acute 1   | Hazardous to the aquatic environment – Acute Hazard, Category 1         |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1       |
| Asp. Tox. 1       | Aspiration hazard, Category 1                                           |
| Flam. Gas 1A      | Flammable gases, Category 1A                                            |
| Lact.             | Reproductive toxicity, Additional category, Effects on or via lactation |
| Press. Gas        | Gases under pressure                                                    |
| H220              | Extremely flammable gas.                                                |
| H222              | Extremely flammable aerosol.                                            |
| H229              | Pressurised container: May burst if heated.                             |
| H304              | May be fatal if swallowed and enters airways.                           |
| H362              | May cause harm to breast-fed children.                                  |
| H400              | Very toxic to aquatic life.                                             |
| H410              | Very toxic to aquatic life with long lasting effects.                   |
| EUH066            | Repeated exposure may cause skin dryness or cracking.                   |

**Classification & procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLPI]:**

|                   |           |                       |
|-------------------|-----------|-----------------------|
| Aerosol 1         | H222;H229 | On basis of test data |
| Lact.             | H362      | Calculation method    |
| Aquatic Acute 1   | H400      | Calculation method    |
| Aquatic Chronic 1 | H410      | Calculation method    |

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.