Joachim Vandekerckhove Spring 2025

 $Response\ times-reaction\ times-latencies$ 

Response times – reaction times – latencies

A very common type of data in experimental psychology  $\,$ 

Response times – reaction times – latencies

A very common type of data in experimental psychology

• participants presented with a perceptual stimulus

Response times – reaction times – latencies

A very common type of data in experimental psychology

- participants presented with a perceptual stimulus
- asked to do a simple task like categorizing the stimulus (is this an 'A' or a 'B'?)

Response times – reaction times – latencies

A very common type of data in experimental psychology

- participants presented with a perceptual stimulus
- asked to do a simple task like categorizing the stimulus (is this an 'A' or a 'B'?)
- instructed to perform the task as quickly and accurately as possible

Response times – reaction times – latencies

A very common type of data in experimental psychology

- participants presented with a perceptual stimulus
- asked to do a simple task like categorizing the stimulus (is this an 'A' or a 'B'?)
- instructed to perform the task as quickly and accurately as possible
- repeated many times with small variations or under different conditions

#### A few subtle distinctions: Speeded vs. not

#### Speeded response times

These result from easy tasks where the participant is instructed to respond as quickly as possible. They happen on short time scales – less than a second on average. You might call them 'split-second' decisions. Real life examples are tasks such as deciding when to apply the brake while driving, or whether to duck or jump if an object flies your way.

#### A few subtle distinctions: Speeded vs. not

#### Speeded response times

These result from easy tasks where the participant is instructed to respond as quickly as possible. They happen on short time scales – less than a second on average. You might call them 'split-second' decisions. Real life examples are tasks such as deciding when to apply the brake while driving, or whether to duck or jump if an object flies your way.

#### Non-speeded response times

These result from more complex tasks where the participant has to weigh many considerations and may have to deal with the consequences of a decision. They happen on much slower time scales – at least several seconds but possibly much longer. They include decisions such as economic decisions (e.g., buying a car) or social decisions (e.g., how to respond to a marriage proposal).

#### A few subtle distinctions: Simple vs. choice

#### Choice response times

These result from tasks in which the participant is specifically instructed to choose between several alternatives. They not only have to press a button but additionally have to choose which button to press. There may be two alternatives (two-choice response times) or more than two (multiple-choice or multialternative response times). Note that choice response times are bivariate.


#### A few subtle distinctions: Simple vs. choice

#### Choice response times


These result from tasks in which the participant is specifically instructed to choose between several alternatives. They not only have to press a button but additionally have to choose which button to press. There may be two alternatives (two-choice response times) or more than two (multiple-choice or multialternative response times). Note that choice response times are bivariate.

#### Simple response times


These result from tasks where there is no ambiguity about which button to press – the instruction is simply to press it as quickly as possible. Simple response times are univariate.




• Non-normal and skewed



- Non-normal and skewed
- 'Hard left bound'




• Bivariate (one continuous, one binary)




- Bivariate (one continuous, one binary)
- Not independent

#### **Summaries of CRTs**



• Are mean and SD really capturing the information in these data?


#### **Summaries of CRTs**



- Are mean and SD really capturing the information in these data?
- Here the 95% CI goes into the negative


#### Variance stabilization

It is possible to give a strictly statistical treatment to the skewed data through various variance stabilizing transformations.




#### Variance stabilization

It is possible to give a strictly statistical treatment to the skewed data through various variance stabilizing transformations.



CRT distributions can have a lot of detail and information in them



• What is the proportion of errors?

- What is the proportion of errors?
- Do errors have higher variance?

- What is the proportion of errors?
- Do errors have higher variance?
- Does an experimental manipulation affect errors and correct responses similarly?

- What is the proportion of errors?
- Do errors have higher variance?
- Does an experimental manipulation affect errors and correct responses similarly?
- Does an experimental manipulation all quantiles similarly?


Quantiles can be used to summarize nonstandard distributions

Quantiles can be used to summarize nonstandard distributions


Here, each distribution is marked with the  $10^{\rm th}$ ,  $30^{\rm th}$ ,  $50^{\rm th}$ ,  $70^{\rm th}$ , and  $90^{\rm th}$ , percentile, so that 20% of the data falls in each of the middle bins

Quantiles can be used to summarize nonstandard distributions


Here, each distribution is marked with the  $10^{\rm th}$ ,  $30^{\rm th}$ ,  $50^{\rm th}$ ,  $70^{\rm th}$ , and  $90^{\rm th}$ , percentile, so that 20% of th





Plot the RT quantiles (vertical) over the condition accuracy (horizontal)





(Data from Vandekerckhove, Panis, & Wagemans, 2007)











 $\ensuremath{\mathsf{QPP}}$  can be used to compare many conditions at once


QPP can be used to compare many conditions at once But they still rely on 'visual arithmetic'

QPP can be used to compare many conditions at once

But they still rely on 'visual arithmetic'


QPP can be used to compare many conditions at once

But they still rely on 'visual arithmetic'




QPP can be used to compare many conditions at once

But they still rely on 'visual arithmetic'




QPP can be used to compare many conditions at once

But they still rely on 'visual arithmetic'



### Delta plots (Pratte, Rouder, Morey, & Feng, 2010)

$$\Delta_{10} = 0.05$$
 $\Delta_{30} = 0.08$ 
 $\Delta_{50} = 0.11$ 
 $\Delta_{70} = 0.13$ 
 $\Delta_{90} = 0.17$ 



Delta plots can quickly reveal patterns of effects due to experimental manipulations

#### References

- Pratte, M. S., Rouder, J. N., Morey, R. D., & Feng, C. (2010, October). Exploring the differences in distributional properties between stroop and simon effects using delta plots. *Attention, Perception & Psychophysics*, 72(7), 2013–2025. doi: 10.3758/app.72.7.2013
- Simen, P., Contreras, D., Buck, C., Hu, P., Holmes, P., & Cohen, J. D. (2009). Reward rate optimization in two-alternative decision making: Empirical tests of theoretical predictions. *Journal of Experimental Psychology: Human Perception and Performance*, 35(6), 1865–1897. doi: 10.1037/a0016926
- Vandekerckhove, J., Panis, S., & Wagemans, J. (2007). The concavity effect is a compound of local and global effects. *Perception & Psychophysics*, 69, 1253–1260. doi: 10.3758/BF03193960

Joachim Vandekerckhove Spring 2025