

LARGE INTESTINE CHANNEL OF HAND YANG MING				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LI-1 Shang Yang 商陽 Metal Yang	Jing Well Point Metal Point No Moxibustion	- On the radial side of the index finger, about 0.1 cun posterior to the corner of the nail Needling Method: - Puncture 0.1 inch or - Prick to bleed	- Clears heat - Reduces swelling - Alleviates pain - Revives consciousness	- Toothache, sore throat, swelling of the submandibular region, numbness of fingers, febrile diseases with anhidrosis, loss of consciousness - Jing Well Point, for heat, pain, stagnation, especially at opposite end of the channel, for eye and ear pain and inflammation, toothache Bleed for high fever, coma
LI-2 Er Jian 二間 Second Space	Ying Spring Point Water Point Sedation Point Moxibustion Applicable	- In the depression on the radial side of the index finger - Distal to the 2nd metacarpal-phalangeal joint - Located with the finger slightly flexed Needling Method: - Perpendicular 0.2-0.3 inch	- Expels wind - Clears heat - Reduces swelling - Alleviates pain	- Blurring of vision. Epistaxis, toothache, sore throat, febrile diseases - Shown to increase saliva production and to affect the areas of the brain involved in saliva production. Useful for dry mouth (xerostomia). - LI 2 & LI 3 are not used often clinically because LI 4 & LI 11 have broader applications. - Sedation Point and Ying Spring Point: treats excess and clears heat from opposite end of the channel, for toothache, eye redness and pain, gum inflammation, sore throat
LI-3* San Jian 三間 Third Space	Shu Stream Point Wood Point Moxibustion Applicable	- When a loose list is made - On radial side of index finger, - In the depression proximal to head of 2nd metacarpal bone Needling Method: - Perpendicular 0.5-0.8 inch	- Expels wind and heat - Clears heat - Benefits the throat and teeth - Dispels fullness & treats diarrhea	- Toothache, ophthalmalgia - Sore throat - Redness and swelling of fingers and the dorsum of the hand
LI-4** He Gu 合谷 Union Valley	Yuan Source Point Entry Point Command Point for Face, Nose, Mouth, Jaw Moxibustion Applicable Moxibustion & Needling Contraindicated in Pregnancy	- On the dorsum of the hand - Between the 1st and 2nd metacarpal bones - Approximately in the middle of the 2nd metacarpal bone - On the radial side. Needling Method: - Perpendicular 0.5-0.8 inch	- Regulates the defensive Qi - Adjusts sweating - Expels wind & releases exterior - Regulates the face, eyes, nose, mouth and ears - Activates the channel and alleviates pain - Induces labor - Restores the yang	- Headache, pain in the neck - Redness, swelling and pain of eye - Epistaxis, nasal obstruction, rhinorrhea, toothache, deafness, swelling of the face - Sore throat, parotitis (mumps), trismus (tetanus → jaw spasms) - Facial paralysis, febrile diseases with anhidrosis, hidrosis (sweating) - Abdominal pain, dysentery, constipation - Amenorrhea, infantile convulsion - Weakness and motor impairment of the upper limbs Releases the exterior for wind-cold or wind-heat syndromes Strengthens the Wei Qi, improves immunity - Regulates the sweat glands, for excessive sweating tonify LI 4 then disperse KD 7 and vice versa. Any problem on the face - sense organs, mouth, teeth, jaw, toothache, allergies, rhinitis, hay fever, acne, eye problems, etc. - Toothache: use both LI 4 & ST 44 – LI for lower jaw & ST for upper jaw Headache, especially frontal a/or sinus (yang ming area). - Chronic Pain Influence the circulation of Qi and Blood: Four gates (LI 4 & LV 3) to strongly move Qi and Blood in body clearing stagnation and alleviating pain. - Delayed Labor, Promote labor, retained placenta

LARGE INTESTINE CHANNEL OF HAND YANG MING				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LI-5 Yang Xi 陽谿 Yang Ravine	Jing River Point Fire Point Moxibustion Applicable	- On the radial side of the wrist. - When thumb is tilted upward - In the depression between the tendons m. extensor pollicis longus and brevis Needling Method: - Perpendicular 0.3-0.5 inch	- Clears heat and alleviates pain - Clears yangming fire - Calms the spirit - Benefits the wrist joint	- Headache, redness, pain and swelling of the eye, toothache, sore throat, pain of the wrist - Local point for wrist pain. - Classically noted with LI 7 for "seeing ghosts," → may be useful in manic conditions
LI-6 Pian Li 偏歷 Veering Passageway	Luo Connecting Point Moxibustion Applicable	- With the elbow flexed and the radial side of arm upward - On the line joining LI-5 & LI-11 3 cun above the wrist crease Needling Method: - Perpendicular 0.5-0.8 inch	- Expels wind and clears heat - Opens and regulates the water passages	- Redness of the eye, tinnitus, deafness, epistaxis, aching of the hand and arm, sore throat, edema - Luo channel travels upward to face: affecting jaw, teeth and ears → tinnitus, deafness, toothache, nosebleeds
LI-7 Wen Liu 溫溜 Warm Dwelling	Xi Cleft Point Moxibustion Applicable	- With elbow flexed and radial side of arm upward - On line connecting LI-5 & LI-11 5 cun above the wrist crease Needling Method: - Perpendicular 0.5-1.0 inch	- Clears heat & detoxifies poison - Moderates acute conditions - Regulates & harmonizes the intestines and Stomach - Clears yang ming fire - Calms the spirit	- Headache, facial swelling, sore throat, borborygmus, abdominal pain - Aching of shoulder and arm - Xi Cleft Point: useful for pain due to stagnation along the meridian in the shoulders, elbows and wrist. - Classically noted with LI 5 for "seeing ghosts," may be useful in manic conditions
LI-8 Xia Lian 下廉 Lower Ridge	Local Point Moxibustion Applicable	- On line joining LI-5 & LI-11 4 cun below the cubital crease (8 cun proximal to wrist crease) Needling Method: - Perpendicular 0.5-1.0 inch	- Harmonizes the Small Intestine - Expels wind and clears heat - Clears yang ming fire - Calms the spirit	- Abdominal pain, borborygmus - Pain in the elbow and arm - Motor impairment of upper limbs - Relationships exist between the ST and the LI and can be used to treat ST, LI and SI organ problems: ♦ Small Intestine: LI 8 & ST 39 [Lower He Sea of Small Intestine] - Blood in the urine arising from heat in the SI: use REN 3 & ST 39
LI-9 Shang Lian 上廉 Upper Ridge	Local Point Moxibustion Applicable	- On the line joining LI-5 & LI-11 3 cun below the cubital crease (9 cun proximal to wrist crease) Needling Method: - Perpendicular 0.5-1.0 inch	- Harmonizes the Large Intestine - Activates the channel - Alleviates pain	- Aching of the shoulder and arm - Motor impairment of upper limbs - Numbness of the hand and arm - Borborygmus, abdominal pain - Relationships exist between the ST and the LI and can be used to treat ST, LI and SI organ problems: ♦ Large Intestine: LI 9 & ST 37 [Lower He Sea of Large Intestine]
LI-10* Shou San Li 手三里 Arm Three Li	Local Point Moxibustion applicable	- On line joining LI-5 & LI-11 2 cun below the cubital crease (10 cun proximal to wrist crease) Needling Method: - Perpendicular 0.8-1.2 inches	- Regulates Qi & Blood - Activates channel - Alleviates pain - Harmonizes intestines & stomach	- Abdominal pain, diarrhea, epigastric & abdominal pain, ulcers, vomiting - Toothache, Swelling of cheek - Motor impairment of upper limbs - Pain in shoulder & back - General achiness and pain in shoulder, elbow & wrist - Relationships to treat ST, LI & SI: ♦ Stomach: SI-10 & ST-36 [Major Tonification Point on Body] - Less dispersive & more tonifying than other LI points

LARGE INTESTINE CHANNEL OF HAND YANG MING				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LI-11* Qu Chi 曲池 Pool at the Pond	He-Sea Point Earth Point Tonification Point (Earth tonifies Metal) Ghost Point Moxibustion applicable	- When elbow flexed - Point located in depression at lateral end of transverse cubital crease - Midway btwn LU-5 and lateral epicondyle of humerus Needling Method: - Perpendicular 1.0-1.5 inches	- Clears heat, cools blood - Eliminates wind - Drains damp - Alleviates itching - Used for 4 Bigs (Big thirst, pulse, sweating, fever) → excess condition of yang ming - More regulating - Regulates Qi & Blood - Activates channel - Alleviates pain	- Febrile diseases → reduce high fever - Sore throat, toothache - Redness & pain of eye - Scrofula (glandular swelling) - Urticaria (skin rash → allergy) - Upper extremity motor impairment - Abdominal pain, vomiting, diarrhea (burning, stomach excess) - Damp heat (red, itchy, oozing, inflamed skin → w/ UB 40) - Elbow & upper limb problems: pain & inflammation, atrophy, tremors, expels wind damp - Hot flashes & menstrual issues w/heat in blood - Expels summer heat (UB-40 & SP-10) - Heat stroke → add SI-3
LI-12 Zhou Liao 肘髎 Elbow Bone Hole	Local Point Moxibustion applicable	- When the elbow is flexed - On lateral side of upper arm 1 cun above LI-11 - On the border of humerus Needling Method: - Perpendicular 0.5-1.0 inch	- Activates the channel - Alleviates pain - Benefits the elbow joint	Pain, numbness and contracture of the elbow and arm
LI-13 Shou Wu Li 手五里 Arm Five Li	Local Point Moxibustion applicable Avoid Artery	- On lateral side of upper arm - on line connecting LI-11 & LI-15 3 cun above LI-11 Needling Method: - Perpendicular 0.5-1.0 inch	- Activates the channel - Alleviates pain - Alleviates coughing - Regulates Qi, drains damp - Transforms phlegm	- Contracture and pain of the elbow and arm - Scrofula
LI-14 Bi Nao 臂臑 Upper Arm	Local Point Moxibustion applicable	- On lateral side of upper arm - On line joining LI-11 & LI-15 7 cun above LI-11 - At insertion of m. deltoideus Needling Method: - Perpendicular or oblique (up) 0.8-1.5 inches	- Activates the channel - Alleviates pain - Regulates Qi - Dissipates phlegm nodules - Benefits the eyes	Pain in the shoulder and arm, rigidity of the neck, scrofula
LI-15* Jian Yu 肩髃 Shoulder Bone	Intersection Point - SI - Yang Qiao (Motility) Moxibustion applicable	- Antero-inferior to acromion - On upper portion of deltoid - When arm in full abduction - In depression, anterior border of acromioclavicular joint Needling Method: - Perpendicular or oblique 0.8-1.5 inches	- Dispels wind-damp - Alleviates pain - Regulates Qi - Dissipates phlegm nodules - Benefits eyes	- Pain in shoulder & arm, motor impairment of upper extremities - Rubella (German measles) - Scrofula (Glandular swelling) - Shoulder disorders: Rotator cuff injuries, adhesive capsulitis, frozen shoulder, ROM issues
LI-16 Ju Gu 巨骨 Great Bone	Intersection Point - LI - Yang Qiao (Motility) Moxibustion applicable Deep Needling could affect Lung	- In upper aspect of shoulder - In depression between the acromial extremity of the clavicle and the scapular spine Needling Method: - Perpendicular 0.5-0.7 inch	- Activates the channel - Alleviates pain - Benefits the shoulder joint - Regulates Qi and blood - Dissipates phlegm nodules	- Pain and motor impairment of the upper extremities - Pain in the shoulder and back - Secondary to LI 15 for shoulder issues. - Resolve Blood stagnation in the chest & lungs: vomiting a/or coughing of Blood
LI-17 Tian Ding 天鼎 Celestial Tripod	Local Point Possible Window of Sky Moxibustion applicable	- On the lateral side of the neck - At the posterior border of sternocleidomastoid muscle - Beside laryngeal protuberance - At the midpoint of line connecting LI-18 and ST-12 Needling Method: - Perpendicular 0.3-0.5 inch	Benefits the throat and voice	Sudden loss of voice, sore throat, scrofula, goiter
LI-18* Fu Tu 扶突 Protuberance Assistant	Window of Sky Point Moxibustion applicable	- On the lateral side of the neck - Level with tip of Adam's apple - Between the sternal head and clavicular head of sternocleidomastoid Needling Method: - Perpendicular 0.3-0.5 inch	- Benefits the throat and voice - Alleviates cough and wheezing	- Cough, asthma, sore throat, sudden loss of voice, scrofula, goiter - Window of the Sky Point for sudden loss of voice with qi obstruction in the throat. High blood pressure, for which Window of the Sky Points are sometimes indicated, may also be useful for low blood pressure

LARGE INTESTINE CHANNEL OF HAND YANG MING				
Name	Association/Precautions	Location/Needling Method	Functions & Actions	Indications/Notes
LI-19 He Liao 口禾髎 Grain Bone Hole	Intersection Point • ST No Moxibustion	• Right below the lateral margin of the nostril • Level with DU-26 Needling Method: • Oblique 0.2-0.3 inch	• Eliminates wind • Opens the nasal passages	• Nasal obstruction, epistaxis, deviation of the mouth
LI-20* Ying Xiang 迎香 Welcome Fragrance	Exit Point Intersection Point • ST No Moxibustion	• In the nasolabial groove • Level with midpoint of the lateral border of ala nasi • On opposite side Needling Method: • Obliquely or subcutaneously • 0.3-0.5 inch	• Opens the nasal passages • Expels wind and clears heat	• Nasal obstruction • Hyposmia (loss of smell or taste) • Epistaxis, rhinorrhea (runny nose) • Deviation of the mouth • Itching and swelling of the face • Loss of smell or taste, nasal discharge, any nose a/or sinus issues, rhinitis, sinusitis, allergies. Often combined with LI 19 and other local points



